Utah's Vital Statistics

Abortions
2009

Utah Department of Health
Center for Health Data

Office of
Vital Records
and Statistics

Utah's Vital Statistics

Abortions

2009

April 2011
Technical Report No. 273

Mission Statement

The Office of Vital Records and Statistics administers the statewide system of Vital Records and Statistics by documenting and certifying the facts of births, deaths, and family formation for the legal purposes of the citizens of Utah, participates in the National Vital Statistics System, and responds to the needs of health programs, health care providers, businesses, researchers, educational institutions and the Utah public for data and statistical information.

PREFACE

This 2009 report is the thirty-second in a series on legally induced abortions in Utah. Previous reports were for the combined years 1974-1975, 1975-1977, 1978-1980, each year from 1981-1998, combined years 1999-2000, 2001-2002 and each year from 2003-2009.

These tabulations are published annually to make commonly used vital records data available to health programs, health care providers, businesses, researchers, educational institutions and the Utah public. Data are presented for the state, the local health districts, and the counties.

The most recent series of Utah's Vital Statistics reports no longer include abortion data for the United States. The most recent abortion data for the United States is published by the Centers for Disease Control in the Morbidity and Mortality Weekly Report, "Abortion Surveillance - United States, 2007," Vol. 60, No. 1; Atlanta, Georgia, February 25, 2011. The website for this report at the Centers for Disease Control is http://www.cdc.gov and use the keyword “abortion surveillance” to search for the most current Abortion Surveillance report.

TABLE OF CONTENTS

Page	
ix	List of Summary Tables
xi	List of Reference Tables
xiii	List of Appendices
S-1	Summary Tables
R-1	Reference Tables
T-1	Technical Appendix

List of Summary Tables

Page

S-3 Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980, 1985 and 1990-2009

S-3 Table 2. Abortions occurring in Utah by state of residence: 2009

S-4 Table 3. Abortions, live births and abortion ratios by health district and county of residence: Utah, 1990 and 1995-2009

S-5 Table 4a and 4b. Abortions, live births and ratios by marital status, residents: Utah, 1980, 1985, and 1990-2009

S-6 Table 5. Population for females 15 to 44 years of age, residents: Utah, 1990, 1995-2009

S-6 Table 6. Age-specific abortion rates, residents: Utah, 1990, 1995-2009

Figure

S-7 Figure 1. Abortions per 1,000 live births, residents: Utah, 1990-2009

List of Reference Tables

Page	
R-3	Table R1. Abortions by health district, county of residence and age of woman: Utah, 2009
R-4	Table R2. Abortions by health district, county of residence and month of occurrence: Utah, 2009
R-5	Table R3. Abortions by age and marital status of woman, residents: Utah, 2009
R-5	Table R4. Abortions by weeks gestation and marital status of woman, residents: Utah, 2009
R-5	Table R5. Abortions by age and education of woman, residents: Utah, 2009
R-6	Table R6. Abortions by age and race of woman, residents: Utah, 2009
R-6	Table R7. Abortions by weeks gestation and race of woman, residents: Utah, 2009
R-7	Table R8. Abortions by age of woman and number of prior live births, residents: Utah, 2009
R-7	Table R9. Abortions by age of woman and number of prior abortions, residents: Utah, 2009
R-7	Table R10. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2009

(List of Reference Tables continued)

R-8 Table R11. Abortions by age of woman and reason for termination, residents: Utah, 2009

R-8 Table R12. Abortions by weeks gestation and reason for termination, residents: Utah, 2009

R-9 Table R13. Abortions by age of woman and weeks gestation, residents: Utah, 2009

R-10 Table R14. Abortions by age of woman and method of termination, residents: Utah, 2009

R-10 Table R15. Abortions by weeks gestation and method of termination, residents: Utah, 2009

R-11 Table R16. Abortions by age of woman and mention of any complications, residents: Utah, 2009

R-11 Table R17. Abortions by age of woman and history of contraceptive use in past year, residents: Utah, 2009

R-11 Table R18. Abortions by age of woman, pregnancy due to omission of contraceptive, residents: Utah, 2009

R-12 Table R19. Abortions by age of woman and method of contraceptive in past year, residents: Utah, 2009

R-12 Table R20. Abortions by marital status of woman and method of contraceptive in past year, residents: Utah, 2009

(List of Reference Tables continued)

R-13 Table R21. Abortions by number of prior live births and prior abortions and method of contraceptive in past year, residents: Utah, 2009

R-13 Table R22. Abortions by education of woman and method of contraceptive in past year, residents: Utah, 2009

Technical Appendix

T-4 Figure 1. State of Utah -- Department of Health report of induced termination of pregnancy

2009 Summary Tables:

Abortions

Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980, 1985, 1990-2009

			Abortions			
			Occurrence	Residents		
Year	Estimated population females ages 15-44 [1]	Resident Live Births	Number	Number	Rate[2]	Ratio[3]
1980	342,817	41,786	4,086	3,821	11.1	91.4
1985	385,335	37,441	4,129	3,928	10.2	104.9
1990	395,807	36,253	4,796	4,159	10.5	114.7
1991	411,839	36,019	4,213	3,759	9.1	104.4
1992	428,353	37,198	3,941	3,525	8.2	94.8
1993	443,618	37,048	3,945	3,615	8.1	97.6
1994	460,914	38,271	3,610	3,304	7.2	86.3
1995	475,165	39,554	3,705	3,292	6.9	83.2
1996	488,404	42,056	3,639	3,293	6.7	78.3
1997	502,401	43,009	3,408	3,140	6.2	73.0
1998	510,715	45,128	3,487	3,237	6.3	71.7
1999	520,259	46,243	3,381	3,160	6.1	68.3
2000	528,501	47,331	3,509	3,279	6.2	69.3
2001	539,349	47,915	3,594	3,372	6.3	70.4
2002	547,717	49,140	3,524	3,300	6.0	67.2
2003	556,239	49,834	3,576	3,338	6.0	67.0
2004	564,777	50,653	3,665	3,379	6.0	66.7
2005	579,316	51,517	3,556	3,279	5.7	63.6
2006	590,655	53,475	3,753	3,444	5.8	64.4
2007	606,453	55,063	3,932	3,516	5.8	63.9
2008	614,495	55,605	3,911	3,510	5.7	63.1
2009	618,639	53,849	3,665	3,270	5.3	60.7

[1]Population projections/estimates are revised as historical data becomes available and the rates may not agree with previous reports.

[2]Rates are per 1,000 females 15 to 44 years of age.

[3]Ratios are per 1,000 live births.

Source for Utah female population 15-44 years of age : The Utah Population Estimates Committee (UPEC) and the Governor's Office of Planning and Budget (GOPB), Estimates for Counties by Sex and Single Year of Age. For more information, go to http://www.governor.utah.gov/dea/demographics.html.

Table 2. Abortions occurring in Utah by state of residence: 2009

State of Residence	Frequency	Percent
Total	3,665	100.0
California	3	0.1
Colorado	4	0.1
Georgia	2	0.1
Idaho	217	5.9
Nevada	28	0.8
Oregon	2	0.1
Texas	2	0.1
Utah	3,270	89.2
Wyoming	128	3.5
Other states*	9	0.2

*Other states include Florida, Iowa, Massachusetts, Michigan, Missouri, New Jersey, New York, Pennsylvania, and Washington.

Table 3. Abortions, live births and abortion ratios by health district and county of residence: Utah, 1990 and 1995-2009

District and county of residence	2009			Abortion ratios by year													
	Live births	Abor-tions	Ratio	1990	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total	53,849	3,270	60.7	114.7	83.2	78.3	73.0	71.7	68.3	69.3	70.4	67.2	67.0	66.7	63.6	64.4	63.9	63.1
Bear River	3,518	108	30.7	60.9	37.3	33.1	36.7	38.9	35.5	32.6	29.6	32.0	32.3	24.3	27.9	27.2	31.7	29.9
Box Elder	961	29	30.2	29.4	21.5	28.6	26.4	44.3	33.2	27.1	34.0	39.8	29.4	23.2	25.1	22.9	27.4	30.2
Cache	2,516	79	31.4	74.7	43.3	35.1	40.9	37.3	36.7	35.0	28.3	29.6	33.4	25.0	29.3	29.2	33.3	30.2
Rich	41	0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	0.0
Central Utah	1,228	25	20.4	36.7	29.5	24.8	14.7	20.4	18.1	23.2	21.2	26.1	23.1	17.5	27.3	17.3	17.3	24.2
Juab	210	8	38.1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	8.7
Millard	218	5	- -	30.4	51.0	- -	- -	- -	- -	38.3	40.8	- -	- -	- -	- -	- -	- -	9.8
Piute	17	0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	45.5
Sanpete	393	7	17.8	26.9	21.9	21.2	- -	19.0	27.3	19.1	- -	37.9	35.5	- -	23.3	16.9	17.2	27.1
Sevier	363	5	- -	44.0	33.7	31.7	- -	- -	18.0	24.0	- -	- -	- -	- -	36.2	21.4	22.3	35.7
Wayne	27	0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	43.5
Davis	6,071	271	44.6	85.5	62.9	62.1	56.7	56.6	50.8	58.1	52.4	47.5	57.1	51.5	45.5	48.2	46.3	38.7
Salt Lake	18,714	2,052	109.7	181.0	139.9	129.0	125.1	122.6	115.3	117.2	126.4	116.5	117.5	119.1	112.6	113.5	114.2	115.5
Southeastern	891	25	28.1	87.6	44.4	36.4	35.6	42.1	22.2	25.7	14.7	32.3	41.9	35.6	31.6	39.7	35.0	31.2
Carbon	322	16	49.7	128.0	77.7	75.9	64.6	87.0	55.6	46.5	30.5	63.3	82.8	56.1	82.2	81.4	73.4	52.5
Emery	175	6	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	20.8
Grand	132	3	- -	183.5	70.7	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	40.0
San Juan	262	0	- -	57.6	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	4.4
Southwest	3,645	15	4.1	12.7	5.1	6.8	2.7	2.5	- -	3.9	- -	- -	- -	3.8	3.6	2.0	2.0	2.5
Beaver	131	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	0.0
Garfield	58	2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	0.0
Iron	888	6	- -	- -	- -	12.9	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	3.1
Kane	90	0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	10.6
Washington	2,478	6	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	3.3	- -	- -	2.2
Summit	562	90	160.1	349.4	282.7	211.2	231.3	237.2	201.8	190.3	165.4	173.1	150.0	163.0	166.3	181.7	164.7	179.8
Tooele	1,099	46	41.9	94.9	94.6	83.6	59.6	67.6	60.8	49.2	58.2	73.1	66.4	63.5	85.1	52.8	50.7	53.7
TriCounty	1,167	42	36.0	72.5	29.1	31.8	22.6	22.5	27.2	33.2	22.8	30.0	27.1	34.1	33.8	43.7	35.5	39.0
Daggett	12	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	0.0
Duchesne	433	5	- -	35.3	- -	27.7	- -	35.6	33.8	24.8	29.2	34.5	- -	29.2	26.8	32.3	33.8	19.0
Uintah	722	36	49.9	92.4	38.8	32.3	21.8	- -	23.6	39.6	19.8	25.7	36.7	35.5	36.1	47.7	37.0	52.7
Utah County	12,168	316	26.0	32.4	23.6	30.1	21.4	22.0	24.8	23.7	20.3	22.7	22.6	22.5	22.5	23.5	24.0	24.7
Wasatch	389	19	48.8	105.0	41.5	34.6	45.6	55.8	44.1	71.0	66.2	68.7	35.9	70.1	52.1	61.1	80.9	76.2
Weber-Morgan	4,397	261	59.4	129.6	86.2	78.9	79.1	70.3	81.3	68.4	72.0	69.8	68.0	72.0	66.9	78.3	71.0	66.1
Morgan	177	1	- -	- -	96.8	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	13.8
Weber	4,220	260	61.6	132.5	85.9	79.9	80.1	71.1	83.2	69.3	73.2	70.9	69.1	73.3	68.1	80.8	72.9	67.8

Ratios are per 1,000 live births and are not computed for fewer than seven events or when the number of births is less than 30.

Table 4a. Abortions, live births and ratios by marital status, residents: Utah, 1980, 1985, and 1990-2009

Marital status	Year										
	1980	1985	1990	1991	1992	1993	1994	1995	1996	1997	1998
Total*											
Induced abortions	3,821	3,928	4,159	3,759	3,525	3,615	3,304	3,292	3,293	3,140	3,237
Live births	41,786	37,441	36,253	36,019	37,198	37,048	38,271	39,554	42,056	43,009	45,128
Ratio per 1,000 live births	91.4	104.9	114.7	104.4	94.8	97.6	86.3	83.2	78.3	73.0	71.7
Married**											
Induced abortions	975	846	774	853	914	920	862	786	754	794	860
Live births	39,181	34,366	31,343	30,823	31,567	31,325	32,269	33,338	35,231	35,864	37,388
Ratio per 1,000 live births	24.9	24.6	24.7	27.7	29.0	29.4	26.7	23.6	21.4	22.1	23.0
Unmarried***											
Induced abortions	2,820	3,075	3,351	2,893	2,598	2,683	2,423	2,494	2,515	2,329	2,357
Live births	2,605	3,259	4,886	5,196	5,631	5,721	6,001	6,215	6,798	7,121	7,722
Ratio per 1,000 live births	1,082.5	943.5	685.8	556.8	461.4	469.0	403.8	401.3	370.0	327.1	305.2

Table 4b. Abortions, live births and ratios by marital status, residents: Utah, 1980, 1985, and 1990-2009

Marital status	Year										
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total*											
Induced abortions	3,160	3,279	3,372	3,300	3,338	3,379	3,279	3,444	3,516	3,510	3,270
Live births	46,243	47,331	47,915	49,140	49,834	50,653	51,517	53,475	55,063	55,605	53,849
Ratio per 1,000 live births	68.3	69.3	70.4	67.2	67.0	66.7	63.6	64.4	63.9	63.1	60.7
Married**											
Induced abortions	858	809	844	756	771	795	760	830	880	762	773
Live births	38,543	39,135	39,593	40,671	41,254	41,822	42,416	43,412	44,254	44,281	43,358
Ratio per 1,000 live births	22.3	20.7	21.3	18.6	18.7	19.0	17.9	19.1	19.9	17.2	17.8
Unmarried***											
Induced abortions	2,284	2,455	2,348	2,268	2,143	2,270	2,230	2,187	2,371	2,390	2,252
Live births	7,699	8,175	8,322	8,469	8,580	8,831	9,101	10,063	10,809	11,324	10,486
Ratio per 1,000 live births	296.7	300.3	282.1	267.8	249.8	257.0	245.0	217.3	219.4	211.1	214.8

Abortion ratios for data years 1993 and 1995 are slightly different from the original published data in this series because birth data for these years are updated.

*Women with marital status unknown are included in the annual totals but are not distributed.

**The sum of women who are married plus women who are separated.

***The sum of women who are widowed, divorced and those who have never married.

Table 5. Population for females 15 to 44 years of age, residents: Utah, 1990 and 1995-2009

Year	Total 15-44	Five year age groups (15 to 44 years of age) 15-19	20-24	25-29	30-34	35-39	40-44
1990	395,807	76,809	69,527	68,108	69,165	61,719	50,479
1995	475,165	96,751	87,652	73,818	75,510	75,365	66,069
1996	488,404	100,684	88,436	78,868	74,003	77,514	68,899
1997	502,401	101,639	93,540	82,070	73,873	78,950	72,329
1998	510,715	102,133	97,329	84,213	72,855	79,802	74,383
1999	520,259	101,883	101,869	85,610	74,198	80,215	76,484
2000	528,501	108,103	113,380	86,275	72,657	73,904	74,182
2001	539,349	107,573	116,879	89,849	76,104	73,158	75,786
2002	547,717	105,800	119,460	94,257	79,057	72,485	76,658
2003	556,239	104,542	120,947	99,314	81,923	72,239	77,274
2004	564,777	104,292	121,168	104,093	84,727	72,981	77,516
2005	579,316	105,737	121,865	109,435	88,967	75,769	77,543
2006	590,655	106,737	121,677	113,205	92,723	79,383	76,930
2007	606,453	108,655	121,492	117,385	98,408	83,417	77,096
2008	614,495	108,913	120,071	118,936	103,424	86,252	76,899
2009	618,639	108,205	118,793	118,414	107,531	88,509	77,187

Source for Utah female population 15-44 years of age : The Utah Population Estimates Committee (UPEC) and the Governor's Office of Planning and Budget (GOPB), Estimates for Counties by Sex and Single Year of Age. For more information, go to http://www.governor.utah.gov/dea/demographics.html.

Table 6. Age-specific abortion rates, residents: Utah, 1990 and 1995-2009

Year	Total 15-44	Age of woman 15-19	20-24	25-29	30-34	35-39	40-44
1990	10.5	12.7	19.8	13.2	7.8	4.1	1.5
1995	6.9	6.3	12.3	11.0	6.6	3.7	1.2
1996	6.7	6.6	12.3	9.7	6.9	3.2	1.3
1997	6.2	6.0	10.1	8.5	6.2	3.6	1.3
1998	6.3	5.8	10.6	8.8	6.8	3.2	1.2
1999	6.1	5.7	10.3	8.5	5.8	3.3	1.3
2000	6.2	5.3	10.3	8.3	6.0	3.4	1.1
2001	6.3	5.1	9.9	8.1	6.4	3.8	1.2
2002	6.0	4.8	9.6	8.2	5.8	3.8	1.2
2003	6.0	5.0	9.2	7.7	6.0	3.9	1.2
2004	6.0	4.9	9.8	7.3	5.8	3.9	1.3
2005	5.7	4.8	8.5	7.2	5.2	4.2	1.1
2006	5.8	5.2	9.2	7.5	5.2	3.6	1.1
2007	5.8	5.3	9.3	7.1	5.1	3.6	1.4
2008	5.7	5.1	8.6	7.4	4.9	3.8	1.7
2009	5.3	4.2	8.5	6.5	4.9	3.8	1.4

Rates are per 1,000 females 15 to 44 years of age. The abortion component of the rate for total all ages include women less than 15 years of age, 45 years and older and age unknown.

Figure 1


Abortions per 1,000 live births, residents: Utah, 1990-2009
Abortions per 1000 births
140.0
120.0
100.0
80.0
60.0
40.0
20.0
0.0
1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009
Year

2009 Reference Tables:

Abortions

Table R1. Abortions by health district, county of residence and age of woman: Utah, 2009

District and County	Total	Under 15	Age of Woman: 15 to 19 Total	15 to 17	18 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 and over	Un-known
Total	3,270	20	454	136	318	1,010	772	526	333	106	10	39
Bear River	108	0	14	3	11	47	25	17	1	3	0	1
Box Elder	29	0	5	1	4	9	9	5	0	1	0	0
Cache	79	0	9	2	7	38	16	12	1	2	0	1
Rich	0	0	0	0	0	0	0	0	0	0	0	0
Central Utah	25	1	9	6	3	8	2	2	2	0	0	1
Juab	8	1	2	2	0	2	1	1	0	0	0	1
Millard	5	0	2	2	0	2	0	0	1	0	0	0
Piute	0	0	0	0	0	0	0	0	0	0	0	0
Sanpete	7	0	4	1	3	2	1	0	0	0	0	0
Sevier	5	0	1	1	0	2	0	1	1	0	0	0
Wayne	0	0	0	0	0	0	0	0	0	0	0	0
Davis	271	2	41	11	30	88	66	36	23	11	0	4
Salt Lake	2,052	10	256	77	179	641	496	342	215	57	9	26
Southeastern	25	0	3	0	3	7	7	6	2	0	0	0
Carbon	16	0	3	0	3	2	5	5	1	0	0	0
Emery	6	0	0	0	0	4	1	1	0	0	0	0
Grand	3	0	0	0	0	1	1	0	1	0	0	0
San Juan	0	0	0	0	0	0	0	0	0	0	0	0
Southwest	15	0	4	0	4	3	1	1	4	1	0	1
Beaver	1	0	1	0	1	0	0	0	0	0	0	0
Garfield	2	0	1	0	1	0	0	0	1	0	0	0
Iron	6	0	1	0	1	2	1	0	1	0	0	1
Kane	0	0	0	0	0	0	0	0	0	0	0	0
Washington	6	0	1	0	1	1	0	1	2	1	0	0
Summit	90	0	10	4	6	26	20	10	14	10	0	0
Tooele	46	0	13	7	6	11	10	4	7	1	0	0
TriCounty	42	0	10	1	9	11	10	7	3	0	0	1
Daggett	1	0	0	0	0	1	0	0	0	0	0	0
Duchesne	5	0	2	0	2	2	0	1	0	0	0	0
Uintah	36	0	8	1	7	8	10	6	3	0	0	1
Utah County	316	4	48	15	33	99	58	56	35	12	0	4
Wasatch	19	0	4	1	3	3	4	4	2	2	0	0
Weber-Morgan	261	3	42	11	31	66	73	41	25	9	1	1
Morgan	1	0	0	0	0	1	0	0	0	0	0	0
Weber	260	3	42	11	31	65	73	41	25	9	1	1

Table R2. Abortions by health district, county of residence and month of occurrence: Utah, 2009

District and County	Total	Month of Occurrence											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total	3,270	347	283	293	270	274	273	271	249	248	287	224	251
Bear River	108	11	10	13	7	10	6	8	8	5	12	7	11
Box Elder	29	1	2	5	3	5	4	1	2	0	2	2	2
Cache	79	10	8	8	4	5	2	7	6	5	10	5	9
Rich	0	0	0	0	0	0	0	0	0	0	0	0	0
Central Utah	25	3	2	3	0	3	3	1	4	0	1	4	1
Juab	8	2	2	0	0	2	1	0	0	0	1	0	0
Millard	5	0	0	0	0	0	0	0	2	0	0	3	0
Piute	0	0	0	0	0	0	0	0	0	0	0	0	0
Sanpete	7	0	0	2	0	0	1	1	1	0	0	1	1
Sevier	5	1	0	1	0	1	1	0	1	0	0	0	0
Wayne	0	0	0	0	0	0	0	0	0	0	0	0	0
Davis	271	35	17	23	22	22	23	16	26	20	27	21	19
Salt Lake	2,052	220	179	176	175	160	176	189	149	170	170	136	152
Southeastern	25	2	1	2	4	1	2	3	1	0	4	3	2
Carbon	16	2	1	2	4	1	1	0	0	0	2	2	1
Emery	6	0	0	0	0	0	1	1	1	0	2	0	1
Grand	3	0	0	0	0	0	0	2	0	0	0	1	0
San Juan	0	0	0	0	0	0	0	0	0	0	0	0	0
Southwest	15	2	1	3	2	1	1	0	1	1	1	1	1
Beaver	1	0	0	0	0	0	0	0	0	1	0	0	0
Garfield	2	1	0	0	0	0	0	0	0	0	0	1	0
Iron	6	1	1	1	2	0	0	0	1	0	0	0	0
Kane	0	0	0	0	0	0	0	0	0	0	0	0	0
Washington	6	0	0	2	0	1	1	0	0	0	1	0	1
Summit	90	7	10	4	9	12	7	8	6	4	10	5	8
Tooele	46	6	2	7	2	6	0	4	4	3	4	5	3
TriCounty	42	5	2	4	5	5	3	2	5	4	3	3	1
Daggett	1	0	1	0	0	0	0	0	0	0	0	0	0
Duchesne	5	0	0	0	0	1	0	0	1	1	1	1	0
Uintah	36	5	1	4	5	4	3	2	4	3	2	2	1
Utah County	316	31	36	27	24	21	27	17	25	26	30	22	30
Wasatch	19	2	2	0	0	1	1	0	4	2	2	2	3
Weber-Morgan	261	23	21	31	20	32	24	23	16	13	23	15	20
Morgan	1	0	0	0	0	0	0	0	0	0	1	0	0
Weber	260	23	21	31	20	32	24	23	16	13	22	15	20

Table R3. Abortions by age and marital status of woman, residents: Utah, 2009

Age	Total	Marital Status of Woman: Never Married	Married	Widowed	Divorced	Separated	Un-known
Total	3,270	2,016	650	7	229	123	245
Under 15	20	20	0	0	0	0	0
Total 15 to 19	454	397	21	0	0	2	34
15-17	136	117	6	0	0	0	13
18-19	318	280	15	0	0	2	21
20-24	1,010	746	142	0	26	29	67
25-29	772	446	170	1	57	40	58
30-34	526	236	144	4	72	28	42
35-39	333	117	116	1	53	19	27
40-44	106	29	49	1	19	5	3
45 and over	10	5	2	0	2	0	1
Unknown	39	20	6	0	0	0	13

Table R4. Abortions by weeks gestation and marital status of woman, residents: Utah, 2009

Weeks gestation	Total	Marital Status of Woman: Never Married	Married	Widowed	Divorced	Separated	Un-known
Total	3,270	2,016	650	7	229	123	245
Under 5	153	81	43	0	8	0	21
5-6	958	563	197	4	89	32	73
7-8	1,123	705	211	2	82	56	67
9-10	427	275	76	1	19	18	38
11-12	247	162	46	0	15	10	14
13-14	181	121	23	0	15	6	16
15-20	170	105	47	0	1	1	16
21 and over	8	2	6	0	0	0	0
Unknown	3	2	1	0	0	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R5. Abortions by age and education of woman, residents: Utah, 2009

Age	Total	Education of Woman: Under 12 Years	High School	Over 12 Years	Unknown
Total	3,270	215	1,281	901	873
Under 15	20	13	3	0	4
Total 15 to 19	454	92	184	33	145
15-17	136	62	35	1	38
18-19	318	30	149	32	107
20-24	1,010	37	420	272	281
25-29	772	32	298	254	188
30-34	526	26	197	181	122
35-39	333	11	124	109	89
40-44	106	4	39	37	26
45 and over	10	0	4	4	2
Unknown	39	0	12	11	16

Table R6. Abortions by age and race of woman, residents: Utah, 2009

Age	Total	White	Black	Asian and Pacific Islander	Native American	Other	Un-known
	Race of Woman						
Total	3,270	2,295	70	151	17	119	618
Under 15	20	9	1	0	0	1	9
Total 15 to 19	454	339	10	13	3	12	77
15-17	136	104	2	3	0	3	24
18-19	318	235	8	10	3	9	53
20-24	1,010	707	24	50	6	32	191
25-29	772	553	17	27	3	33	139
30-34	526	367	13	27	3	23	93
35-39	333	218	4	22	2	13	74
40-44	106	66	1	11	0	3	25
45 and over	10	7	0	1	0	0	2
Unknown	39	29	0	0	0	2	8

Table R7. Abortions by weeks gestation and race of woman, residents: Utah, 2009

Weeks gestation	Total	White	Black	Asian and Pacific Islander	Native American	Other	Un-known
	Race of Woman						
Total	3,270	2,295	70	151	17	119	618
Under 5	153	104	1	11	1	3	33
5-6	958	685	20	44	0	37	172
7-8	1,123	800	21	49	6	35	212
9-10	427	288	12	24	4	16	83
11-12	247	178	8	6	0	7	48
13-14	181	119	2	8	3	9	40
15-20	170	113	5	8	3	11	30
21 and over	8	5	1	1	0	1	0
Unknown	3	3	0	0	0	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R8. Abortions by age of woman and number of prior live births, residents: Utah, 2009

Age	Total	Prior Live Births						
		None	One	Two	Three	Four	Five or More	Un-known
Total	3,270	1,363	708	591	312	124	70	102
Under 15	20	19	1	0	0	0	0	0
Total 15 to 19	454	363	68	11	2	0	0	10
15-17	136	122	11	0	1	0	0	2
18-19	318	241	57	11	1	0	0	8
20-24	1,010	560	271	110	36	5	0	28
25-29	772	247	176	200	80	30	11	28
30-34	526	98	113	138	91	45	22	19
35-39	333	35	54	101	76	29	28	10
40-44	106	13	15	24	26	13	8	7
45 and over	10	4	3	2	0	1	0	0
Unknown	39	24	7	5	1	1	1	0

Table R9. Abortions by age of woman and number of prior abortions, residents: Utah, 2009

Age	Total	Prior Abortions						
		None	One	Two	Three	Four	Five or More	Un-known
Total	3,270	2,220	663	213	60	31	8	75
Under 15	20	20	0	0	0	0	0	0
Total 15 to 19	454	394	48	3	0	0	0	9
15-17	136	127	6	0	0	0	0	3
18-19	318	267	42	3	0	0	0	6
20-24	1,010	731	194	50	8	3	0	24
25-29	772	476	178	71	19	9	1	18
30-34	526	326	122	41	18	8	2	9
35-39	333	178	88	33	11	8	4	11
40-44	106	60	22	13	4	3	1	3
45 and over	10	7	2	1	0	0	0	0
Unknown	39	28	9	1	0	0	0	1

Table R10. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2009

Weeks gestation	Total	Prior Abortions						
		None	One	Two	Three	Four	Five or More	Un-known
Total	3,270	2,220	663	213	60	31	8	75
Under 5	153	104	33	8	2	1	1	4
5-6	958	658	193	59	21	7	0	20
7-8	1,123	767	227	72	17	9	2	29
9-10	427	292	82	33	9	2	0	9
11-12	247	162	53	12	3	11	1	5
13-14	181	115	39	17	5	0	2	3
15-20	170	113	35	11	3	1	2	5
21 and over	8	7	1	0	0	0	0	0
Unknown	3	2	0	1	0	0	0	0

The last mestrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R11. Abortions by age of woman and reason for termination, residents: Utah, 2009

Age	Total	Reason for Termination								
		Maternal Life Endagered	Thera-peutic	Fetal Malform-ation	HIV Positive	Rape	Incest	Elective	Other	Un-known
Total	3,270	25	2,630	34	0	2	0	575	2	2
Under 15	20	0	16	0	0	0	0	4	0	0
Total 15 to 19	454	2	370	0	0	1	0	80	1	0
15-17	136	1	113	0	0	0	0	22	0	0
18-19	318	1	257	0	0	1	0	58	1	0
20-24	1,010	10	821	10	0	0	0	169	0	0
25-29	772	5	610	12	0	0	0	145	0	0
30-34	526	5	417	4	0	0	0	99	0	1
35-39	333	0	271	6	0	1	0	53	1	1
40-44	106	1	81	2	0	0	0	22	0	0
45 and over	10	0	9	0	0	0	0	1	0	0
Unknown	39	2	35	0	0	0	0	2	0	0

Table R12. Abortions by weeks gestation and reason for termination, residents: Utah, 2009

Weeks gestation	Total	Reason for Termination								
		Maternal Life Endagered	Thera-peutic	Fetal Malform-ation	HIV Positive	Rape	Incest	Elective	Other	Un-known
Total	3,270	25	2,630	34	0	2	0	575	2	2
Under 5	153	1	125	0	0	0	0	27	0	0
5-6	958	5	727	2	0	0	0	224	0	0
7-8	1,123	13	900	2	0	1	0	207	0	0
9-10	427	1	355	1	0	0	0	69	0	1
11-12	247	0	210	1	0	0	0	35	1	0
13-14	181	0	167	1	0	0	0	13	0	0
15-20	170	4	143	21	0	0	0	0	1	1
21 and over	8	1	0	6	0	1	0	0	0	0
Unknown	3	0	3	0	0	0	0	0	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R13. Abortions by age of woman and weeks gestation, residents: Utah, 2009

		Weeks Gestation								
Age	Total	Under 5	5-6	7-8	9-10	11-12	13-14	15-20	21 and over	Un-known
Total	3,270	153	958	1,123	427	247	181	170	8	3
Under 15	20	0	2	4	6	6	0	2	0	0
Total 15 to 19	454	22	90	169	72	34	40	26	1	0
15-17	136	9	21	51	26	13	10	6	0	0
18-19	318	13	69	118	46	21	30	20	1	0
20-24	1,010	42	294	343	146	64	58	57	5	1
25-29	772	28	236	270	92	63	40	39	2	2
30-34	526	33	177	176	55	42	18	25	0	0
35-39	333	21	112	105	39	25	18	13	0	0
40-44	106	5	30	41	15	7	5	3	0	0
45 and over	10	0	6	1	0	1	1	1	0	0
Unknown	39	2	11	14	2	5	1	4	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R14. Abortions by age of woman and method of termination, residents: Utah, 2009

Age	Total	Method of Termination: Dilation and Evacuation	Suction Curettage	Sharp Curettage	Medica-tion	Intra-Uterine Instillation	Hyster-ectomy	Other	Un-known
Total	3,270	196	1,739	75	1,256	1	0	0	4
Under 15	20	2	16	0	2	0	0	0	0
Total 15 to 19	454	37	240	13	164	0	0	0	0
15-17	136	8	85	3	40	0	0	0	0
18-19	318	29	155	10	124	0	0	0	0
20-24	1,010	70	525	16	396	1	0	0	3
25-29	772	45	407	23	297	0	0	0	0
30-34	526	23	284	10	209	0	0	0	0
35-39	333	13	189	8	122	0	0	0	1
40-44	106	3	53	4	46	0	0	0	0
45 and over	10	0	5	0	5	0	0	0	0
Unknown	39	3	20	1	15	0	0	0	0

The totals do not add because more than one choice is possible for each number in the total.

Table R15. Abortions by weeks gestation and method of termination, residents: Utah, 2009

Weeks gestation	Total	Method of Termination: Dilation and Evacuation	Suction Curettage	Sharp Curettage	Medica-tion	Intra-Uterine Instillation	Hyster-ectomy	Other	Un-known
Total	3,270	196	1,739	75	1,256	1	0	0	4
Under 5	153	2	12	3	135	0	0	0	1
5-6	958	3	362	16	577	0	0	0	0
7-8	1,123	4	615	19	485	0	0	0	0
9-10	427	4	388	8	27	0	0	0	0
11-12	247	3	229	5	9	0	0	0	1
13-14	181	54	105	19	3	0	0	0	0
15-20	170	123	28	5	14	0	0	0	0
21 and over	8	3	0	0	3	1	0	0	2
Unknown	3	0	0	0	3	0	0	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.
The totals do not add because more than one choice is possible for each number in the total.

Table R16. Abortions by age of woman and mention of any complications, residents: Utah, 2009

Age of Woman	Total	Mention of any Complication		
		Yes	No	Unknown
Total	3,270	3	3,267	0
Under 15	20	0	20	0
Total 15 to 19	454	0	454	0
15-17	136	0	136	0
18-19	318	0	318	0
20-24	1,010	1	1,009	0
25-29	772	1	771	0
30-34	526	0	526	0
35-39	333	1	332	0
40-44	106	0	106	0
45 and over	10	0	10	0
Unknown	39	0	39	0

Table R17. Abortions by age of woman and history of contraceptive use in past year, residents: Utah, 2009

Age of Woman	Total	History of Contraceptive Use in Past Year		
		Yes	No	Unknown
Total	3,270	722	1,572	976
Under 15	20	0	16	4
Total 15 to 19	454	82	248	124
15-17	136	17	87	32
18-19	318	65	161	92
20-24	1,010	238	478	294
25-29	772	187	360	225
30-34	526	121	248	157
35-39	333	68	156	109
40-44	106	21	47	38
45 and over	10	1	6	3
Unknown	39	4	13	22

Table R18. Abortions by age of woman and pregnancy due to omission of contraceptive, residents: Utah, 2009

Age of Woman	Total	Omission of Contraceptive		
		Yes	No	Unknown
Total	3,270	161	430	2,679
Under 15	20	0	0	20
Total 15 to 19	454	20	47	387
15-17	136	6	9	121
18-19	318	14	38	266
20-24	1,010	65	134	811
25-29	772	43	105	624
30-34	526	16	84	426
35-39	333	16	44	273
40-44	106	1	13	92
45 and over	10	0	1	9
Unknown	39	0	2	37

Table R19. Abortions by age of woman and method of contraceptive in past year, residents: Utah, 2009

		Methods of contraceptive used in past year											
Age of Woman	Total	Oral (pill)	Diaphram	Foam Jelly	Condom	I U D	Surgical Sterilization	Rhythm	Coitus	Depo-provera	Other	Un-known	Not Applicable
Total	3,270	363	2	6	218	37	1	0	1	39	71	1,003	2,546
Under 15	20	0	0	0	0	0	0	0	0	0	0	4	20
Total 15 to 19	454	34	0	0	32	1	0	0	0	8	10	127	371
15-17	136	7	0	0	5	0	0	0	0	2	3	33	119
18-19	318	27	0	0	27	1	0	0	0	6	7	94	252
20-24	1,010	143	1	3	61	8	0	0	0	13	15	300	771
25-29	772	90	0	1	47	14	0	0	0	11	28	233	585
30-34	526	53	1	0	38	11	1	0	0	5	14	163	405
35-39	333	31	0	0	29	3	0	0	1	1	3	112	265
40-44	106	10	0	2	9	0	0	0	0	1	0	39	85
45 and over	10	0	0	0	0	0	0	0	0	0	1	3	9
Unknown	39	2	0	0	2	0	0	0	0	0	0	22	35

The totals do not add because more than one choice is possible for each number in the total.

Table R20. Abortions by marital status of woman and method of contraceptive in past year, residents: Utah, 2009

		Methods of contraceptive used in past year											
Marital Status	Total	Oral (pill)	Diaphram	Foam Jelly	Condom	I U D	Surgical Sterilization	Rhythm	Coitus	Depo-provera	Other	Un-known	Not Applicable
Total	3,270	363	2	6	218	37	1	0	1	39	71	1,003	2,546
Never Married	2,016	232	1	3	133	13	0	0	0	25	46	596	1,575
Married	650	52	1	2	39	9	1	0	0	1	8	247	535
Widowed	7	3	0	0	1	0	0	0	0	0	0	0	3
Divorced	229	54	0	0	25	8	0	0	0	5	11	7	127
Separated	123	11	0	1	11	5	0	0	0	5	5	8	86
Unknown	245	11	0	0	9	2	0	0	1	3	1	145	220

The totals do not add because more than one choice is possible for each number in the total.

Table R21. Abortions by number of prior live births, prior abortions and method of contraceptive in past year, residents: Utah, 2009

Prior Live Births and Prior Abortions	Total	Method of Contraceptive: Oral (pill)	Diaphram	Foam Jelly	Condom	I U D	Surgical Steril-ization	Rhythm	Coitus	Depo-provera	Other	Un-known	Not Applicable
Total	3,270	363	2	6	218	37	1	0	1	39	71	1,003	2,546
No Live Births	1,363	180	1	3	96	3	0	0	0	16	31	378	1,042
One Live Birth	708	72	0	0	49	6	0	0	0	9	15	216	556
More than One Birth	1,142	109	1	3	71	28	1	0	1	14	25	375	895
Births Unknown	57	2	0	0	2	0	0	0	0	0	0	34	53
No Abortions	2,220	248	2	6	150	29	1	0	1	29	47	635	1,725
No Live Births	1,078	131	1	3	71	3	0	0	0	14	25	290	838
One Live Birth	476	53	0	0	37	5	0	0	0	4	9	144	369
More than One Birth	660	64	1	3	41	21	1	0	1	11	13	200	513
Births Unknown	6	0	0	0	1	0	0	0	0	0	0	1	5
One Abortion	663	76	0	0	46	4	0	0	0	8	15	219	514
No Live Births	218	39	0	0	18	0	0	0	0	2	5	70	155
One Live Birth	166	11	0	0	9	0	0	0	0	5	4	49	137
More than One Birth	273	25	0	0	18	4	0	0	0	1	6	99	218
Births Unknown	6	1	0	0	1	0	0	0	0	0	0	1	4
More Than One Abortion	312	33	0	0	21	3	0	0	0	2	9	105	240
No Live Births	62	7	0	0	7	0	0	0	0	0	1	17	47
One Live Birth	61	7	0	0	3	1	0	0	0	0	2	23	46
More than One Birth	186	19	0	0	11	2	0	0	0	2	6	64	144
Births Unknown	3	0	0	0	0	0	0	0	0	0	0	1	3
Abortions Unknown	75	6	0	0	1	1	0	0	0	0	0	44	67
No Live Births	5	3	0	0	0	0	0	0	0	0	0	1	2
One Live Birth	5	1	0	0	0	0	0	0	0	0	0	0	4
More than One Birth	23	1	0	0	1	1	0	0	0	0	0	12	20
Births Unknown	42	1	0	0	0	0	0	0	0	0	0	31	41

The totals do not add because more than one choice is possible for each number in the total.

Table R22. Abortions by education of woman and method of contraceptive in past year, residents: Utah, 2009

Education	Total	Method of Contraceptive: Oral (pill)	Diaphram	Foam Jelly	Condom	I U D	Surgical Steril-ization	Rhythm	Coitus	Depo-provera	Other	Un-known	Not Applicable
Total	3,270	363	2	6	218	37	1	0	1	39	71	1,003	2,546
Under 12 Years	215	20	1	0	13	3	0	0	0	4	5	10	169
High School	1,281	139	0	3	79	10	0	0	1	11	23	423	1,022
Over 12 Years	901	177	1	3	104	21	1	0	0	17	38	125	547
Unknown	873	27	0	0	22	3	0	0	0	7	5	445	808

The totals do not add because more than one choice is possible for each number in the total.

2009 Appendix:

Abortions

Technical Appendix

Section 76-7-313, Utah Code Annotated 1953 as amended requires that the report of induced termination of pregnancy (Figure A) be filed with the State of Utah's Department of Health within ten days after the abortion.

The reported number of abortions to Utah residents that are performed out of state is small and suggests an undercount. This small number of reported abortions that occur in other states are not shown by county of residence in this report.

For both the summary and reference tables in this report, data are tabulated by health district as well as county of residence to meet the needs of local health departments.

Population data are from the Demographic and Economic Analysis section of the Govenor's Office of Planning and Budget.

Formulas used to compute rates and ratios used in this report are defined as follows:

$$\text{Abortion Rate} = \frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Resident Females 15-44 Years of Age}}$$

$$\text{Abortion Ratio} = \frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Live Births to Resident Females}}$$

Figure 1

STATE OF UTAH DEPARTMENT OF HEALTH
REPORT OF INDUCED TERMINATION OF PREGNANCY

CONFIDENTIAL
This report will be used for statistical purposes by the Utah Department of Health. It may be used to insure compliance with the provisions of the Utah State Abortion Law. It will be kept Confidential pursuant to Chapter 25, Title 26.

1. PLACE where termination occurred-hospital or other facility. If not in hospital or clinic, enter street address.

1b. CITY

1c. COUNTY

2. RESIDENCE
State | County | City, Village | Zip Code

3. PATIENT'S BIRTHDATE
Month | Year

4. MARITAL STATUS
1 ☐ Never Married 2 ☐ Married
3 ☐ Widowed 4 ☐ Divorced
5 ☐ Separated

5. WAS PATIENT OF HISPANIC ORIGIN?
1 ☐ Yes *(If yes, Specify)* 2 ☐ No
1 ☐ Mexican 2 ☐ Cuban 3 ☐ Puerto Rican
☐ Other (Specify)_____

6. RACE
1 ☐ White 2 ☐ Black
3 ☐ American Indian 9 ☐ Asian/Pacific Islander
☐ Other (Specify)_____

7. EDUCATION *(Specify highest grade completed)*
Elementary/Secondary (0-12)
College (13-16 or 17+)

8. PREVIOUS PREGNANCIES (Complete each section)

LIVE BIRTHS		OTHER PREGNANCIES	
8a. Now Living	8b. Now Dead	8c. Spontaneous Terminations	8d. Induced Terminations
Number_____	Number_____	Number_____	Number_____
None ☐	None ☐	None ☐	None ☐

9. CONTRACEPTIVE HISTORY
Has the patient practiced contraception in the past year?
1 ☐ Yes
2 ☐ No
9 ☐ Unknown

10. METHODS (If "yes" to no. 9, what method(s) used?)
0 ☐ Oral (pill) 5 ☐ Surgical Sterilization
1 ☐ Diaphragm 6 ☐ Rhythm
2 ☐ Foam Jelly 7 ☐ Coitus Interruptus (Withdrawal)
3 ☐ Condom
4 ☐ IUD 8 ☐ Depo Provera
9 ☐ Other (Specify)_____

11. If "Yes" to no. 9, did the pregnancy follow from temporarily omitting the method of contraception?
1 ☐ Yes 2 ☐ No 9 ☐ Unknown
If "Yes", which method?_____

12. ANTI-RH IMMUNE globulin indicated
1 ☐ Yes 2 ☐ No
9 ☐ Unknown

13. ANTI-RH IMMUNE globulin given
1 ☐ Yes 2 ☐ No
3 ☐ Patient Refused

14. DATE OF TERMINATION
Month | Day | Year

15. FIRST DAY OF LAST MENSTRUAL PERIOD
Month | Day | Year

16. CLINICAL ESTIMATE OF GESTATION *(Weeks)*

17. EVIDENCE OF PREVIOUS ATTEMPT TO TERMINATE THIS PREGNANCY
1 ☐ Yes 2 ☐ No 9 ☐ Unknown

18a. PROCEDURE THAT TERMINATED PREGNANCY
(Check only one)
1 ☐ ..... Suction Curettage
2 ☐ ..... Sharp Curettage (D & C)
3 ☐ ..... Dilation and Evacuation (D & E)
4 ☐ ..... Medical (Nonsurgical), Specify Medication(s)_____
5 ☐ ..... Intra-Uterine Instillation (Saline or Prostaglandin)
6 ☐ ..... Hysterotomy/Hysterectomy
7 ☐ ..... Other (Specify)_____

18b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY
(Check all that apply)
1 ☐
2 ☐
3 ☐
4 ☐
5 ☐
6 ☐
7 ☐

19. REASON FOR TERMINATION
1 ☐ Maternal Life Endangered
2 ☐ Therapeutic
3 ☐ Fetal Malformation
4 ☐ HIV Positive
5 ☐ Rape
6 ☐ Incest
7 ☐ Elective
8 ☐ Other

20. COMPLICATIONS *(Check all that apply)*
0 ☐ None 2 ☐ Perforation of Uterus 4 ☐ Infection 6 ☐ Retained Products 8 ☐ Other, Specify:
1 ☐ Hemorrhage 3 ☐ Cervical Laceration 5 ☐ Anesthetic 7 ☐ Death

21. HOSPITALIZATION REQUIRED AS A RESULT OF COMPLICATIONS 1 ☐ Yes 2 ☐ No
If "yes", Name of Hospital:_____ ADMISSION DATE: ____/____/____ (Month Day Year)

22. WAS THE FETUS CAPABLE OF SURVIVAL OUTSIDE THE UTERUS?
1 ☐ Yes 2 ☐ No 9 ☐ Unknown

23. *I hereby certify that the required consent was voluntarily obtained as provided in Section 76-7-305, Utah Code Annotated, 1953 as Amended.*

24. SIGNATURE OF PHYSICIAN

25. NAME OF PHYSICIAN (Print or Type)

26. DATE

Subscribed & sworn to before me this ___ day of _____ 19__
Notary Public _____
S E A L

(COMPLETE REVERSE SIDE ALSO) CONFIDENTIAL

UDH-BVR-Form 60, Rev. 6/97

SAMPLE

(Figure 1 continued)

SURGICAL PATHOLOGY REPORT

GROSS and MICROSCOPIC
TO BE COMPLETED ON ALL INDUCED ABORTIONS

1) Presence of chorionic villi . . . . . 1 ☐ Yes 2 ☐ No 9 ☐ Unknown
2) Presence of decidual tissue . . . . . 1 ☐ Yes 2 ☐ No 9 ☐ Unknown
3) Presence of marked inflammatory reaction. . . . . 1 ☐ Yes 2 ☐ No 9 ☐ Unknown
4) Presence of embryo or fetal parts. . . . . 1 ☐ Yes 2 ☐ No 9 ☐ Unknown
5) Gross appearance of embryo . . . . . 1 ☐ Normal
   2 ☐ Macerated
   3 ☐ Malformed - Type_____
   _____

6) Measurements of embryo . . . . . Length_____cms
   Weight_____gms.

COMPLETE THIS SECTION FOR ABORTIONS BEYOND 90 DAYS GESTATION

1. Measurement of Embryo
Heel to Toe_____mm.
Biparietal Diameter_____cm.
Date BPD Measured_____

2. Complications or Post-Operative Morbidity
00 ☐ None
01 ☐ Cardiac Arrest
02 ☐ Disseminated Intravascular Coagulation
03 ☐ Ectopic Pregnancy
04 ☐ Failed Abortion
05 ☐ Hemorrhage (less than 500 ml.)
06 ☐ Hemorrhage (500 ml. or more)
07 ☐ Incomplete abortion (retained tissue)
08 ☐ Injury to cervix
09 ☐ Pelvic Infection
10 ☐ Perforation
11 ☐ Postabortal bleeding or spotting
12 ☐ Pulmonary embolism or infarction
13 ☐ Reaction to Anesthesia - general
14 ☐ Reaction to Anesthesia - local
15 ☐ Respiratory arrest
16 ☐ Other, Specify_____

3. Time of Complication
1 ☐ During Procedure
2 ☐ During Recovery
3 ☐ After Discharge

4. Management of Complication
1 ☐ Hospitalization (immediate)
2 ☐ Hospitalization (later by Facility)
3 ☐ Hospitalization (later not by Facility)
4 ☐ Repeat Evacuation (immediate)
5 ☐ Repeat Evacuation (later at Facility)
6 ☐ Repeat Evacuation (later not at Facility)

5. Two Week Follow-up
1 ☐ In Facility, Normal
2 ☐ Other_____
3 ☐ Other Facility, Normal
4 ☐ Other_____
5 ☐ Examination Not Done
6 ☐ Unable to Contact

6. Future Contraception Planned
1 ☐ Oral (Pill)
2 ☐ IUD
3 ☐ Diaphragm
4 ☐ Other Contraception
5 ☐ None Wanted

7. Reason for Late Abortion
1 ☐ Woman continued to have menses
2 ☐ Afraid to tell parents, spouse, etc.
3 ☐ Denial of Pregnancy
4 ☐ Planned pregnancy, change of circumstances
5 ☐ Suspected or known fetal malformation
6 ☐ Late referral
7 ☐ Unable to afford cost earlier in pregnancy
8 ☐ Other, Specify_____

SAMPLE

OFFICE OF VITAL RECORDS AND STATISTICS
UTAH DEPARTMENT OF HEALTH
PO BOX 141012
SALT LAKE CITY UT 84114-1012