Utah's Vital Statistics

Abortions

2011

Utah Department of Health
Center for Health Data

Utah's Vital Statistics

Abortions

2011

December 2012
Technical Report No. 280

Mission Statement

The Office of Vital Records and Statistics administers the statewide system of Vital Records and Statistics by documenting and certifying the facts of births, deaths, and family formation for the legal purposes of the citizens of Utah, participates in the National Vital Statistics System, and responds to the needs of health programs, health care providers, businesses, researchers, educational institutions and the Utah public for data and statistical information.

PREFACE

This 2011 report is the thirty-fourth in a series on legally induced abortions in Utah. Previous reports were for the combined years 1974-1975, 1975-1977, 1978-1980, each year from 1981-1998, combined years 1999-2000, 2001-2002 and each year from 2003-2010.

These tabulations are published annually to make commonly used vital records data available to health programs, health care providers, businesses, researchers, educational institutions and the Utah public. Data are presented for the state, the local health districts, and the counties.

Utah's Vital Statistics report series no longer includes abortion data for the United States. The most recent abortion data for the United States is published by the Centers for Disease Control and Prevention in the Morbidity and Mortality Weekly Report, "Abortion Surveillance - United States, 2008," Vol. 60, No. 15; Atlanta, Georgia, November 25, 2011. The website for this report at the Centers for Disease Control is http://www.cdc.gov. Searchers should use the keyword “abortion surveillance” to find the most current Abortion Surveillance report.

TABLE OF CONTENTS

Page	
ix	List of Summary Tables
xi	List of Reference Tables
xiii	List of Appendices
S-1	Summary Tables
R-1	Reference Tables
T-1	Technical Appendix

List of Summary Tables

Page

S-3 Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980 and 1990-2011

S-3 Table 2. Abortions occurring in Utah by state of residence: 2011

S-4 Table 3. Abortions, live births and abortion ratios by health district and county of residence: Utah, 1990, 1995 and 2000-2011

S-5 Table 4. Abortions, live births and ratios by marital status, residents: Utah, 1980, 1990, 1995 and 2000-2011

S-6 Table 5. Population for females 15 to 44 years of age, residents: Utah, 1990, 1995 and 2000-2011

S-6 Table 6. Age-specific abortion rates, residents: Utah, 1990, 1995 and 2000-2011

Figure

S-7 Figure 1. Abortions per 1,000 live births, residents: Utah, 2000-2011

List of Reference Tables

Page

R-3 Table R1. Abortions by health district, county of residence and age of woman: Utah, 2011

R-4 Table R2. Abortions by health district, county of residence and month of occurrence: Utah, 2011

R-5 Table R3. Abortions by age and marital status of woman, residents: Utah, 2011

R-5 Table R4. Abortions by weeks gestation and marital status of woman, residents: Utah, 2011

R-5 Table R5. Abortions by age and education of woman, residents: Utah, 2011

R-6 Table R6. Abortions by age and race of woman, residents: Utah, 2011

R-6 Table R7. Abortions by weeks gestation and race of woman, residents: Utah, 2011

R-7 Table R8. Abortions by age of woman and number of prior live births, residents: Utah, 2011

R-7 Table R9. Abortions by age of woman and number of prior abortions, residents: Utah, 2011

R-7 Table R10. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2011

(List of Reference Tables continued)

R-8 Table R11. Abortions by age of woman and reason for termination, residents: Utah, 2011

R-8 Table R12. Abortions by weeks gestation and reason for termination, residents: Utah, 2011

R-9 Table R13. Abortions by age of woman and weeks gestation, residents: Utah, 2011

R-10 Table R14. Abortions by age of woman and method of termination, residents: Utah, 2011

R-10 Table R15. Abortions by weeks gestation and method of termination, residents: Utah, 2011

R-11 Table R16. Abortions by age of woman and mention of any complications, residents: Utah, 2011

R-11 Table R17. Abortions by age of woman and history of contraceptive use in past year, residents: Utah, 2011

R-11 Table R18. Abortions by age of woman, pregnancy due to omission of contraceptive, residents: Utah, 2011

R-12 Table R19. Abortions by age of woman and method of contraceptive in past year, residents: Utah, 2011

R-12 Table R20. Abortions by marital status of woman and method of contraceptive in past year, residents: Utah, 2011

(List of Reference Tables continued)

R-13 Table R21. Abortions by number of prior live births and prior abortions and method of contraceptive in past year, residents: Utah, 2011

R-13 Table R22. Abortions by education of woman and method of contraceptive in past year, residents: Utah, 2011

Technical Appendix

T-4 Figure 1. State of Utah -- Department of Health report of induced termination of pregnancy

2011 Summary Tables:

Abortions

Updated Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980 and 1990-2011 (02/12/2013)

Year	Estimated population females ages 15-44 [1]	Resident Live Births	Abortions: Occurrence Number	Abortions: Residents Number	Abortions: Residents Rate[2]	Abortions: Residents Ratio[3]
1980	342,817	41,786	4,086	3,821	11.1	91.4
1990	395,807	36,253	4,796	4,159	10.5	114.7
1991	411,839	36,019	4,213	3,759	9.1	104.4
1992	428,353	37,198	3,941	3,525	8.2	94.8
1993	443,618	37,048	3,945	3,615	8.1	97.6
1994	460,914	38,271	3,610	3,304	7.2	86.3
1995	475,165	39,554	3,705	3,292	6.9	83.2
1996	488,404	42,056	3,639	3,293	6.7	78.3
1997	502,401	43,009	3,408	3,140	6.2	73.0
1998	510,715	45,128	3,487	3,237	6.3	71.7
1999	520,259	46,243	3,381	3,160	6.1	68.3
2000	528,769	47,331	3,509	3,279	6.2	69.3
2001	534,884	47,915	3,594	3,372	6.3	70.4
2002	540,124	49,140	3,524	3,300	6.1	67.2
2003	543,155	49,834	3,576	3,338	6.1	67.0
2004	547,780	50,653	3,665	3,379	6.2	66.7
2005	555,517	51,517	3,556	3,279	5.9	63.6
2006	564,615	53,475	3,753	3,444	6.1	64.4
2007	576,269	55,063	3,932	3,516	6.1	63.9
2008	586,879	55,605	3,911	3,510	6.0	63.1
2009	596,032	53,849	3,665	3,270	5.5	60.7
2010	604,991	52,164	3,779	3,446	5.7	66.1
2011	612,671	51,144	3,386	3,081	5.0	60.2

[1]Population projections/estimates are revised as historical data becomes available, and rates may not agree with previous reports.

[2]Rates are per 1,000 females 15 to 44 years of age.

[3]Ratios are per 1,000 live births.

Source for female population by age and gender for the State of Utah and its counties for data years 2010-2011; Centers for Disease Control, National Center for Health Statistics; "Vintage 2011 Bridged-race postcensal population estimates for July 1, 2010 - July 1, 2011, by year, county, single-year of age (0 to 85+ years), bridged-race, Hispanic origin, and sex"; released July 18, 2012.

Source for female population by age and gender for the State of Utah and its counties for data years 2000-2009; Centers for Disease Control, National Center for Health Statistics; "REVISED Bridged-race intercensal population estimates for July 1, 2000 - July 1, 2009 by year, county, single-year of age, bridged race, Hispanic origin, and sex"; released October 26, 2012.

Source for female population by age and gender for the State of Utah and its counties for data years 1980-1999; Utah Population Estimates Committee (UPEC) and the Governor's Office of Planning and Budget (GOBP); "Estimates for counties by sex and single year of age"; released 2010.

Updated Table 2. Abortions occurring in Utah by state of residence: 2011 (02/12/2013)

State of Residence	Frequency	Percent
Total	3,386	100.0
Arizona	3	0.1
California	6	0.2
Colorado	2	0.1
District of Columbia	3	0.1
Idaho	165	4.9
Nevada	25	0.7
New York*	2	0.1
Utah	3,081	91.0
Other states	7	0.2
Other countries	92	2.7

Other states include: Connecticut, Indiana, Montana, New Mexico, North Carolina, Texas, and Wyoming.
Other countries include: Canada, Mexico and the Virgin Islands.
*Includes New York City and New York State.

Table 3. Abortions, live births and abortion ratios by health district and county of residence: Utah, 1990, 1995 and 2000-2011

District and county of residence	Live births	Abor-tions	Abortion Ratio 2011	Abortion ratios b 1990	1995	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Total	51,144	3,081	60.2	114.7	83.2	69.3	70.4	67.2	67.0	66.7	63.6	64.4	63.9	63.1	60.7	66.1
Bear River	3,326	105	31.6	60.9	37.3	32.6	29.6	32.0	32.3	24.3	27.9	27.2	31.7	29.9	30.7	40.8
Box Elder	863	31	35.9	29.4	21.5	27.1	34.0	39.8	29.4	23.2	25.1	22.9	27.4	30.2	30.2	41.4
Cache	2,418	74	30.6	74.7	43.3	35.0	28.3	29.6	33.4	25.0	29.3	29.2	33.3	30.2	31.4	40.4
Rich	45	0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Central Utah	1,119	33	29.5	36.7	29.5	23.2	21.2	26.1	23.1	17.5	27.3	17.3	17.3	24.2	20.4	24.1
Juab	191	2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	38.1	- -
Millard	184	4	- -	30.4	51.0	38.3	40.8	- -	- -	- -	- -	- -	- -	- -	- -	- -
Piute	14	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Sanpete	377	14	37.1	26.9	21.9	19.1	- -	37.9	35.5	- -	23.3	16.9	17.2	27.1	17.8	28.4
Sevier	320	9	28.1	44.0	33.7	24.0	- -	- -	- -	- -	36.2	21.4	22.3	35.7	- -	23.0
Wayne	33	3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Davis	5,704	239	41.9	85.5	62.9	58.1	52.4	47.5	57.1	51.5	45.5	48.2	46.3	38.7	44.6	47.9
Salt Lake	17,831	1,898	106.4	181.0	139.9	117.2	126.4	116.5	117.5	119.1	112.6	113.5	114.2	115.5	109.7	119.0
Southeastern	868	29	33.4	87.6	44.4	25.7	14.7	32.3	41.9	35.6	31.6	39.7	35.0	31.2	28.1	43.1
Carbon	333	21	63.1	128.0	77.7	46.5	30.5	63.3	82.8	56.1	82.2	81.4	73.4	52.5	49.7	85.4
Emery	185	6	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Grand	136	2	- -	183.5	70.7	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
San Juan	214	0	- -	57.6	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Southwest	3,307	12	3.6	12.7	5.1	3.9	- -	- -	- -	3.8	3.6	2.0	2.0	2.5	4.1	4.4
Beaver	109	0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Garfield	65	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Iron	867	2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Kane	88	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Washington	2,178	8	3.7	- -	- -	- -	- -	- -	- -	- -	3.3	- -	- -	- -	- -	2.8
Summit	452	69	152.7	349.4	282.7	190.3	165.4	173.1	150.0	163.0	166.3	181.7	164.7	179.8	160.1	179.4
Tooele	1,019	68	66.7	94.9	94.6	49.2	58.2	73.1	66.4	63.5	85.1	52.8	50.7	53.7	41.9	57.6
TriCounty	1,112	23	20.7	72.5	29.1	33.2	22.8	30.0	27.1	34.1	33.8	43.7	35.5	39.0	36.0	44.2
Daggett	12	0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Duchesne	419	12	28.6	35.3	- -	24.8	29.2	34.5	- -	29.2	26.8	32.3	33.8	19.0	- -	44.1
Uintah	681	11	16.2	92.4	38.8	39.6	19.8	25.7	36.7	35.5	36.1	47.7	37.0	52.7	49.9	45.4
Utah County	11,894	297	25.0	32.4	23.6	23.7	20.3	22.7	22.6	22.5	22.5	23.5	24.0	24.7	26.0	24.9
Wasatch	357	33	92.4	105.0	41.5	71.0	66.2	68.7	35.9	70.1	52.1	61.1	80.9	76.2	48.8	55.3
Weber-Morgan	4,155	275	66.2	129.6	86.2	68.4	72.0	69.8	68.0	72.0	66.9	78.3	71.0	66.1	59.4	65.9
Morgan	147	6	- -	- -	96.8	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Weber	4,008	269	67.1	132.5	85.9	69.3	73.2	70.9	69.1	73.3	68.1	80.8	72.9	67.8	61.6	66.9

Ratios are per 1,000 live births and are not computed for fewer than seven events or when the number of births is less than 30.

Table 4. Abortions, live births and ratios by marital status, residents: Utah, 1980, 1990, 1995 and 2000-2011

Marital status	Year								
	1980	1990	1995	1996	1997	1998	1999	2000	2001
Total*									
Induced abortions	3,821	4,159	3,292	3,293	3,140	3,237	3,160	3,279	3,372
Live births	41,786	36,253	39,554	42,056	43,009	45,128	46,243	47,331	47,915
Ratio per 1,000 live births	91.4	114.7	83.2	78.3	73.0	71.7	68.3	69.3	70.4
Married**									
Induced abortions	975	774	786	754	794	860	858	809	844
Live births	39,181	31,343	33,338	35,231	35,864	37,388	38,543	39,135	39,593
Ratio per 1,000 live births	24.9	24.7	23.6	21.4	22.1	23.0	22.3	20.7	21.3
Unmarried***									
Induced abortions	2,820	3,351	2,494	2,515	2,329	2,357	2,284	2,455	2,348
Live births	2,605	4,886	6,215	6,798	7,121	7,722	7,699	8,175	8,322
Ratio per 1,000 live births	1,082.5	685.8	401.3	370.0	327.1	305.2	296.7	300.3	282.1

Table 4 continued. Abortions, live births and ratios by marital status, residents: Utah, 1980 and 1990-2011

Marital status	Year									
	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Total*										
Induced abortions	3,300	3,338	3,379	3,279	3,444	3,516	3,510	3,270	3,446	3,081
Live births	49,140	49,834	50,653	51,517	53,475	55,063	55,605	53,849	52,164	51,144
Ratio per 1,000 live births	67.2	67.0	66.7	63.6	64.4	63.9	63.1	60.7	66.1	60.2
Married**										
Induced abortions	756	771	795	760	830	880	762	773	944	987
Live births	40,671	41,254	41,822	42,416	43,412	44,254	44,281	43,358	42,273	41,561
Ratio per 1,000 live births	18.6	18.7	19.0	17.9	19.1	19.9	17.2	17.8	22.3	23.7
Unmarried***										
Induced abortions	2,268	2,143	2,270	2,230	2,187	2,371	2,390	2,252	2,251	1,821
Live births	8,469	8,580	8,831	9,101	10,063	10,809	11,324	10,486	9,891	9,583
Ratio per 1,000 live births	267.8	249.8	257.0	245.0	217.3	219.4	211.1	214.8	227.6	190.0

Abortion ratios for data year 1995 are slightly different from the original published data in this series because birth data for these years are updated.

*Women with marital status unknown are included in the annual totals but are not distributed.

**The sum of women who are married plus women who are separated.

***The sum of women who are widowed, divorced, and those who have never married.

Table 5. Population for females 15 to 44 years of age, residents: Utah, 1990, 1995 and 2000-2011

Year	Total 15-44	Five-year age groups (15 to 44 years of age) 15-19	20-24	25-29	30-34	35-39	40-44
1990	395,807	76,809	69,527	68,108	69,165	61,719	50,479
1995	475,165	96,751	87,652	73,818	75,510	75,365	66,069
2000	528,769	109,105	113,713	85,514	72,066	74,162	74,209
2001	534,884	107,507	117,893	86,501	75,196	72,433	75,354
2002	540,124	105,723	120,489	89,315	77,867	71,166	75,564
2003	543,155	104,124	120,293	92,863	80,187	69,995	75,693
2004	547,780	103,674	119,184	96,309	82,628	70,378	75,607
2005	555,517	104,382	117,683	99,886	85,921	72,990	74,655
2006	564,615	105,061	115,729	105,473	88,019	76,585	73,748
2007	576,269	106,726	113,820	109,680	92,611	80,095	73,337
2008	586,879	108,218	113,211	111,343	98,229	82,830	73,048
2009	596,032	108,952	113,133	111,907	102,736	85,505	73,799
2010	604,991	109,497	114,651	111,556	106,396	87,227	75,664
2011	612,671	110,196	115,534	109,158	109,418	89,576	78,789

Source for female population by age and gender for the State of Utah and its counties for data years 2010-2011; Centers for Disease Control, National Center for Health Statistics; "Vintage 2011 Bridged-race postcensal population estimates for July 1, 2010 - July 1, 2011, by year, county, single-year of age (0 to 85+ years), bridged-race, Hispanic origin, and sex"; released July 18, 2012.

Source for female population by age and gender for the State of Utah and its counties for data years 2000-2009; Centers for Disease Control, National Center for Health Statistics; "REVISED Bridged-race intercensal population estimates for July 1, 2000 - July 1, 2009 by year, county, single-year of age, bridged race, Hispanic origin, and sex"; released October 26, 2012.

Source for female population by age and gender for the State of Utah and its counties for data years 1990 and 1995; Utah Population Estimates Committee (UPEC) and the Governor's Office of Planning and Budget (GOBP); "Estimates for counties by sex and single year of age"; released 2010.

Table 6. Age-specific abortion rates, residents: Utah, 1990, 1995 and 2000-2011

Year	Total 15-44	Age of woman 15-19	20-24	25-29	30-34	35-39	40-44
1990	10.5	12.7	19.8	13.2	7.8	4.1	1.5
1995	6.9	6.3	12.3	11.0	6.6	3.7	1.2
2000	6.2	5.3	10.3	8.4	6.0	3.4	1.1
2001	6.3	5.1	9.8	8.4	6.5	3.9	1.2
2002	6.1	4.8	9.5	8.6	5.9	3.9	1.2
2003	6.1	5.1	9.3	8.2	6.2	4.1	1.2
2004	6.2	4.9	10.0	7.8	6.0	4.0	1.3
2005	5.9	4.9	8.8	7.9	5.4	4.3	1.2
2006	6.1	5.3	9.7	8.0	5.5	3.8	1.2
2007	6.1	5.4	9.9	7.6	5.4	3.8	1.5
2008	6.0	5.2	9.1	7.9	5.2	3.9	1.7
2009	5.5	4.2	8.9	6.9	5.1	3.9	1.4
2010	5.7	4.0	9.2	7.6	5.2	3.9	1.8
2011	5.0	3.7	8.3	7.0	4.6	3.0	1.5

Rates are per 1,000 females 15 to 44 years of age. The abortion component of the rate for total all ages include women less than 15 years of age, 45 years and older and age unknown.

Figure 1


Abortions per 1,000 live births, residents: Utah, 2000-2011
Abortions per 1000 births
72.0
70.0
68.0
66.0
64.0
62.0
60.0
58.0
56.0
54.0
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
Year

2011 Reference Tables:

Abortions

Table R1. Abortions by health district, county of residence and age of woman: Utah, 2011

District and County	Total	Under 15	Age of Woman: 15 to 19 Total	15 to 17	18 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 and over	Un-known
Total	3,081	15	404	121	283	963	769	505	273	116	9	27
Bear River	105	1	13	3	10	39	23	16	7	5	0	1
Box Elder	31	0	3	0	3	12	6	6	3	1	0	0
Cache	74	1	10	3	7	27	17	10	4	4	0	1
Rich	0	0	0	0	0	0	0	0	0	0	0	0
Central Utah	33	1	5	1	4	10	9	5	1	1	0	1
Juab	2	0	0	0	0	0	1	1	0	0	0	0
Millard	4	0	0	0	0	1	2	1	0	0	0	0
Piute	1	0	0	0	0	1	0	0	0	0	0	0
Sanpete	14	0	3	0	3	3	3	3	1	0	0	1
Sevier	9	0	2	1	1	4	2	0	0	1	0	0
Wayne	3	1	0	0	0	1	1	0	0	0	0	0
Davis	239	1	41	11	30	80	54	34	20	8	0	1
Salt Lake	1,898	6	235	70	165	588	490	308	176	73	8	14
Southeastern	29	0	3	1	2	5	10	7	2	2	0	0
Carbon	21	0	3	1	2	4	7	5	1	1	0	0
Emery	6	0	0	0	0	1	2	1	1	1	0	0
Grand	2	0	0	0	0	0	1	1	0	0	0	0
San Juan	0	0	0	0	0	0	0	0	0	0	0	0
Southwest	12	0	1	0	1	6	2	2	0	1	0	0
Beaver	0	0	0	0	0	0	0	0	0	0	0	0
Garfield	1	0	0	0	0	0	1	0	0	0	0	0
Iron	2	0	1	0	1	1	0	0	0	0	0	0
Kane	1	0	0	0	0	0	0	0	0	1	0	0
Washington	8	0	0	0	0	5	1	2	0	0	0	0
Summit	69	0	4	3	1	20	18	15	8	3	1	0
Tooele	68	0	10	3	7	26	15	9	6	1	0	1
TriCounty	23	0	4	1	3	7	4	4	3	1	0	0
Daggett	0	0	0	0	0	0	0	0	0	0	0	0
Duchesne	12	0	2	1	1	3	2	3	1	1	0	0
Uintah	11	0	2	0	2	4	2	1	2	0	0	0
Utah County	297	3	48	12	36	83	74	49	23	9	0	8
Wasatch	33	1	4	2	2	9	7	9	2	1	0	0
Weber-Morgan	275	2	36	14	22	90	63	47	25	11	0	1
Morgan	6	0	2	2	0	3	0	0	0	1	0	0
Weber	269	2	34	12	22	87	63	47	25	10	0	1

Table R2. Abortions by health district, county of residence and month of occurrence: Utah, 2011

District and County	Total	Month of Occurrence											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total	3,081	265	253	267	289	233	238	280	250	286	214	214	292
Bear River	105	9	5	8	8	10	4	7	12	14	12	8	8
Box Elder	31	4	1	4	2	2	3	2	3	3	1	3	3
Cache	74	5	4	4	6	8	1	5	9	11	11	5	5
Rich	0	0	0	0	0	0	0	0	0	0	0	0	0
Central Utah	33	1	5	4	2	1	1	4	4	4	3	1	3
Juab	2	0	0	1	1	0	0	0	0	0	0	0	0
Millard	4	0	1	0	0	0	0	1	0	1	0	0	1
Piute	1	0	1	0	0	0	0	0	0	0	0	0	0
Sanpete	14	1	3	1	1	0	0	2	2	2	1	0	1
Sevier	9	0	0	2	0	0	1	1	1	1	1	1	1
Wayne	3	0	0	0	0	1	0	0	1	0	1	0	0
Davis	239	19	14	20	23	13	25	17	20	24	19	22	23
Salt Lake	1,898	155	168	153	183	146	152	173	148	175	124	138	183
Southeastern	29	2	3	2	2	1	2	6	1	4	2	0	4
Carbon	21	2	3	2	2	0	1	4	1	3	2	0	1
Emery	6	0	0	0	0	1	1	1	0	1	0	0	2
Grand	2	0	0	0	0	0	0	1	0	0	0	0	1
San Juan	0	0	0	0	0	0	0	0	0	0	0	0	0
Southwest	12	1	1	0	1	0	0	1	1	3	1	0	3
Beaver	0	0	0	0	0	0	0	0	0	0	0	0	0
Garfield	1	0	0	0	0	0	0	0	0	1	0	0	0
Iron	2	0	0	0	0	0	0	0	1	1	0	0	0
Kane	1	0	0	0	0	0	0	0	0	0	0	0	1
Washington	8	1	1	0	1	0	0	1	0	1	1	0	2
Summit	69	9	9	11	4	1	4	5	6	4	6	4	6
Tooele	68	3	6	5	10	6	6	8	5	7	4	2	6
TriCounty	23	2	1	2	0	4	1	0	3	3	5	0	2
Daggett	0	0	0	0	0	0	0	0	0	0	0	0	0
Duchesne	12	2	1	0	0	3	0	0	3	1	0	0	2
Uintah	11	0	0	2	0	1	1	0	0	2	5	0	0
Utah County	297	35	21	31	22	25	17	34	27	21	19	19	26
Wasatch	33	5	3	4	5	0	3	2	2	3	0	0	6
Weber-Morgan	275	24	17	27	29	26	23	23	21	24	19	20	22
Morgan	6	0	0	3	0	1	1	0	0	1	0	0	0
Weber	269	24	17	24	29	25	22	23	21	23	19	20	22

Table R3. Abortions by age and marital status of woman, residents: Utah, 2011

Age	Total	Marital Status of Woman					
		Never Married	Married	Widowed	Divorced	Separated	Un-known
Total	3,081	1,562	854	13	246	133	273
Under 15	15	13	1	0	1	0	0
Total 15 to 19	404	331	45	1	0	2	25
15-17	121	113	7	0	0	0	1
18-19	283	218	38	1	0	2	24
20-24	963	637	181	3	21	27	94
25-29	769	348	237	3	69	44	68
30-34	505	145	190	5	82	34	49
35-39	273	58	122	1	49	22	21
40-44	116	20	63	0	22	3	8
45 and over	9	2	5	0	2	0	0
Unknown	27	8	10	0	0	1	8

Table R4. Abortions by weeks gestation and marital status of woman, residents: Utah, 2011

Weeks gestation	Total	Marital Status of Woman					
		Never Married	Married	Widowed	Divorced	Separated	Un-known
Total	3,081	1,562	854	13	246	133	273
Under 5	148	79	48	1	7	1	12
5-6	1,000	481	267	6	120	56	70
7-8	1,042	529	285	3	82	43	100
9-10	402	211	116	1	19	17	38
11-12	211	119	53	0	11	10	18
13-14	121	64	25	2	7	3	20
15-20	140	74	49	0	0	2	15
21 and over	9	0	9	0	0	0	0
Unknown	8	5	2	0	0	1	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R5. Abortions by age and education of woman, residents: Utah, 2011

Age	Total	Education of Woman			
		Under 12 Years	High School	Over 12 Years	Unknown
Total	3,081	209	1,291	1,007	574
Under 15	15	6	6	0	3
Total 15 to 19	404	87	212	41	64
15-17	121	61	43	2	15
18-19	283	26	169	39	49
20-24	963	48	425	299	191
25-29	769	31	294	291	153
30-34	505	23	195	195	92
35-39	273	10	109	110	44
40-44	116	3	40	60	13
45 and over	9	0	2	5	2
Unknown	27	1	8	6	12

Table R6. Abortions by age and race of woman, residents: Utah, 2011

Age	Total	Race of Woman: White	Black	Asian and Pacific Islander	Native American	Other	Un-known
Total	3,081	2,246	78	130	20	191	416
Under 15	15	12	0	0	0	1	2
Total 15 to 19	404	306	13	10	5	16	54
15-17	121	90	5	3	3	6	14
18-19	283	216	8	7	2	10	40
20-24	963	695	30	42	6	55	135
25-29	769	573	19	22	2	58	95
30-34	505	358	11	35	4	36	61
35-39	273	192	4	9	2	19	47
40-44	116	87	1	10	1	2	15
45 and over	9	6	0	1	0	2	0
Unknown	27	17	0	1	0	2	7

Table R7. Abortions by weeks gestation and race of woman, residents: Utah, 2011

Weeks gestation	Total	Race of Woman: White	Black	Asian and Pacific Islander	Native American	Other	Un-known
Total	3,081	2,246	78	130	20	191	416
Under 5	148	112	0	9	1	11	15
5-6	1,000	735	17	40	3	56	149
7-8	1,042	757	30	51	5	58	141
9-10	402	287	15	13	2	31	54
11-12	211	155	6	7	3	14	26
13-14	121	84	6	7	3	6	15
15-20	140	104	4	2	3	13	14
21 and over	9	8	0	1	0	0	0
Unknown	8	4	0	0	0	2	2

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R8. Abortions by age of woman and number of prior live births, residents: Utah, 2011

Age	Total	Prior Live Births						
		None	One	Two	Three	Four	Five or More	Un-known
Total	3,081	1,303	655	556	278	122	76	91
Under 15	15	12	2	0	0	1	0	0
Total 15 to 19	404	341	43	10	1	0	0	9
15-17	121	114	6	1	0	0	0	0
18-19	283	227	37	9	1	0	0	9
20-24	963	539	251	113	32	8	1	19
25-29	769	257	198	169	77	26	15	27
30-34	505	99	101	136	86	39	25	19
35-39	273	32	37	81	53	34	24	12
40-44	116	11	17	42	22	11	10	3
45 and over	9	1	1	3	3	1	0	0
Unknown	27	11	5	2	4	2	1	2

Table R9. Abortions by age of woman and number of prior abortions, residents: Utah, 2011

Age	Total	Prior Abortions						
		None	One	Two	Three	Four	Five or More	Un-known
Total	3,081	2,121	621	186	60	16	13	64
Under 15	15	14	1	0	0	0	0	0
Total 15 to 19	404	355	38	5	0	0	0	6
15-17	121	113	8	0	0	0	0	0
18-19	283	242	30	5	0	0	0	6
20-24	963	731	163	34	15	2	2	16
25-29	769	477	193	61	14	3	5	16
30-34	505	299	125	45	16	6	2	12
35-39	273	156	70	26	8	2	1	10
40-44	116	61	30	13	5	3	3	1
45 and over	9	6	0	1	1	0	0	1
Unknown	27	22	1	1	1	0	0	2

Table R10. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2011

Weeks gestation	Total	Prior Abortions						
		None	One	Two	Three	Four	Five or More	Un-known
Total	3,081	2,121	621	186	60	16	13	64
Under 5	148	97	34	7	1	2	2	5
5-6	1,000	685	191	63	26	8	2	25
7-8	1,042	718	220	60	17	4	6	17
9-10	402	268	80	33	11	1	1	8
11-12	211	161	36	6	3	1	1	3
13-14	121	73	34	10	0	0	0	4
15-20	140	103	26	7	2	0	1	1
21 and over	9	8	0	0	0	0	0	1
Unknown	8	8	0	0	0	0	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R11. Abortions by age of woman and reason for termination, residents: Utah, 2011

Age	Total	Reason for Termination: Maternal Life Endagered	Thera-peutic	Fetal Malform-ation	HIV Positive	Incest	Elective
Total	3,081	20	2,465	42	0	0	546
Under 15	15	2	12	1	0	0	0
Total 15 to 19	404	2	329	1	0	0	72
15-17	121	1	97	0	0	0	23
18-19	283	1	232	1	0	0	49
20-24	963	9	781	8	0	0	162
25-29	769	3	622	11	0	0	133
30-34	505	0	384	11	0	0	108
35-39	273	4	212	6	0	0	49
40-44	116	0	99	2	0	0	15
45 and over	9	0	5	1	0	0	2
Unknown	27	0	21	1	0	0	5

Table R12. Abortions by weeks gestation and reason for termination, residents: Utah, 2011

Weeks gestation	Total	Reason for Termination: Maternal Life Endagered	Thera-peutic	Fetal Malform-ation	HIV Positive	Incest	Elective
Total	3,081	20	2,465	42	0	0	546
Under 5	148	0	116	3	0	0	29
5-6	1,000	6	753	2	0	0	237
7-8	1,042	4	840	6	0	0	191
9-10	402	3	341	2	0	0	55
11-12	211	2	182	3	0	0	24
13-14	121	1	104	6	0	0	10
15-20	140	4	121	12	0	0	0
21 and over	9	0	0	8	0	0	0
Unknown	8	0	8	0	0	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.
There are 9 occurrences in the category of rape, other or unknown that are in the totals but are not distributed.

Table R13. Abortions by age of woman and weeks gestation, residents: Utah, 2011

Age	Total	Weeks Gestation								
		Under 5	5-6	7-8	9-10	11-12	13-14	15-20	21 and over	Un-known
Total	3,081	148	1,000	1,042	402	211	121	140	9	8
Under 15	15	0	2	6	1	4	0	2	0	0
Total 15 to 19	404	16	96	131	67	40	23	27	0	4
15-17	121	3	28	40	18	16	3	10	0	3
18-19	283	13	68	91	49	24	20	17	0	1
20-24	963	41	285	335	136	76	43	45	1	1
25-29	769	45	267	259	91	41	26	36	3	1
30-34	505	24	187	178	63	24	13	11	3	2
35-39	273	14	101	90	26	16	14	11	1	0
40-44	116	8	49	32	13	8	1	5	0	0
45 and over	9	0	4	0	2	0	1	1	1	0
Unknown	27	0	9	11	3	2	0	2	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R14. Abortions by age of woman and method of termination, residents: Utah, 2011

Age	Total	Method of Termination: Dilation and Evacuation	Suction Curettage	Sharp Curettage	Medica-tion	Intra-Uterine Instillation	Hyster-ectomy	Other	Un-known
Total	3,081	164	1,711	55	1,149	1	0	0	2
Under 15	15	2	7	0	6	0	0	0	0
Total 15 to 19	404	27	237	14	126	0	0	0	0
15-17	121	9	74	6	32	0	0	0	0
18-19	283	18	163	8	94	0	0	0	0
20-24	963	62	532	17	352	0	0	0	0
25-29	769	44	394	11	318	1	0	0	2
30-34	505	9	305	5	186	0	0	0	0
35-39	273	15	157	6	95	0	0	0	0
40-44	116	4	61	2	49	0	0	0	0
45 and over	9	0	7	0	2	0	0	0	0
Unknown	27	1	11	0	15	0	0	0	0

The totals do not add because more than one choice is possible for each number in the total.

Table R15. Abortions by weeks gestation and method of termination, residents: Utah, 2011

Weeks gestation	Total	Method of Termination: Dilation and Evacuation	Suction Curettage	Sharp Curettage	Medica-tion	Intra-Uterine Instillation	Hyster-ectomy	Other	Un-known
Total	3,081	164	1,711	55	1,149	1	0	0	2
Under 5	148	0	29	0	118	1	0	0	1
5-6	1,000	5	435	8	552	0	0	0	0
7-8	1,042	0	609	8	425	0	0	0	0
9-10	402	3	360	5	34	0	0	0	0
11-12	211	3	200	5	3	0	0	0	0
13-14	121	36	57	24	4	0	0	0	0
15-20	140	111	18	5	6	0	0	0	0
21 and over	9	5	0	0	3	0	0	0	1
Unknown	8	1	3	0	4	0	0	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.
The totals do not add because more than one choice is possible for each number in the total.

Table R16. Abortions by age of woman and mention of any complications, residents: Utah, 2011

Age of Woman	Total	Mention of any Complication		
		Yes	No	Unknown
Total	3,081	5	3,075	1
Under 15	15	0	15	0
Total 15 to 19	404	1	403	0
15-17	121	0	121	0
18-19	283	1	282	0
20-24	963	0	962	1
25-29	769	2	767	0
30-34	505	1	504	0
35-39	273	1	272	0
40-44	116	0	116	0
45 and over	9	0	9	0
Unknown	27	0	27	0

Table R17. Abortions by age of woman and history of contraceptive use in past year, residents: Utah, 2011

Age of Woman	Total	History of Contraceptive Use in Past Year		
		Yes	No	Unknown
Total	3,081	964	1,432	685
Under 15	15	3	9	3
Total 15 to 19	404	112	204	88
15-17	121	34	64	23
18-19	283	78	140	65
20-24	963	296	472	195
25-29	769	244	351	174
30-34	505	189	210	106
35-39	273	82	118	73
40-44	116	32	54	30
45 and over	9	1	7	1
Unknown	27	5	7	15

Table R18. Abortions by age of woman and pregnancy due to omission of contraceptive, residents: Utah, 2011

Age of Woman	Total	Omission of Contraceptive		
		Yes	No	Unknown
Total	3,081	176	377	2,528
Under 15	15	0	0	15
Total 15 to 19	404	28	42	334
15-17	121	10	8	103
18-19	283	18	34	231
20-24	962	60	108	794
25-29	769	46	92	631
30-34	504	26	80	398
35-39	272	10	38	224
40-44	116	4	14	98
45 and over	9	0	1	8
Unknown	27	2	2	23
Others	3	0	0	3

Table R19. Abortions by age of woman and method of contraceptive in past year, residents: Utah, 2011

		Methods of contraceptive used in past year											
Age of Woman	Total	Oral (pill)	Diaphram	Foam Jelly	Condom	I U D	Surgical Sterilization	Rhythm	Coitus	Depo-provera	Other	Un-known	Not Applicable
Total	3,081	401	3	14	334	75	2	3	18	42	109	712	2,112
Under 15	15	1	0	0	1	0	0	0	0	1	0	3	12
Total 15 to 19	404	47	0	2	48	2	0	0	3	5	9	90	291
15-17	121	13	0	0	17	0	0	0	0	3	1	23	87
18-19	283	34	0	2	31	2	0	0	3	2	8	67	204
20-24	963	126	0	4	89	29	0	1	3	9	43	206	666
25-29	769	101	1	5	84	16	0	0	6	11	34	181	524
30-34	505	83	1	2	61	21	2	0	2	8	12	112	316
35-39	273	31	0	1	33	7	0	1	3	6	7	75	190
40-44	116	10	1	0	15	0	0	0	1	2	4	29	83
45 and over	9	0	0	0	0	0	0	1	0	0	0	1	8
Unknown	27	2	0	0	3	0	0	0	0	0	0	15	22

The totals do not add because more than one choice is possible for each number in the total.

Table R20. Abortions by marital status of woman and method of contraceptive in past year, residents: Utah, 2011

		Methods of contraceptive used in past year											
Marital Status	Total	Oral (pill)	Diaphram	Foam Jelly	Condom	I U D	Surgical Sterilization	Rhythm	Coitus	Depo-provera	Other	Un-known	Not Applicable
Total	3,081	401	3	14	334	75	2	3	18	42	109	712	2,112
Never Married	1,562	230	0	9	197	27	1	1	11	26	73	243	1,007
Married	854	60	2	1	63	19	1	1	4	8	13	351	684
Widowed	13	3	0	1	3	0	0	0	0	0	1	0	8
Divorced	246	76	1	2	41	19	0	0	0	7	11	7	98
Separated	133	22	0	0	15	7	0	1	1	1	6	3	81
Unknown	273	10	0	1	15	3	0	0	2	0	5	108	234

The totals do not add because more than one choice is possible for each number in the total.

Table R21. Abortions by number of prior live births, prior abortions and method of contraceptive in past year, residents: Utah, 2011

Prior Live Births and Prior Abortions	Total	Method of Contraceptive											
		Oral (pill)	Diaphram	Foam Jelly	Condom	I U D	Surgical Steril-ization	Rhythm	Coitus	Depo-provera	Other	Un-known	Not Applicable
Total	3,081	401	3	14	334	75	2	3	18	42	109	712	2,112
No Live Births	1,303	188	1	8	171	7	1	1	7	12	55	303	871
One Live Birth	655	83	2	3	58	28	0	0	5	13	23	139	444
More than One Birth	1,079	124	0	3	104	38	1	2	6	17	31	245	762
Births Unknown	44	6	0	0	1	2	0	0	0	0	0	25	35
No Abortions	2,121	297	1	8	244	51	2	3	14	32	75	458	1,429
No Live Births	1,037	150	1	4	134	5	1	1	7	11	42	236	700
One Live Birth	433	62	0	2	40	20	0	0	4	9	14	90	289
More than One Birth	649	85	0	2	70	25	1	2	3	12	19	131	439
Births Unknown	2	0	0	0	0	1	0	0	0	0	0	1	1
One Abortion	621	73	0	3	57	18	0	0	4	8	21	145	430
No Live Births	203	29	0	2	25	2	0	0	0	1	12	46	129
One Live Birth	155	17	0	1	12	7	0	0	1	2	6	37	106
More than One Birth	260	26	0	0	20	9	0	0	3	5	3	62	193
Births Unknown	3	1	0	0	0	0	0	0	0	0	0	0	2
More Than One Abortion	275	25	2	3	27	4	0	0	0	2	13	76	203
No Live Births	62	9	0	2	12	0	0	0	0	0	1	20	41
One Live Birth	66	4	2	0	6	1	0	0	0	2	3	12	48
More than One Birth	145	11	0	1	9	3	0	0	0	0	9	44	113
Births Unknown	2	1	0	0	0	0	0	0	0	0	0	0	1
Abortions Unknown	64	6	0	0	6	2	0	0	0	0	0	33	50
No Live Births	1	0	0	0	0	0	0	0	0	0	0	1	1
One Live Birth	1	0	0	0	0	0	0	0	0	0	0	0	1
More than One Birth	25	2	0	0	5	1	0	0	0	0	0	8	17
Births Unknown	37	4	0	0	1	1	0	0	0	0	0	24	31

The totals do not add because more than one choice is possible for each number in the total.

Table R22. Abortions by education of woman and method of contraceptive in past year, residents: Utah, 2011

Education	Total	Method of Contraceptive											
		Oral (pill)	Diaphram	Foam Jelly	Condom	I U D	Surgical Steril-ization	Rhythm	Coitus	Depo-provera	Other	Un-known	Not Applicable
Total	3,081	401	3	14	334	75	2	3	18	42	109	712	2,112
Under 12 Years	209	34	0	0	33	6	0	0	2	6	8	5	123
High School	1,291	152	1	7	118	35	0	1	7	21	34	412	926
Over 12 Years	1,007	200	2	6	164	30	2	2	8	15	60	126	539
Unknown	574	15	0	1	19	4	0	0	1	0	7	169	524

The totals do not add because more than one choice is possible for each number in the total.

2011 Appendix:

Abortions

Technical Appendix

Section 76-7-313, Utah Code Annotated 1953 as amended requires that the report of induced termination of pregnancy (Figure A) be filed with the State of Utah's Department of Health within ten days after the abortion.

The reported number of abortions to Utah residents that are performed out of state is small and suggests an undercount. This small number of reported abortions that occur in other states are not shown by county of residence in this report.

For both the summary and reference tables in this report, data are tabulated by health district as well as county of residence to meet the needs of local health departments.

Population data are from the Demographic and Economic Analysis section of the Govenor's Office of Planning and Budget.

Formulas used to compute rates and ratios used in this report are defined as follows:

$$\text{Abortion Rate} = \frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Resident Females 15-44 Years of Age}}$$

$$\text{Abortion Ratio} = \frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Live Births to Resident Females}}$$

Figure 1

STATE OF UTAH DEPARTMENT OF HEALTH
REPORT OF INDUCED TERMINATION OF PREGNANCY

CONFIDENTIAL
This report will be used for statistical purposes by the Utah Department of Health. It may be used to insure compliance with the provisions of the Utah State Abortion Law. It will be kept Confidential pursuant to Chapter 25, Title 26.

1. PLACE where termination occurred-hospital or other facility. If not in hospital or clinic, enter street address.
1b. CITY
1c. COUNTY

2. RESIDENCE
State | County | City, Village | Zip Code

3. PATIENT'S BIRTHDATE
Month | Year

4. MARITAL STATUS
1 ☐ Never Married 2 ☐ Married
3 ☐ Widowed 4 ☐ Divorced
5 ☐ Separated

5. WAS PATIENT OF HISPANIC ORIGIN?
1 ☐ Yes *(If yes, Specify)* 2 ☐ No
1 ☐ Mexican 2 ☐ Cuban 3 ☐ Puerto Rican
☐ Other (Specify)_____

6. RACE
1 ☐ White 2 ☐ Black
3 ☐ American Indian 9 ☐ Asian/Pacific Islander
☐ Other (Specify)_____

7. EDUCATION *(Specify highest grade completed)*
Elementary/Secondary (0-12)
College (13-16 or 17+)

8. PREVIOUS PREGNANCIES (Complete each section)

LIVE BIRTHS		OTHER PREGNANCIES	
8a. Now Living	8b. Now Dead	8c. Spontaneous Terminations	8d. Induced Terminations
Number_____	Number_____	Number_____	Number_____
None ☐	None ☐	None ☐	None ☐

9. CONTRACEPTIVE HISTORY
Has the patient practiced contraception in the past year?
1 ☐ Yes
2 ☐ No
9 ☐ Unknown

10. METHODS (if "yes" to no. 9, what method(s) used?)
0 ☐ Oral (pill) 5 ☐ Surgical Sterilization
1 ☐ Diaphragm 6 ☐ Rhythm
2 ☐ Foam Jelly 7 ☐ Coitus Interruptus (Withdrawal)
3 ☐ Condom
4 ☐ IUD 8 ☐ Depo Provera
9 ☐ Other (Specify)_____

11. If "Yes" to no. 9, did the pregnancy follow from temporarily omitting the method of contraception?
1 ☐ Yes 2 ☐ No 9 ☐ Unknown
If "Yes", which method?_____

12. ANTI-RH IMMUNE globulin indicated
1 ☐ Yes 2 ☐ No
9 ☐ Unknown

13. ANTI-RH IMMUNE globulin given
1 ☐ Yes 2 ☐ No
3 ☐ Patient Refused

14. DATE OF TERMINATION
Month | Day | Year

15. FIRST DAY OF LAST MENSTRUAL PERIOD
Month | Day | Year

16. CLINICAL ESTIMATE OF GESTATION *(Weeks)*

17. EVIDENCE OF PREVIOUS ATTEMPT TO TERMINATE THIS PREGNANCY
1 ☐ Yes 2 ☐ No 9 ☐ Unknown

18a. PROCEDURE THAT TERMINATED PREGNANCY
(Check only one)
1 ☐ Suction Curettage
2 ☐ Sharp Curettage (D & C)
3 ☐ Dilation and Evacuation (D & E)
4 ☐ Medical (Nonsurgical), Specify Medication(s)_____
5 ☐ Intra-Uterine Instillation (Saline or Prostaglandin)
6 ☐ Hysterotomy/Hysterectomy
7 ☐ Other (Specify)_____

18b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY
(Check all that apply)
1 ☐
2 ☐
3 ☐
4 ☐
5 ☐
6 ☐
7 ☐

19. REASON FOR TERMINATION
1 ☐ Maternal Life Endangered
2 ☐ Therapeutic
3 ☐ Fetal Malformation
4 ☐ HIV Positive
5 ☐ Rape
6 ☐ Incest
7 ☐ Elective
8 ☐ Other

20. COMPLICATIONS *(Check all that apply)*
0 ☐ None
1 ☐ Hemorrhage
2 ☐ Perforation of Uterus
3 ☐ Cervical Laceration
4 ☐ Infection
5 ☐ Anesthetic
6 ☐ Retained Products
7 ☐ Death
8 ☐ Other, Specify: _____

21. HOSPITALIZATION REQUIRED AS A RESULT OF COMPLICATIONS 1 ☐ Yes 2 ☐ No
If "yes", Name of Hospital:_____ ADMISSION DATE: Month / Day / Year

22. WAS THE FETUS CAPABLE OF SURVIVAL OUTSIDE THE UTERUS?
1 ☐ Yes 2 ☐ No 9 ☐ Unknown

23. *I hereby certify that the required consent was voluntarily obtained as provided in Section 76-7-305, Utah Code Annotated, 1953 as Amended.*

24. SIGNATURE OF PHYSICIAN

25. NAME OF PHYSICIAN (Print or Type)

26. DATE

Subscribed & sworn to before me this ___ day of _____ 19__
Notary Public _____
SEAL

(COMPLETE REVERSE SIDE ALSO)

CONFIDENTIAL

UDH-BVR-Form 60, Rev. 6/97

T-4

(Figure 1 continued)

(Figure 1 co

SURGICAL PATHOLOGY REPORT

GROSS and MICROSCOPIC
TO BE COMPLETED ON ALL INDUCED ABORTIONS

1) Presence of chorionic villi . . . . . 1 ☐ Yes 2 ☐ No 9 ☐ Unknown
2) Presence of decidual tissue . . . . . 1 ☐ Yes 2 ☐ No 9 ☐ Unknown
3) Presence of marked inflammatory reaction. . . . . 1 ☐ Yes 2 ☐ No 9 ☐ Unknown
4) Presence of embryo or fetal parts. . . . . 1 ☐ Yes 2 ☐ No 9 ☐ Unknown
5) Gross appearance of embryo . . . . . 1 ☐ Normal
2 ☐ Macerated
3 ☐ Malformed - Type_____
_____

6) Measurements of embryo . . . . . Length_____cms
Weight_____gms.

COMPLETE THIS SECTION FOR ABORTIONS BEYOND 90 DAYS GESTATION

1. Measurement of Embryo
Heel to Toe_____mm.
Biparietal Diameter_____cm.
Date BPD Measured_____

2. Complications or Post-Operative Morbidity
00 ☐ None
01 ☐ Cardiac Arrest
02 ☐ Disseminated Intravascular Coagulation
03 ☐ Ectopic Pregnancy
04 ☐ Failed Abortion
05 ☐ Hemorrhage (less than 500 ml.)
06 ☐ Hemorrhage (500 ml. or more)
07 ☐ Incomplete abortion (retained tissue)
08 ☐ Injury to cervix
09 ☐ Pelvic Infection
10 ☐ Perforation
11 ☐ Postabortal bleeding or spotting
12 ☐ Pulmonary embolism or infarction
13 ☐ Reaction to Anesthesia - general
14 ☐ Reaction to Anesthesia - local
15 ☐ Respiratory arrest
16 ☐ Other, Specify_____

3. Time of Complication
1 ☐ During Procedure
2 ☐ During Recovery
3 ☐ After Discharge

4. Management of Complication
1 ☐ Hospitalization (immediate)
2 ☐ Hospitalization (later by Facility)
3 ☐ Hospitalization (later not by Facility)
4 ☐ Repeat Evacuation (immediate)
5 ☐ Repeat Evacuation (later at Facility)
6 ☐ Repeat Evacuation (later not at Facility)

5. Two Week Follow-up
1 ☐ In Facility, Normal
2 ☐ Other_____
3 ☐ Other Facility, Normal
4 ☐ Other_____
5 ☐ Examination Not Done
6 ☐ Unable to Contact

6. Future Contraception Planned
1 ☐ Oral (Pill)
2 ☐ IUD
3 ☐ Diaphragm
4 ☐ Other Contraception
5 ☐ None Wanted

7. Reason for Late Abortion
1 ☐ Woman continued to have menses
2 ☐ Afraid to tell parents, spouse, etc.
3 ☐ Denial of Pregnancy
4 ☐ Planned pregnancy, change of circumstances
5 ☐ Suspected or known fetal malformation
6 ☐ Late referral
7 ☐ Unable to afford cost earlier in pregnancy
8 ☐ Other, Specify_____

SAMPLE

OFFICE OF VITAL RECORDS AND STATISTICS
UTAH DEPARTMENT OF HEALTH
PO BOX 141012
SALT LAKE CITY UT 84114-1012