

Utah's Vital Statistics

Abortions
2012

Utah Department of Health
Center for Health Data

Utah's Vital Statistics

Abortions

2012

**Updated September 29, 2014
Technical Report No. 285**

Mission Statement

The Office of Vital Records and Statistics administers the statewide system of Vital Records and Statistics by documenting and certifying the facts of births, deaths, and family formation for the legal purposes of the citizens of Utah, participates in the National Vital Statistics System, and responds to the needs of health programs, health care providers, businesses, researchers, educational institutions and the Utah public for data and statistical information.

This publication was produced by:
The Statistical Products Section
in the
Office of Vital Records and Statistics

Janice Houston, M.P.A., Director

Staff Contributors:

Marie Aschlimann
Mylitta Barrett
Cynthia Robison

Utah Department of Health
Center for Health Data and Informatics

OFFICE OF VITAL RECORDS AND STATISTICS
PO BOX 141012
SALT LAKE CITY UT 84114-1012

Located in the Cannon Health Building at 288 N 1460 W

Website: vitalrecords.health.utah.gov
Email: vrequest@utah.gov
Phone: (801) 538-6843
Fax: (801) 323-1570

This information can be made available
in alternative formats upon request.

PREFACE

This 2012 report is the thirty-fifth in a series on legally induced abortions in Utah. Previous reports were for the combined years 1974-1975, 1975-1977, 1978-1980, each year from 1981-1998, combined years 1999-2000, 2001-2002 and each year from 2003-2011.

These tabulations are published annually to make commonly used vital records data available to health programs, health care providers, businesses, researchers, educational institutions and the Utah public. Data are presented for the state, the local health districts, and the counties.

Utah's Vital Statistics report series no longer includes abortion data for the United States. The most recent abortion data for the United States is published by the Centers for Disease Control and Prevention in the Morbidity and Mortality Weekly Report, "Abortion Surveillance - United States, 2008," Vol. 60, No. 15; Atlanta, Georgia, November 25, 2011. The website for this report at the Centers for Disease Control is <http://www.cdc.gov>. Searchers should use the keyword "abortion surveillance" to find the most current Abortion Surveillance report.

TABLE OF CONTENTS

Page

| | |
|------|--------------------------|
| ix | List of Summary Tables |
| xi | List of Reference Tables |
| xiii | List of Appendices |
| S-1 | Summary Tables |
| R-1 | Reference Tables |
| T-1 | Technical Appendix |

List of Summary Tables

Page

- S-3 Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980 and 1990-2012
- S-3 Errata Table 2. Abortions occurring in Utah by state of residence: 2012
- S-4 Table 3. Abortions, live births and abortion ratios by health district and county of residence: Utah, 1990, 1995 and 2000-2012
- S-5 Table 4. Abortions, live births and ratios by marital status, residents: Utah, 1980, 1990, 1995-2012
- S-6 Table 5. Population for females 15 to 44 years of age, residents: Utah, 1990, 1995 and 2000-2012
- S-6 Table 6. Age-specific abortion rates, residents: Utah, 1990, 1995 and 2000-2012

Figure

- S-7 Figure 1. Abortions per 1,000 live births, residents: Utah, 2000-2012

List of Reference Tables

Page

- R-3 Table R1. Abortions by health district, county of residence and age of woman: Utah, 2012
- R-4 Table R2. Abortions by health district, county of residence and month of occurrence: Utah, 2012
- R-5 Table R3. Abortions by age and marital status of woman, residents: Utah, 2012
- R-5 Table R4. Abortions by weeks gestation and marital status of woman, residents: Utah, 2012
- R-5 Table R5. Abortions by age and education of woman, residents: Utah, 2012
- R-6 Table R6. Abortions by age and race of woman, residents: Utah, 2012
- R-6 Table R7. Abortions by weeks gestation and race of woman, residents: Utah, 2012
- R-7 Table R8. Abortions by age of woman and number of prior live births, residents: Utah, 2012
- R-7 Table R9. Abortions by age of woman and number of prior abortions, residents: Utah, 2012
- R-7 Table R10. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2012

(List of Reference Tables continued)

- R-8 Table R11. Abortions by age of woman and reason for termination, residents: Utah, 2012
- R-8 Table R12. Abortions by weeks gestation and reason for termination, residents: Utah, 2012
- R-9 Table R13. Abortions by age of woman and weeks gestation, residents: Utah, 2012
- R-10 Table R14. Abortions by age of woman and method of termination, residents: Utah, 2012
- R-10 Table R15. Abortions by weeks gestation and method of termination, residents: Utah, 2012
- R-11 Table R16. Abortions by age of woman and mention of any complications, residents: Utah, 2012
- R-11 Table R17. Abortions by age of woman and history of contraceptive use in past year, residents: Utah, 2012
- R-11 Table R18. Abortions by age of woman, pregnancy due to omission of contraceptive, residents: Utah, 2012
- R-12 Table R19. Abortions by age of woman and method of contraceptive in past year, residents: Utah, 2012
- R-12 Table R20. Abortions by marital status of woman and method of contraceptive in past year, residents: Utah, 2012

(List of Reference Tables continued)

- R-13 Table R21. Abortions by number of prior live births and prior abortions and method of contraceptive in past year, residents: Utah, 2012
- R-13 Table R22. Abortions by education of woman and method of contraceptive in past year, residents: Utah, 2012

Technical Appendix

- T-4 Figure 1. State of Utah -- Department of Health report of induced termination of pregnancy

2012 Summary Tables:

Abortions

Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980 and 1990-2012

| Year | Estimated population females ages 15-44 ¹ | Resident Live Births | Abortions | | | |
|------|---|-------------------------|----------------------|-----------|-------------------|--------------------|
| | | | Occurrence Number | Residents | | |
| | | | | Number | Rate ² | Ratio ³ |
| 1980 | 342,817 | 41,786 | 4,086 | 3,821 | 11.1 | 91.4 |
| 1990 | 395,807 | 36,253 | 4,796 | 4,159 | 10.5 | 114.7 |
| 1991 | 411,839 | 36,019 | 4,213 | 3,759 | 9.1 | 104.4 |
| 1992 | 428,353 | 37,198 | 3,941 | 3,525 | 8.2 | 94.8 |
| 1993 | 443,618 | 37,048 | 3,945 | 3,615 | 8.1 | 97.6 |
| 1994 | 460,914 | 38,271 | 3,610 | 3,304 | 7.2 | 86.3 |
| 1995 | 475,165 | 39,554 | 3,705 | 3,292 | 6.9 | 83.2 |
| 1996 | 488,404 | 42,056 | 3,639 | 3,293 | 6.7 | 78.3 |
| 1997 | 502,401 | 43,009 | 3,408 | 3,140 | 6.2 | 73.0 |
| 1998 | 510,715 | 45,128 | 3,487 | 3,237 | 6.3 | 71.7 |
| 1999 | 520,259 | 46,243 | 3,381 | 3,160 | 6.1 | 68.3 |
| 2000 | 528,769 | 47,331 | 3,509 | 3,279 | 6.2 | 69.3 |
| 2001 | 534,884 | 47,915 | 3,594 | 3,372 | 6.3 | 70.4 |
| 2002 | 540,124 | 49,140 | 3,524 | 3,300 | 6.1 | 67.2 |
| 2003 | 543,155 | 49,834 | 3,576 | 3,338 | 6.1 | 67.0 |
| 2004 | 547,780 | 50,653 | 3,665 | 3,379 | 6.2 | 66.7 |
| 2005 | 555,517 | 51,517 | 3,556 | 3,279 | 5.9 | 63.6 |
| 2006 | 564,615 | 53,475 | 3,753 | 3,444 | 6.1 | 64.4 |
| 2007 | 576,269 | 55,063 | 3,932 | 3,516 | 6.1 | 63.9 |
| 2008 | 586,879 | 55,605 | 3,911 | 3,510 | 6.0 | 63.1 |
| 2009 | 596,032 | 53,849 | 3,665 | 3,270 | 5.5 | 60.7 |
| 2010 | 604,185 | 52,164 | 3,779 | 3,446 | 5.7 | 66.1 |
| 2011 | 611,461 | 51,144 | 3,386 | 3,081 | 5.0 | 60.2 |
| 2012 | 619,413 | 51,439 | 3,273 | 3,018 | 4.9 | 58.7 |

¹Population projections/estimates are revised as historical data becomes available, and rates may not agree with previous reports.

²Rates are per 1,000 females 15 to 44 years of age.

³Ratios are per 1,000 live births.

Female population by age for the State of Utah is produced by the U.S. Census in collaboration with the National Center for Health Statistics (NCHS); Dataset 2000 to 2012 (Vintage 2012) estimates of the July 1 resident population by year, county, single-year age groups, bridged-race, sex and Hispanic origin; website wonder.cdc.gov/wonder/help/bridged-race.htm; released by NCHS on June 13, 2013.

Female population by age for the State of Utah and its counties for data years 1980-1999; Utah Population Estimates Committee (UPEC) and the Governor's Office of Planning and Budget (GOBP); "Estimates for counties by sex and single year of age"; released 2010.

Errata Table 2. Abortions occurring in Utah by state of residence: 2012

Corrections made September 28, 2014

| State of Residence | Frequency | Percent |
|-----------------------|-----------|---------|
| Total | 3,273 | 100.0 |
| Arizona | 4 | 0.1 |
| California | 3 | 0.1 |
| Colorado | 3 | 0.1 |
| Idaho | 118 | 3.6 |
| Nevada | 33 | 1.0 |
| Utah | 3,018 | 92.2 |
| Wyoming | 83 | 2.5 |
| Other states | 11 | 0.3 |

Other states include: Florida, Maryland, Michigan, Montana, Nebraska, New Mexico, North Carolina, North Dakota, Texas, and Washington

Table 3. Abortions, live births and abortion ratios by health district and county of residence: Utah, 1990, 1995 and 2000-2012

| District and county of residence | Live births | Abor-tions | Abortion Ratio 2012 | Abortion ratios by year | | | | | | | | | | | | | |
|----------------------------------|-------------|------------|---------------------|-------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | | 1990 | 1995 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 |
| Total | 51,439 | 3,018 | 58.7 | 114.7 | 83.2 | 69.3 | 70.4 | 67.2 | 67.0 | 66.7 | 63.6 | 64.4 | 63.9 | 63.1 | 60.7 | 66.1 | 60.2 |
| Bear River | 3,341 | 96 | 28.7 | 60.9 | 37.3 | 32.6 | 29.6 | 32.0 | 32.3 | 24.3 | 27.9 | 27.2 | 31.7 | 29.9 | 30.7 | 40.8 | 31.6 |
| Box Elder | 885 | 27 | 30.5 | 29.4 | 21.5 | 27.1 | 34.0 | 39.8 | 29.4 | 23.2 | 25.1 | 22.9 | 27.4 | 30.2 | 30.2 | 41.4 | 35.9 |
| Cache | 2,424 | 67 | 27.6 | 74.7 | 43.3 | 35.0 | 28.3 | 29.6 | 33.4 | 25.0 | 29.3 | 29.2 | 33.3 | 30.2 | 31.4 | 40.4 | 30.6 |
| Rich | 32 | 2 | 62.5 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Central Utah | 1,099 | 24 | 21.8 | 36.7 | 29.5 | 23.2 | 21.2 | 26.1 | 23.1 | 17.5 | 27.3 | 17.3 | 17.3 | 24.2 | 20.4 | 24.1 | 29.5 |
| Juab | 185 | 2 | 10.8 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 38.1 | -- | -- |
| Millard | 197 | 3 | 15.2 | 30.4 | 51.0 | 38.3 | 40.8 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Piute | 10 | 0 | 0.0 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Sanpete | 424 | 8 | 18.9 | 26.9 | 21.9 | 19.1 | -- | 37.9 | 35.5 | -- | 23.3 | 16.9 | 17.2 | 27.1 | 17.8 | 28.4 | 37.1 |
| Sevier | 260 | 10 | 38.5 | 44.0 | 33.7 | 24.0 | -- | -- | -- | -- | 36.2 | 21.4 | 22.3 | 35.7 | -- | 23.0 | 28.1 |
| Wayne | 23 | 1 | 43.5 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Davis | 5,856 | 229 | 39.1 | 85.5 | 62.9 | 58.1 | 52.4 | 47.5 | 57.1 | 51.5 | 45.5 | 48.2 | 46.3 | 38.7 | 44.6 | 47.9 | 41.9 |
| Salt Lake | 17,907 | 1,929 | 107.7 | 181.0 | 139.9 | 117.2 | 126.4 | 116.5 | 117.5 | 119.1 | 112.6 | 113.5 | 114.2 | 115.5 | 109.7 | 119.0 | 106.4 |
| Southeastern | 854 | 23 | 26.9 | 87.6 | 44.4 | 25.7 | 14.7 | 32.3 | 41.9 | 35.6 | 31.6 | 39.7 | 35.0 | 31.2 | 28.1 | 43.1 | 33.4 |
| Carbon | 318 | 18 | 56.6 | 128.0 | 77.7 | 46.5 | 30.5 | 63.3 | 82.8 | 56.1 | 82.2 | 81.4 | 73.4 | 52.5 | 49.7 | 85.4 | 63.1 |
| Emery | 153 | 2 | 13.1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Grand | 116 | 2 | 17.2 | 183.5 | 70.7 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| San Juan | 267 | 1 | 3.7 | 57.6 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Southwest | 3,294 | 13 | 3.9 | 12.7 | 5.1 | 3.9 | -- | -- | -- | 3.8 | 3.6 | 2.0 | 2.0 | 2.5 | 4.1 | 4.4 | 3.6 |
| Beaver | 119 | 0 | 0.0 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Garfield | 69 | 0 | 0.0 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Iron | 849 | 4 | 4.7 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Kane | 83 | 0 | 0.0 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Washington | 2,174 | 9 | 4.1 | -- | -- | -- | -- | -- | -- | -- | 3.3 | -- | -- | -- | -- | 2.8 | 3.7 |
| Summit | 433 | 76 | 175.5 | 349.4 | 282.7 | 190.3 | 165.4 | 173.1 | 150.0 | 163.0 | 166.3 | 181.7 | 164.7 | 179.8 | 160.1 | 179.4 | 152.7 |
| Tooele | 990 | 52 | 52.5 | 94.9 | 94.6 | 49.2 | 58.2 | 73.1 | 66.4 | 63.5 | 85.1 | 52.8 | 50.7 | 53.7 | 41.9 | 57.6 | 66.7 |
| TriCounty | 1,139 | 37 | 32.5 | 72.5 | 29.1 | 33.2 | 22.8 | 30.0 | 27.1 | 34.1 | 33.8 | 43.7 | 35.5 | 39.0 | 36.0 | 44.2 | 20.7 |
| Daggett | 8 | 0 | 0.0 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Duchesne | 441 | 10 | 22.7 | 35.3 | -- | 24.8 | 29.2 | 34.5 | -- | 29.2 | 26.8 | 32.3 | 33.8 | 19.0 | -- | 44.1 | 28.6 |
| Uintah | 690 | 27 | 39.1 | 92.4 | 38.8 | 39.6 | 19.8 | 25.7 | 36.7 | 35.5 | 36.1 | 47.7 | 37.0 | 52.7 | 49.9 | 45.4 | 16.2 |
| Utah County | 12,018 | 263 | 21.9 | 32.4 | 23.6 | 23.7 | 20.3 | 22.7 | 22.6 | 22.5 | 22.5 | 23.5 | 24.0 | 24.7 | 26.0 | 24.9 | 25.0 |
| Wasatch | 397 | 23 | 57.9 | 105.0 | 41.5 | 71.0 | 66.2 | 68.7 | 35.9 | 70.1 | 52.1 | 61.1 | 80.9 | 76.2 | 48.8 | 55.3 | 92.4 |
| Weber-Morgan | 4,111 | 253 | 61.5 | 129.6 | 86.2 | 68.4 | 72.0 | 69.8 | 68.0 | 72.0 | 66.9 | 78.3 | 71.0 | 66.1 | 59.4 | 65.9 | 66.2 |
| Morgan | 155 | 2 | 12.9 | -- | 96.8 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Weber | 3,956 | 251 | 63.4 | 132.5 | 85.9 | 69.3 | 73.2 | 70.9 | 69.1 | 73.3 | 68.1 | 80.8 | 72.9 | 67.8 | 61.6 | 66.9 | 67.1 |

Ratios are per 1,000 live births and are not computed for fewer than seven events or when the number of births is less than 30. Female population by age for the State of Utah is produced by the U.S. Census in collaboration with the National Center for Health Statistics (NCHS); Dataset 2000 to 2012 (Vintage 2012) estimates of the July 1 resident population by year, county, single-year age groups, bridged-race, sex and Hispanic origin; website wonder.cdc.gov/wonder/help/bridged-race.htm; released by NCHS on June 13, 2013.

Table 4. Abortions, live births and ratios by marital status, residents: Utah, 1980, 1990, 1995-2012

| Marital status | Year | | | | | | | | | |
|-----------------------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | 1980 | 1990 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 |
| Total* | | | | | | | | | | |
| Induced abortions | 3,821 | 4,159 | 3,292 | 3,293 | 3,140 | 3,237 | 3,160 | 3,279 | 3,372 | 3,300 |
| Live births | 41,786 | 36,253 | 39,554 | 42,056 | 43,009 | 45,128 | 46,243 | 47,331 | 47,915 | 49,140 |
| Ratio per 1,000 live births | 91.4 | 114.7 | 83.2 | 78.3 | 73.0 | 71.7 | 68.3 | 69.3 | 70.4 | 67.2 |
| Married** | | | | | | | | | | |
| Induced abortions | 975 | 774 | 786 | 754 | 794 | 860 | 858 | 809 | 844 | 756 |
| Live births | 39,181 | 31,343 | 33,338 | 35,231 | 35,864 | 37,388 | 38,543 | 39,135 | 39,593 | 40,671 |
| Ratio per 1,000 live births | 24.9 | 24.7 | 23.6 | 21.4 | 22.1 | 23.0 | 22.3 | 20.7 | 21.3 | 18.6 |
| Unmarried*** | | | | | | | | | | |
| Induced abortions | 2,820 | 3,351 | 2,494 | 2,515 | 2,329 | 2,357 | 2,284 | 2,455 | 2,348 | 2,268 |
| Live births | 2,605 | 4,886 | 6,215 | 6,798 | 7,121 | 7,722 | 7,699 | 8,175 | 8,322 | 8,469 |
| Ratio per 1,000 live births | 1,082.5 | 685.8 | 401.3 | 370.0 | 327.1 | 305.2 | 296.7 | 300.3 | 282.1 | 267.8 |

Table 4 continued. Abortions, live births and ratios by marital status, residents: Utah, 1980, 1990, 1995-2012

| Marital status | Year | | | | | | | | | |
|-----------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| Total* | | | | | | | | | | |
| Induced abortions | 3,338 | 3,379 | 3,279 | 3,444 | 3,516 | 3,510 | 3,270 | 3,446 | 3,081 | 3,018 |
| Live births | 49,834 | 50,653 | 51,517 | 53,475 | 55,063 | 55,605 | 53,849 | 52,164 | 51,144 | 51,439 |
| Ratio per 1,000 live births | 67.0 | 66.7 | 63.6 | 64.4 | 63.9 | 63.1 | 60.7 | 66.1 | 60.2 | 58.7 |
| Married** | | | | | | | | | | |
| Induced abortions | 771 | 795 | 760 | 830 | 880 | 762 | 773 | 944 | 987 | 916 |
| Live births | 41,254 | 41,822 | 42,416 | 43,412 | 44,254 | 44,281 | 43,358 | 42,273 | 41,561 | 41,822 |
| Ratio per 1,000 live births | 18.7 | 19.0 | 17.9 | 19.1 | 19.9 | 17.2 | 17.8 | 22.3 | 23.7 | 21.9 |
| Unmarried*** | | | | | | | | | | |
| Induced abortions | 2,143 | 2,270 | 2,230 | 2,187 | 2,371 | 2,390 | 2,252 | 2,251 | 1,821 | 1,819 |
| Live births | 8,580 | 8,831 | 9,101 | 10,063 | 10,809 | 11,324 | 10,486 | 9,891 | 9,583 | 9,596 |
| Ratio per 1,000 live births | 249.8 | 257.0 | 245.0 | 217.3 | 219.4 | 211.1 | 214.8 | 227.6 | 190.0 | 189.6 |

Abortion ratios for data year 1995 are slightly different from the original published data in this series because birth data for these years are updated.

*Women with marital status unknown are included in the annual totals but are not distributed.

**The sum of women who are married plus women who are separated.

***The sum of women who are widowed, divorced, and those who have never married.

Female population by age for the State of Utah is produced by the U.S. Census in collaboration with the National Center for Health Statistics (NCHS); Dataset 2000 to 2012 (Vintage 2012) estimates of the July 1 resident population by year, county, single-year age groups, bridged-race, sex and Hispanic origin; website wonder.cdc.gov/wonder/help/bridged-race.htm; released by NCHS on June 13, 2013.

Female population by age for the State of Utah and its counties for data years 1980, 1990, 1996-1999; Utah Population Estimates Committee (UPEC) and the Governor's Office of Planning and Budget (GOBP); "Estimates for counties by sex and single year of age"; released 2010.

Table 5. Population for females 15 to 44 years of age, residents: Utah, 1990, 1995 and 2000-2012

| Year | Total | Five-year age groups (15 to 44 years of age) | | | | | |
|------|---------|---|---------|---------|---------|--------|--------|
| | | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
| 1990 | 395,807 | 76,809 | 69,527 | 68,108 | 69,165 | 61,719 | 50,479 |
| 1995 | 475,165 | 96,751 | 87,652 | 73,818 | 75,510 | 75,365 | 66,069 |
| 2000 | 528,769 | 109,105 | 113,713 | 85,514 | 72,066 | 74,162 | 74,209 |
| 2001 | 534,884 | 107,507 | 117,893 | 86,501 | 75,196 | 72,433 | 75,354 |
| 2002 | 540,124 | 105,723 | 120,489 | 89,315 | 77,867 | 71,166 | 75,564 |
| 2003 | 543,155 | 104,124 | 120,293 | 92,863 | 80,187 | 69,995 | 75,693 |
| 2004 | 547,780 | 103,674 | 119,184 | 96,309 | 82,628 | 70,378 | 75,607 |
| 2005 | 555,517 | 104,382 | 117,683 | 99,886 | 85,921 | 72,990 | 74,655 |
| 2006 | 564,615 | 105,061 | 115,729 | 105,473 | 88,019 | 76,585 | 73,748 |
| 2007 | 576,269 | 106,726 | 113,820 | 109,680 | 92,611 | 80,095 | 73,337 |
| 2008 | 586,879 | 108,218 | 113,211 | 111,343 | 98,229 | 82,830 | 73,048 |
| 2009 | 596,032 | 108,952 | 113,133 | 111,907 | 102,736 | 85,505 | 73,799 |
| 2010 | 604,185 | 109,266 | 113,687 | 111,664 | 106,507 | 87,314 | 75,747 |
| 2011 | 611,461 | 107,408 | 116,259 | 109,851 | 109,536 | 89,556 | 78,851 |
| 2012 | 619,413 | 107,266 | 119,095 | 107,108 | 111,266 | 93,648 | 81,030 |

Source for female population by age and gender for the State of Utah and its counties for data years 2010-2011; Centers for Disease Control, National Center for Health Statistics; "Vintage 2011 Bridged-race postcensal population estimates for July 1, 2010 - July 1, 2011, by year, county, single-year of age (0 to 85+ years), bridged-race, Hispanic origin, and sex"; released July 18, 2012.

Source for female population by age and gender for the State of Utah and its counties for data years 2000-2009; Centers for Disease Control, National Center for Health Statistics; "REVISED Bridged-race intercensal population estimates for July 1, 2000 - July 1, 2009 by year, county, single-year of age, bridged race, Hispanic origin, and sex"; released October 26, 2012.


Source for female population by age and gender for the State of Utah and its counties for data years 1990 and 1995; Utah Population Estimates Committee (UPEC) and the Governor's Office of Planning and Budget (GOBP); "Estimates for counties by sex and single year of age"; released 2010.

Table 6. Age-specific abortion rates, residents: Utah, 1990, 1995 and 2000-2012

| Year | Total | Age of woman | | | | | |
|------|-------|--------------|-------|-------|-------|-------|-------|
| | | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
| 1990 | 10.5 | 12.7 | 19.8 | 13.2 | 7.8 | 4.1 | 1.5 |
| 1995 | 6.9 | 6.3 | 12.3 | 11.0 | 6.6 | 3.7 | 1.2 |
| 2000 | 6.2 | 5.3 | 10.3 | 8.4 | 6.0 | 3.4 | 1.1 |
| 2001 | 6.3 | 5.1 | 9.8 | 8.4 | 6.5 | 3.9 | 1.2 |
| 2002 | 6.1 | 4.8 | 9.5 | 8.6 | 5.9 | 3.9 | 1.2 |
| 2003 | 6.1 | 5.1 | 9.3 | 8.2 | 6.2 | 4.1 | 1.2 |
| 2004 | 6.2 | 4.9 | 10.0 | 7.8 | 6.0 | 4.0 | 1.3 |
| 2005 | 5.9 | 4.9 | 8.8 | 7.9 | 5.4 | 4.3 | 1.2 |
| 2006 | 6.1 | 5.3 | 9.7 | 8.0 | 5.5 | 3.8 | 1.2 |
| 2007 | 6.1 | 5.4 | 9.9 | 7.6 | 5.4 | 3.8 | 1.5 |
| 2008 | 6.0 | 5.2 | 9.1 | 7.9 | 5.2 | 3.9 | 1.7 |
| 2009 | 5.5 | 4.2 | 8.9 | 6.9 | 5.1 | 3.9 | 1.4 |
| 2010 | 5.6 | 4.2 | 9.3 | 7.6 | 5.2 | 3.9 | 1.8 |
| 2011 | 5.0 | 3.9 | 8.3 | 7.0 | 4.6 | 3.0 | 1.5 |
| 2012 | 4.8 | 3.4 | 8.0 | 6.4 | 4.6 | 3.6 | 1.5 |

Rates are per 1,000 females 15 to 44 years of age. The abortion component of the rate for total all ages include women less than 15 years of age, 45 years and older and age unknown.

Figure 1



2012 Reference Tables:

Abortions

Table R1. Abortions by health district, county of residence and age of woman: Utah, 2012

| District and County | Total | Under 15 | Age of Woman | | | | | | | | | | Un-known |
|---------------------|-------|----------|--------------|----------|----------|----------|----------|----------|----------|----------|-------------|----|----------|
| | | | Total | 15 to 19 | | 20 to 24 | 25 to 29 | 30 to 34 | 35 to 39 | 40 to 44 | 45 and over | | |
| | | | | 15 to 17 | 18 to 19 | | | | | | | | |
| Total | 3,018 | 5 | 359 | 96 | 263 | 949 | 689 | 510 | 335 | 120 | 15 | 36 | |
| Bear River | 96 | 0 | 18 | 4 | 14 | 32 | 26 | 11 | 6 | 3 | 0 | 0 | |
| Box Elder | 27 | 0 | 4 | 0 | 4 | 11 | 8 | 1 | 2 | 1 | 0 | 0 | |
| Cache | 67 | 0 | 14 | 4 | 10 | 21 | 18 | 8 | 4 | 2 | 0 | 0 | |
| Rich | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | |
| Central Utah | 24 | 0 | 3 | 2 | 1 | 9 | 6 | 5 | 1 | 0 | 0 | 0 | |
| Juab | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Millard | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | |
| Piute | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Sanpete | 8 | 0 | 3 | 2 | 1 | 1 | 3 | 0 | 1 | 0 | 0 | 0 | |
| Sevier | 10 | 0 | 0 | 0 | 0 | 5 | 3 | 2 | 0 | 0 | 0 | 0 | |
| Wayne | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | |
| Davis | 229 | 1 | 33 | 11 | 22 | 64 | 53 | 50 | 19 | 6 | 1 | 2 | |
| Salt Lake | 1,929 | 2 | 213 | 63 | 150 | 594 | 438 | 331 | 234 | 78 | 9 | 30 | |
| Southeastern | 23 | 0 | 4 | 1 | 3 | 4 | 4 | 8 | 2 | 1 | 0 | 0 | |
| Carbon | 18 | 0 | 4 | 1 | 3 | 3 | 4 | 5 | 2 | 0 | 0 | 0 | |
| Emery | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | |
| Grand | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | |
| San Juan | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | |
| Southwest | 13 | 0 | 1 | 0 | 1 | 6 | 3 | 2 | 1 | 0 | 0 | 0 | |
| Beaver | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Garfield | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Iron | 4 | 0 | 0 | 0 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | |
| Kane | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Washington | 9 | 0 | 1 | 0 | 1 | 3 | 2 | 2 | 1 | 0 | 0 | 0 | |
| Summit | 76 | 0 | 7 | 4 | 3 | 23 | 23 | 8 | 8 | 7 | 0 | 0 | |
| Tooele | 52 | 0 | 4 | 1 | 3 | 18 | 10 | 6 | 8 | 4 | 2 | 0 | |
| TriCounty | 37 | 0 | 3 | 1 | 2 | 10 | 13 | 5 | 5 | 0 | 0 | 1 | |
| Daggett | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Duchesne | 10 | 0 | 1 | 1 | 0 | 5 | 3 | 1 | 0 | 0 | 0 | 0 | |
| Uintah | 27 | 0 | 2 | 0 | 2 | 5 | 10 | 4 | 5 | 0 | 0 | 1 | |
| Utah County | 263 | 0 | 42 | 5 | 37 | 82 | 60 | 40 | 24 | 11 | 2 | 2 | |
| Wasatch | 23 | 0 | 4 | 0 | 4 | 4 | 10 | 0 | 3 | 1 | 0 | 1 | |
| Weber-Morgan | 253 | 2 | 27 | 4 | 23 | 103 | 43 | 44 | 24 | 9 | 1 | 0 | |
| Morgan | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | |
| Weber | 251 | 2 | 27 | 4 | 23 | 103 | 43 | 42 | 24 | 9 | 1 | 0 | |

Table R2. Abortions by health district, county of residence and month of occurrence: Utah, 2012

| District and County | Total | Month of Occurrence | | | | | | | | | | | |
|---------------------|-------|---------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
| Total | 3,018 | 281 | 271 | 294 | 231 | 249 | 287 | 255 | 256 | 220 | 238 | 215 | 221 |
| Bear River | 96 | 6 | 14 | 11 | 3 | 12 | 8 | 7 | 7 | 6 | 11 | 6 | 5 |
| Box Elder | 27 | 1 | 4 | 3 | 0 | 2 | 1 | 2 | 2 | 2 | 4 | 4 | 2 |
| Cache | 67 | 5 | 10 | 8 | 3 | 10 | 7 | 5 | 5 | 4 | 7 | 1 | 2 |
| Rich | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Central Utah | 24 | 2 | 4 | 1 | 1 | 4 | 2 | 2 | 3 | 1 | 0 | 1 | 3 |
| Juab | 2 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Millard | 3 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Piute | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Sanpete | 8 | 0 | 2 | 0 | 0 | 2 | 0 | 2 | 1 | 0 | 0 | 0 | 1 |
| Sevier | 10 | 1 | 2 | 1 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 1 | 1 |
| Wayne | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Davis | 229 | 21 | 26 | 22 | 17 | 15 | 20 | 20 | 20 | 13 | 20 | 16 | 19 |
| Salt Lake | 1,929 | 171 | 167 | 190 | 158 | 168 | 199 | 154 | 159 | 140 | 141 | 142 | 140 |
| Southeastern | 23 | 3 | 1 | 3 | 1 | 1 | 1 | 3 | 1 | 5 | 2 | 2 | 0 |
| Carbon | 18 | 1 | 0 | 3 | 1 | 1 | 1 | 3 | 0 | 5 | 1 | 2 | 0 |
| Emery | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| Grand | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| San Juan | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Southwest | 13 | 2 | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 0 | 1 | 1 | 3 |
| Beaver | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Garfield | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Iron | 4 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Kane | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Washington | 9 | 2 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 2 |
| Summit | 76 | 15 | 5 | 8 | 1 | 6 | 10 | 6 | 4 | 4 | 6 | 6 | 5 |
| Tooele | 52 | 6 | 5 | 4 | 5 | 4 | 4 | 6 | 3 | 3 | 2 | 5 | 5 |
| TriCounty | 37 | 0 | 1 | 4 | 6 | 0 | 5 | 4 | 3 | 3 | 4 | 3 | 4 |
| Daggett | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Duchesne | 10 | 0 | 1 | 1 | 2 | 0 | 0 | 1 | 2 | 1 | 0 | 1 | 1 |
| Uintah | 27 | 0 | 0 | 3 | 4 | 0 | 5 | 3 | 1 | 2 | 4 | 2 | 3 |
| Utah County | 263 | 24 | 24 | 24 | 22 | 14 | 20 | 28 | 23 | 24 | 28 | 15 | 17 |
| Wasatch | 23 | 5 | 4 | 2 | 1 | 2 | 0 | 2 | 1 | 1 | 2 | 1 | 2 |
| Weber-Morgan | 253 | 26 | 19 | 24 | 15 | 23 | 17 | 22 | 31 | 20 | 21 | 17 | 18 |
| Morgan | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| Weber | 251 | 26 | 19 | 24 | 15 | 23 | 16 | 21 | 31 | 20 | 21 | 17 | 18 |

Table R3. Abortions by age and marital status of woman, residents: Utah, 2012

| Age | Marital Status of Woman | | | | | | Un- known |
|----------------|-------------------------|------------------|---------|---------|----------|-----------|--------------|
| | Total | Never Married | Married | Widowed | Divorced | Separated | |
| Total | 3,018 | 1,574 | 800 | 6 | 239 | 116 | 283 |
| Under 15 | 5 | 5 | 0 | 0 | 0 | 0 | 0 |
| Total 15 to 19 | 359 | 300 | 27 | 1 | 1 | 2 | 28 |
| 15-17 | 96 | 84 | 7 | 0 | 0 | 0 | 5 |
| 18-19 | 263 | 216 | 20 | 1 | 1 | 2 | 23 |
| 20-24 | 949 | 669 | 153 | 1 | 18 | 19 | 89 |
| 25-29 | 689 | 326 | 204 | 1 | 61 | 35 | 62 |
| 30-34 | 510 | 177 | 184 | 0 | 74 | 30 | 45 |
| 35-39 | 335 | 70 | 150 | 1 | 60 | 20 | 34 |
| 40-44 | 120 | 13 | 63 | 1 | 22 | 7 | 14 |
| 45 and over | 15 | 2 | 9 | 0 | 0 | 3 | 1 |
| Unknown | 36 | 12 | 10 | 1 | 3 | 0 | 10 |

Table R4. Abortions by weeks gestation and marital status of woman, residents: Utah, 2012

| Weeks gestation | Marital Status of Woman | | | | | | Un- known |
|--------------------|-------------------------|------------------|---------|---------|----------|-----------|--------------|
| | Total | Never Married | Married | Widowed | Divorced | Separated | |
| Total | 3,018 | 1,574 | 800 | 6 | 239 | 116 | 283 |
| Under 5 | 133 | 62 | 51 | 0 | 6 | 4 | 10 |
| 5-6 | 903 | 468 | 221 | 3 | 97 | 35 | 79 |
| 7-8 | 1,068 | 570 | 262 | 2 | 85 | 49 | 100 |
| 9-10 | 443 | 235 | 111 | 1 | 27 | 13 | 56 |
| 11-12 | 185 | 102 | 50 | 0 | 9 | 8 | 16 |
| 13-14 | 134 | 68 | 35 | 0 | 11 | 6 | 14 |
| 15-20 | 126 | 58 | 57 | 0 | 3 | 1 | 7 |
| 21 and over | 8 | 0 | 7 | 0 | 1 | 0 | 0 |
| Unknown | 18 | 11 | 6 | 0 | 0 | 0 | 1 |

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R5. Abortions by age and education of woman, residents: Utah, 2012

Data run 06/12/2013

| Age | Education of Woman | | | | |
|----------------|--------------------|-------------------|----------------|------------------|---------|
| | Total | Under 12 Years | High School | Over 12 Years | Unknown |
| Total | 3,018 | 184 | 1,188 | 958 | 688 |
| Under 15 | 5 | 3 | 1 | 1 | 0 |
| Total 15 to 19 | 359 | 63 | 157 | 49 | 90 |
| 15-17 | 96 | 50 | 21 | 1 | 24 |
| 18-19 | 263 | 13 | 136 | 48 | 66 |
| 20-24 | 949 | 48 | 415 | 274 | 212 |
| 25-29 | 689 | 27 | 257 | 256 | 149 |
| 30-34 | 510 | 20 | 185 | 201 | 104 |
| 35-39 | 335 | 14 | 109 | 122 | 90 |
| 40-44 | 120 | 4 | 44 | 45 | 27 |
| 45 and over | 15 | 0 | 8 | 4 | 3 |
| Unknown | 36 | 5 | 12 | 6 | 13 |

Table R6. Abortions by age and race of woman, residents: Utah, 2012

| Age | Race of Woman | | | | | | |
|----------------|---------------|-------|-------|----------------------------|-----------------|-------|----------|
| | Total | White | Black | Asian and Pacific Islander | Native American | Other | Un-known |
| Total | 3,018 | 2,212 | 95 | 124 | 30 | 150 | 407 |
| Under 15 | 5 | 5 | 0 | 0 | 0 | 0 | 0 |
| Total 15 to 19 | 359 | 278 | 9 | 7 | 3 | 18 | 44 |
| 15-17 | 96 | 76 | 3 | 1 | 2 | 5 | 9 |
| 18-19 | 263 | 202 | 6 | 6 | 1 | 13 | 35 |
| 20-24 | 949 | 712 | 35 | 36 | 10 | 37 | 119 |
| 25-29 | 689 | 525 | 17 | 16 | 4 | 38 | 89 |
| 30-34 | 510 | 365 | 18 | 29 | 5 | 28 | 65 |
| 35-39 | 335 | 231 | 7 | 23 | 3 | 18 | 53 |
| 40-44 | 120 | 72 | 2 | 10 | 4 | 6 | 26 |
| 45 and over | 15 | 6 | 2 | 1 | 0 | 2 | 4 |
| Unknown | 36 | 18 | 5 | 2 | 1 | 3 | 7 |

Table R7. Abortions by weeks gestation and race of woman, residents: Utah, 2012

| Weeks gestation | Race of Woman | | | | | | |
|-----------------|---------------|-------|-------|----------------------------|-----------------|-------|----------|
| | Total | White | Black | Asian and Pacific Islander | Native American | Other | Un-known |
| Total | 3,018 | 2,212 | 95 | 124 | 30 | 150 | 407 |
| Under 5 | 133 | 89 | 2 | 3 | 1 | 13 | 25 |
| 5-6 | 903 | 666 | 35 | 46 | 5 | 43 | 108 |
| 7-8 | 1,068 | 781 | 36 | 45 | 10 | 54 | 142 |
| 9-10 | 443 | 328 | 11 | 15 | 4 | 22 | 63 |
| 11-12 | 185 | 134 | 3 | 7 | 4 | 6 | 31 |
| 13-14 | 134 | 100 | 5 | 3 | 5 | 4 | 17 |
| 15-20 | 126 | 95 | 2 | 4 | 1 | 7 | 17 |
| 21 and over | 8 | 7 | 1 | 0 | 0 | 0 | 0 |
| Unknown | 18 | 12 | 0 | 1 | 0 | 1 | 4 |

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R8. Abortions by age of woman and number of prior live births, residents: Utah, 2012

| Age | Prior Live Births | | | | | | | |
|-----------------------|-------------------|-------|-----|-----|-------|------|--------------|----------|
| | Total | None | One | Two | Three | Four | Five or More | Un-known |
| Total | 3,018 | 1,273 | 653 | 555 | 257 | 123 | 81 | 76 |
| Under 15 | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total 15 to 19 | 359 | 303 | 45 | 6 | 0 | 0 | 1 | 4 |
| 15-17 | 96 | 85 | 8 | 0 | 0 | 0 | 0 | 3 |
| 18-19 | 263 | 218 | 37 | 6 | 0 | 0 | 1 | 1 |
| 20-24 | 949 | 547 | 237 | 106 | 36 | 2 | 3 | 18 |
| 25-29 | 689 | 240 | 174 | 149 | 67 | 23 | 9 | 27 |
| 30-34 | 510 | 105 | 105 | 131 | 79 | 49 | 26 | 15 |
| 35-39 | 335 | 43 | 67 | 109 | 53 | 32 | 23 | 8 |
| 40-44 | 120 | 15 | 16 | 43 | 18 | 15 | 11 | 2 |
| 45 and over | 15 | 0 | 3 | 3 | 3 | 1 | 5 | 0 |
| Unknown | 36 | 15 | 6 | 8 | 1 | 1 | 3 | 2 |

Table R9. Abortions by age of woman and number of prior abortions, residents: Utah, 2012

| Age | Prior Abortions | | | | | | | |
|-----------------------|-----------------|-------|-----|-----|-------|------|--------------|----------|
| | Total | None | One | Two | Three | Four | Five or More | Un-known |
| Total | 3,018 | 2,132 | 566 | 176 | 58 | 22 | 10 | 54 |
| Under 15 | 5 | 4 | 1 | 0 | 0 | 0 | 0 | 0 |
| Total 15 to 19 | 359 | 324 | 26 | 4 | 1 | 0 | 0 | 4 |
| 15-17 | 96 | 87 | 4 | 2 | 0 | 0 | 0 | 3 |
| 18-19 | 263 | 237 | 22 | 2 | 1 | 0 | 0 | 1 |
| 20-24 | 949 | 737 | 156 | 30 | 8 | 3 | 0 | 15 |
| 25-29 | 689 | 438 | 151 | 54 | 17 | 6 | 6 | 17 |
| 30-34 | 510 | 322 | 118 | 43 | 11 | 5 | 1 | 10 |
| 35-39 | 335 | 201 | 75 | 32 | 12 | 7 | 3 | 5 |
| 40-44 | 120 | 70 | 26 | 12 | 9 | 1 | 0 | 2 |
| 45 and over | 15 | 9 | 6 | 0 | 0 | 0 | 0 | 0 |
| Unknown | 36 | 27 | 7 | 1 | 0 | 0 | 0 | 1 |

Table R10. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2012

| Weeks gestation | Prior Abortions | | | | | | | |
|-----------------|-----------------|-------|-----|-----|-------|------|--------------|----------|
| | Total | None | One | Two | Three | Four | Five or More | Un-known |
| Total | 3,018 | 2,132 | 566 | 176 | 58 | 22 | 10 | 54 |
| Under 5 | 133 | 80 | 32 | 9 | 6 | 1 | 2 | 3 |
| 5-6 | 903 | 645 | 165 | 57 | 20 | 4 | 3 | 9 |
| 7-8 | 1,068 | 756 | 204 | 57 | 16 | 11 | 4 | 20 |
| 9-10 | 443 | 312 | 82 | 32 | 8 | 2 | 0 | 7 |
| 11-12 | 185 | 130 | 35 | 11 | 4 | 1 | 1 | 3 |
| 13-14 | 134 | 96 | 26 | 4 | 3 | 2 | 0 | 3 |
| 15-20 | 126 | 93 | 18 | 6 | 1 | 1 | 0 | 7 |
| 21 and over | 8 | 6 | 2 | 0 | 0 | 0 | 0 | 0 |
| Unknown | 18 | 14 | 2 | 0 | 0 | 0 | 0 | 2 |

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R11. Abortions by age of woman and reason for termination, residents: Utah, 2012

| Age | Total | Reason for Termination | | | | | |
|-----------------------|-------|--------------------------|-------------|--------------------|--------------|--------|----------|
| | | Maternal Life Endangered | Therapeutic | Fetal Malformation | HIV Positive | Incest | Elective |
| Total | 3,018 | 14 | 2,596 | 27 | 0 | 0 | 378 |
| Under 15 | 5 | 0 | 5 | 0 | 0 | 0 | 0 |
| Total 15 to 19 | 359 | 0 | 327 | 0 | 0 | 0 | 30 |
| 15-17 | 96 | 0 | 87 | 0 | 0 | 0 | 7 |
| 18-19 | 263 | 0 | 240 | 0 | 0 | 0 | 23 |
| 20-24 | 949 | 5 | 831 | 2 | 0 | 0 | 111 |
| 25-29 | 689 | 2 | 578 | 7 | 0 | 0 | 102 |
| 30-34 | 510 | 5 | 417 | 7 | 0 | 0 | 80 |
| 35-39 | 335 | 2 | 288 | 9 | 0 | 0 | 36 |
| 40-44 | 120 | 0 | 107 | 2 | 0 | 0 | 11 |
| 45 and over | 15 | 0 | 13 | 0 | 0 | 0 | 2 |
| Unknown | 36 | 0 | 30 | 0 | 0 | 0 | 6 |

There are 3 occurrences in the category of rape, other or unknown that are in the totals but are not distributed.

Table R12. Abortions by weeks gestation and reason for termination, residents: Utah, 2012

| Weeks gestation | Total | Reason for Termination | | | | | |
|-----------------|-------|--------------------------|-------------|--------------------|--------------|--------|----------|
| | | Maternal Life Endangered | Therapeutic | Fetal Malformation | HIV Positive | Incest | Elective |
| Total | 3,018 | 14 | 2,596 | 27 | 0 | 0 | 378 |
| Under 5 | 133 | 0 | 114 | 1 | 0 | 0 | 18 |
| 5-6 | 903 | 2 | 751 | 2 | 0 | 0 | 148 |
| 7-8 | 1,068 | 5 | 916 | 1 | 0 | 0 | 145 |
| 9-10 | 443 | 2 | 395 | 2 | 0 | 0 | 43 |
| 11-12 | 185 | 2 | 162 | 1 | 0 | 0 | 20 |
| 13-14 | 134 | 1 | 126 | 3 | 0 | 0 | 4 |
| 15-20 | 126 | 0 | 114 | 12 | 0 | 0 | 0 |
| 21 and over | 8 | 2 | 0 | 5 | 0 | 0 | 0 |
| Unknown | 18 | 0 | 18 | 0 | 0 | 0 | 0 |

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.
There are 3 occurrences in the category of rape, other or unknown that are in the totals but are not distributed.

Table R13. Abortions by age of woman and weeks gestation, residents: Utah, 2012

| Age | Weeks Gestation | | | | | | | | | |
|-----------------------|-----------------|---------|-----|-------|------|-------|-------|-------|-------------|----------|
| | Total | Under 5 | 5-6 | 7-8 | 9-10 | 11-12 | 13-14 | 15-20 | 21 and over | Un-known |
| Total | 3,018 | 133 | 903 | 1,068 | 443 | 185 | 134 | 126 | 8 | 18 |
| Under 15 | 5 | 0 | 1 | 1 | 0 | 0 | 2 | 0 | 0 | 1 |
| Total 15 to 19 | 359 | 10 | 88 | 133 | 63 | 19 | 24 | 20 | 0 | 2 |
| 15-17 | 96 | 2 | 23 | 40 | 14 | 4 | 8 | 4 | 0 | 1 |
| 18-19 | 263 | 8 | 65 | 93 | 49 | 15 | 16 | 16 | 0 | 1 |
| 20-24 | 949 | 36 | 273 | 340 | 156 | 70 | 34 | 30 | 1 | 9 |
| 25-29 | 689 | 35 | 220 | 231 | 95 | 41 | 32 | 30 | 2 | 3 |
| 30-34 | 510 | 24 | 153 | 183 | 72 | 34 | 17 | 21 | 4 | 2 |
| 35-39 | 335 | 19 | 108 | 122 | 34 | 17 | 16 | 18 | 0 | 1 |
| 40-44 | 120 | 4 | 42 | 44 | 17 | 3 | 7 | 2 | 1 | 0 |
| 45 and over | 15 | 2 | 5 | 4 | 3 | 0 | 1 | 0 | 0 | 0 |
| Unknown | 36 | 3 | 13 | 10 | 3 | 1 | 1 | 5 | 0 | 0 |

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R14. Abortions by age of woman and method of termination, residents: Utah, 2012

| Age | Total | Method of Termination | | | | | | | |
|-----------------------|-------|-------------------------|-------------------|-----------------|------------|----------------------------|--------------|-------|---------|
| | | Dilation and Evacuation | Suction Curettage | Sharp Curettage | Medication | Intra-Uterine Instillation | Hysterectomy | Other | Unknown |
| Total | 3,018 | 132 | 1,987 | 70 | 826 | 2 | 0 | 0 | 3 |
| Under 15 | 5 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total 15 to 19 | 359 | 20 | 250 | 12 | 77 | 0 | 0 | 0 | 0 |
| 15-17 | 96 | 7 | 65 | 3 | 21 | 0 | 0 | 0 | 0 |
| 18-19 | 263 | 13 | 185 | 9 | 56 | 0 | 0 | 0 | 0 |
| 20-24 | 949 | 35 | 637 | 23 | 253 | 1 | 0 | 0 | 1 |
| 25-29 | 689 | 23 | 442 | 17 | 205 | 1 | 0 | 0 | 2 |
| 30-34 | 510 | 21 | 330 | 11 | 148 | 0 | 0 | 0 | 0 |
| 35-39 | 335 | 23 | 208 | 3 | 101 | 0 | 0 | 0 | 0 |
| 40-44 | 120 | 3 | 89 | 3 | 25 | 0 | 0 | 0 | 0 |
| 45 and over | 15 | 1 | 11 | 0 | 3 | 0 | 0 | 0 | 0 |
| Unknown | 36 | 4 | 17 | 1 | 14 | 0 | 0 | 0 | 0 |

The totals do not add because more than one choice is possible for each number in the total.

Table R15. Abortions by weeks gestation and method of termination, residents: Utah, 2012

| Weeks gestation | Total | Method of Termination | | | | | | | |
|-----------------|-------|-------------------------|-------------------|-----------------|------------|----------------------------|--------------|-------|---------|
| | | Dilation and Evacuation | Suction Curettage | Sharp Curettage | Medication | Intra-Uterine Instillation | Hysterectomy | Other | Unknown |
| Total | 3,018 | 132 | 1,987 | 70 | 826 | 2 | 0 | 0 | 3 |
| Under 5 | 133 | 0 | 31 | 2 | 100 | 0 | 0 | 0 | 0 |
| 5-6 | 903 | 3 | 531 | 19 | 348 | 1 | 0 | 0 | 2 |
| 7-8 | 1,068 | 3 | 714 | 18 | 332 | 1 | 0 | 0 | 1 |
| 9-10 | 443 | 4 | 409 | 4 | 26 | 0 | 0 | 0 | 0 |
| 11-12 | 185 | 7 | 166 | 8 | 4 | 0 | 0 | 0 | 0 |
| 13-14 | 134 | 27 | 92 | 14 | 1 | 0 | 0 | 0 | 0 |
| 15-20 | 126 | 81 | 38 | 5 | 2 | 0 | 0 | 0 | 0 |
| 21 and over | 8 | 6 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| Unknown | 18 | 1 | 6 | 0 | 11 | 0 | 0 | 0 | 0 |

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

The totals do not add because more than one choice is possible for each number in the total.

Table R16. Abortions by age of woman and mention of any complications, residents: Utah, 2012

| Age of Woman | Total | Mention of any Complication | | |
|----------------|-------|-----------------------------|-------|---------|
| | | Yes | No | Unknown |
| Total | 3,018 | 2 | 3,016 | 0 |
| Under 15 | 5 | 0 | 5 | 0 |
| Total 15 to 19 | 359 | 0 | 359 | 0 |
| 15-17 | 96 | 0 | 96 | 0 |
| 18-19 | 263 | 0 | 263 | 0 |
| 20-24 | 949 | 0 | 949 | 0 |
| 25-29 | 689 | 0 | 689 | 0 |
| 30-34 | 510 | 0 | 510 | 0 |
| 35-39 | 335 | 2 | 333 | 0 |
| 40-44 | 120 | 0 | 120 | 0 |
| 45 and over | 15 | 0 | 15 | 0 |
| Unknown | 36 | 0 | 36 | 0 |

Table R17. Abortions by age of woman and history of contraceptive use in past year, residents: Utah, 2012

| Age of Woman | Total | History of Contraceptive Use in Past Year | | |
|----------------|-------|---|-------|---------|
| | | Yes | No | Unknown |
| Total | 3,018 | 923 | 1,473 | 622 |
| Under 15 | 5 | 0 | 4 | 1 |
| Total 15 to 19 | 359 | 95 | 195 | 69 |
| 15-17 | 96 | 20 | 58 | 18 |
| 18-19 | 263 | 75 | 137 | 51 |
| 20-24 | 949 | 310 | 460 | 179 |
| 25-29 | 689 | 235 | 308 | 146 |
| 30-34 | 510 | 151 | 253 | 106 |
| 35-39 | 335 | 96 | 162 | 77 |
| 40-44 | 120 | 25 | 68 | 27 |
| 45 and over | 15 | 4 | 7 | 4 |
| Unknown | 36 | 7 | 16 | 13 |

Table R18. Abortions by age of woman and pregnancy due to omission of contraceptive, residents: Utah, 2012

| Age of Woman | Total | Omission of Contraceptive | | |
|----------------|-------|---------------------------|-----|---------|
| | | Yes | No | Unknown |
| Total | 3,018 | 84 | 355 | 2,579 |
| Under 15 | 5 | 0 | 0 | 5 |
| Total 15 to 19 | 359 | 9 | 24 | 326 |
| 15-17 | 96 | 2 | 7 | 87 |
| 18-19 | 263 | 7 | 17 | 239 |
| 20-24 | 949 | 33 | 104 | 812 |
| 25-29 | 689 | 16 | 101 | 572 |
| 30-34 | 510 | 13 | 65 | 432 |
| 35-39 | 335 | 10 | 43 | 282 |
| 40-44 | 120 | 2 | 12 | 106 |
| 45 and over | 15 | 1 | 2 | 12 |
| Unknown | 36 | 0 | 4 | 32 |

Table R19. Abortions by age of woman and method of contraceptive in past year, residents: Utah, 2012

| Age of Woman | Total | Methods of contraceptive used in past year | | | | | | | | | | | Not Applicable |
|-----------------------|-------|--|-----------|------------|--------|-------|------------------------|--------|--------|--------------|-------|----------|----------------|
| | | Oral (pill) | Diaphragm | Foam Jelly | Condom | I U D | Surgical Sterilization | Rhythm | Coitus | Depo-provera | Other | Un-known | |
| Total | 3,018 | 347 | 7 | 30 | 308 | 63 | 2 | 1 | 41 | 60 | 111 | 639 | 2,082 |
| Under 15 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 |
| Total 15 to 19 | 359 | 40 | 0 | 1 | 32 | 1 | 0 | 0 | 5 | 9 | 8 | 71 | 261 |
| 15-17 | 96 | 6 | 0 | 0 | 7 | 0 | 0 | 0 | 1 | 1 | 3 | 21 | 75 |
| 18-19 | 263 | 34 | 0 | 1 | 25 | 1 | 0 | 0 | 4 | 8 | 5 | 50 | 186 |
| 20-24 | 949 | 124 | 2 | 10 | 97 | 14 | 0 | 0 | 14 | 27 | 42 | 178 | 635 |
| 25-29 | 689 | 94 | 0 | 8 | 77 | 18 | 0 | 1 | 8 | 12 | 31 | 150 | 453 |
| 30-34 | 510 | 52 | 1 | 6 | 53 | 14 | 1 | 0 | 7 | 7 | 16 | 111 | 357 |
| 35-39 | 335 | 30 | 2 | 5 | 37 | 11 | 1 | 0 | 5 | 2 | 8 | 80 | 238 |
| 40-44 | 120 | 5 | 2 | 0 | 9 | 2 | 0 | 0 | 2 | 1 | 4 | 30 | 93 |
| 45 and over | 15 | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 4 | 11 |
| Unknown | 36 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 2 | 2 | 14 | 29 |

The totals do not add because more than one choice is possible for each number in the total.

Table R20. Abortions by marital status of woman and method of contraceptive in past year, residents: Utah, 2012

| Marital Status | Total | Methods of contraceptive used in past year | | | | | | | | | | | Not Applicable |
|----------------------|-------|--|-----------|------------|--------|-------|------------------------|--------|--------|--------------|-------|----------|----------------|
| | | Oral (pill) | Diaphragm | Foam Jelly | Condom | I U D | Surgical Sterilization | Rhythm | Coitus | Depo-provera | Other | Un-known | |
| Total | 3,018 | 347 | 7 | 30 | 308 | 63 | 2 | 1 | 41 | 60 | 111 | 639 | 2,082 |
| Never Married | 1,574 | 206 | 2 | 15 | 168 | 22 | 1 | 0 | 27 | 40 | 70 | 248 | 1,040 |
| Married | 800 | 51 | 2 | 6 | 65 | 17 | 1 | 0 | 5 | 3 | 15 | 293 | 639 |
| Widowed | 6 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 4 |
| Divorced | 239 | 42 | 3 | 6 | 31 | 16 | 0 | 0 | 1 | 9 | 12 | 9 | 131 |
| Separated | 116 | 19 | 0 | 2 | 17 | 5 | 0 | 0 | 1 | 3 | 4 | 6 | 67 |
| Unknown | 283 | 29 | 0 | 1 | 26 | 3 | 0 | 1 | 7 | 4 | 10 | 82 | 201 |

The totals do not add because more than one choice is possible for each number in the total.

Table R21. Abortions by number of prior live births, prior abortions and method of contraceptive in past year, residents: Utah, 2012

| Prior Live Births and Prior Abortions | Total | Method of Contraceptive | | | | | | | | | | | |
|---------------------------------------|-------|-------------------------|-----------|------------|--------|-------|------------------------|--------|--------|--------------|-------|---------|----------------|
| | | Oral (pill) | Diaphragm | Foam Jelly | Condom | I U D | Surgical Sterilization | Rhythm | Coitus | Depo-provera | Other | Unknown | Not Applicable |
| Total | 3,018 | 347 | 7 | 30 | 308 | 63 | 2 | 1 | 41 | 60 | 111 | 639 | 2,082 |
| No Live Births | 1,273 | 183 | 4 | 12 | 143 | 11 | 0 | 0 | 20 | 26 | 53 | 242 | 834 |
| One Live Birth | 653 | 72 | 2 | 6 | 57 | 16 | 1 | 1 | 8 | 15 | 24 | 128 | 462 |
| More than One Birth | 1,034 | 89 | 1 | 12 | 107 | 35 | 1 | 0 | 13 | 19 | 34 | 228 | 733 |
| Births Unknown | 58 | 3 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 41 | 53 |
| No Abortions | 2,132 | 242 | 4 | 21 | 245 | 45 | 2 | 1 | 31 | 50 | 82 | 392 | 1,430 |
| No Live Births | 1,027 | 138 | 4 | 11 | 127 | 10 | 0 | 0 | 16 | 24 | 42 | 192 | 668 |
| One Live Birth | 455 | 48 | 0 | 1 | 42 | 12 | 1 | 1 | 6 | 13 | 16 | 73 | 317 |
| More than One Birth | 647 | 56 | 0 | 9 | 76 | 22 | 1 | 0 | 9 | 13 | 24 | 127 | 443 |
| Births Unknown | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| One Abortion | 566 | 76 | 3 | 6 | 45 | 16 | 0 | 0 | 6 | 9 | 20 | 129 | 394 |
| No Live Births | 184 | 36 | 0 | 1 | 11 | 1 | 0 | 0 | 3 | 2 | 9 | 34 | 121 |
| One Live Birth | 137 | 17 | 2 | 4 | 14 | 3 | 0 | 0 | 0 | 2 | 4 | 37 | 98 |
| More than One Birth | 240 | 22 | 1 | 1 | 19 | 12 | 0 | 0 | 3 | 5 | 7 | 56 | 172 |
| Births Unknown | 5 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 |
| More Than One Abortion | 266 | 24 | 0 | 3 | 18 | 2 | 0 | 0 | 3 | 1 | 9 | 77 | 210 |
| No Live Births | 62 | 9 | 0 | 0 | 5 | 0 | 0 | 0 | 1 | 0 | 2 | 16 | 45 |
| One Live Birth | 60 | 7 | 0 | 1 | 1 | 1 | 0 | 0 | 2 | 0 | 4 | 17 | 46 |
| More than One Birth | 142 | 8 | 0 | 2 | 12 | 1 | 0 | 0 | 0 | 1 | 3 | 44 | 117 |
| Births Unknown | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Abortions Unknown | 54 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 41 | 48 |
| No Live Births | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| One Live Birth | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| More than One Birth | 5 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| Births Unknown | 48 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 39 | 46 |

The totals do not add because more than one choice is possible for each number in the total.

Table R22. Abortions by education of woman and method of contraceptive in past year, residents: Utah, 2012

| Education | Total | Method of Contraceptive | | | | | | | | | | | |
|-----------------------|-------|-------------------------|-----------|------------|--------|-------|------------------------|--------|--------|--------------|-------|---------|----------------|
| | | Oral (pill) | Diaphragm | Foam Jelly | Condom | I U D | Surgical Sterilization | Rhythm | Coitus | Depo-provera | Other | Unknown | Not Applicable |
| Total | 3,018 | 347 | 7 | 30 | 308 | 63 | 2 | 1 | 41 | 60 | 111 | 639 | 2,082 |
| Under 12 Years | 184 | 17 | 0 | 1 | 22 | 5 | 0 | 0 | 3 | 9 | 4 | 10 | 122 |
| High School | 1,188 | 135 | 4 | 11 | 108 | 24 | 1 | 0 | 15 | 28 | 40 | 363 | 837 |
| Over 12 Years | 958 | 173 | 3 | 18 | 153 | 30 | 0 | 1 | 15 | 19 | 56 | 67 | 515 |
| Unknown | 688 | 22 | 0 | 0 | 25 | 4 | 1 | 0 | 8 | 4 | 11 | 199 | 608 |

The totals do not add because more than one choice is possible for each number in the total.

2012 Appendix:

Abortions

Technical Appendix

Section 76-7-313, Utah Code Annotated 1953 as amended requires that the report of induced termination of pregnancy (Figure A) be filed with the State of Utah's Department of Health within ten days after the abortion.

The reported number of abortions to Utah residents that are performed out of state is small and suggests an undercount. This small number of reported abortions that occur in other states are not shown by county of residence in this report.

For both the summary and reference tables in this report, data are tabulated by health district as well as county of residence to meet the needs of local health departments.

Population data are from the Demographic and Economic Analysis section of the Governor's Office of Planning and Budget.

Formulas used to compute rates and ratios used in this report are defined as follows:

Abortion Rate =
$$\frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Resident Females 15-44 Years of Age}}$$

Abortion Ratio =
$$\frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Live Births to Resident Females}}$$

Figure 1

| STATE OF UTAH DEPARTMENT OF HEALTH REPORT OF INDUCED TERMINATION OF PREGNANCY | | | | | | CONFIDENTIAL <small>This report will be used for statistical purposes by the Utah Department of Health. It may be used to insure compliance with the provisions of the Utah State Abortion Law. It will be kept Confidential pursuant to Chapter 25, Title 26.</small> | |
|---|--------------|--|--|--|--|--|--|
| 1. PLACE where termination occurred-hospital or other facility. <small>If not in hospital or clinic, enter street address.</small> | | | 1b. CITY | | 1c. COUNTY | | |
| 2. RESIDENCE State _____ County _____ City, Village _____ Zip Code _____ | | | 3. PATIENT'S BIRTHDATE Month _____ Year _____ | | 4. MARITAL STATUS 1 <input type="checkbox"/> Never Married 2 <input type="checkbox"/> Married 3 <input type="checkbox"/> Widowed 4 <input type="checkbox"/> Divorced 5 <input type="checkbox"/> Separated | | |
| 5. WAS PATIENT OF HISPANIC ORIGIN? 1 <input type="checkbox"/> Yes (If yes, Specify) 2 <input type="checkbox"/> No 1 <input type="checkbox"/> Mexican 2 <input type="checkbox"/> Cuban 3 <input type="checkbox"/> Puerto Rican <input type="checkbox"/> Other (Specify) _____ | | | 6. RACE 1 <input type="checkbox"/> White 2 <input type="checkbox"/> Black 3 <input type="checkbox"/> American Indian 9 <input type="checkbox"/> Asian/Pacific Islander <input type="checkbox"/> Other (Specify) _____ | | 7. EDUCATION (Specify highest grade completed) Elementary/Secondary (0-12) College (13-16 or 17+) | | |
| 8. PREVIOUS PREGNANCIES (Complete each section) | | | | 9. CONTRACEPTIVE HISTORY | | 10. METHODS (if "yes" to no. 9, what method(s) used?) | |
| LIVE BIRTHS | | OTHER PREGNANCIES | | Has the patient practiced contraception in the past year? | | | |
| 8a. Now Living | 8b. Now Dead | 8c. Spontaneous Terminations | 8d. Induced Terminations | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown | | 0 <input type="checkbox"/> Oral (pill) 5 <input type="checkbox"/> Surgical Sterilization 1 <input type="checkbox"/> Diaphragm 6 <input type="checkbox"/> Rhythm 2 <input type="checkbox"/> Foam Jelly 7 <input type="checkbox"/> Coitus Interruptus (Withdrawal) 3 <input type="checkbox"/> Condom 8 <input type="checkbox"/> Depo Provera 4 <input type="checkbox"/> IUD 9 <input type="checkbox"/> Other (Specify) _____ | |
| Number _____ None <input type="checkbox"/> | | | Number _____ None <input type="checkbox"/> | | | Number _____ None <input type="checkbox"/> | |
| 11. If "Yes" to no. 9, did the pregnancy follow from temporarily omitting the method of contraception? 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown If "Yes", which method? _____ | | | | 12. ANTI-RH IMMUNE globulin indicated 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown | | 13. ANTI-RH IMMUNE globulin given 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 3 <input type="checkbox"/> Patient Refused | |
| 14. DATE OF TERMINATION Month _____ Day _____ Year _____ | | 15. FIRST DAY OF LAST MENSTRUAL PERIOD Month _____ Day _____ Year _____ | | 16. CLINICAL ESTIMATE OF GESTATION (Weeks) _____ | | 17. EVIDENCE OF PREVIOUS ATTEMPT TO TERMINATE THIS PREGNANCY 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown | |
| 18a. PROCEDURE THAT TERMINATED PREGNANCY (Check only one) | | | | 18b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY (Check all that apply) | | 19. REASON FOR TERMINATION | |
| 1 <input type="checkbox"/> Suction Curettage 2 <input type="checkbox"/> Sharp Curettage (D & C) 3 <input type="checkbox"/> Dilation and Evacuation (D & E) 4 <input type="checkbox"/> Medical (Nonsurgical), Specify Medication(s) _____ 5 <input type="checkbox"/> Intra-Uterine Instillation (Saline or Prostaglandin) 6 <input type="checkbox"/> Hysterotomy/Hysterectomy 7 <input type="checkbox"/> Other (Specify) _____ | | | | 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input type="checkbox"/> 7 <input type="checkbox"/> | | 1 <input type="checkbox"/> Maternal Life Endangered 2 <input type="checkbox"/> Therapeutic 3 <input type="checkbox"/> Fetal Malformation 4 <input type="checkbox"/> HIV Positive 5 <input type="checkbox"/> Rape 6 <input type="checkbox"/> Incest 7 <input type="checkbox"/> Elective 8 <input type="checkbox"/> Other | |
| 20. COMPLICATIONS (Check all that apply) | | | | 21. HOSPITALIZATION REQUIRED AS A RESULT OF COMPLICATIONS 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | | | |
| 0 <input type="checkbox"/> None 1 <input type="checkbox"/> Hemorrhage 2 <input type="checkbox"/> Perforation of Uterus 3 <input type="checkbox"/> Cervical Laceration 4 <input type="checkbox"/> Infection 5 <input type="checkbox"/> Anesthetic 6 <input type="checkbox"/> Retained Products 7 <input type="checkbox"/> Death 8 <input type="checkbox"/> Other, Specify: _____ | | | | Month _____ Day _____ Year _____ If "yes", Name of Hospital: _____ ADMISSION DATE: _____/_____/_____ | | | |
| 22. WAS THE FETUS CAPABLE OF SURVIVAL OUTSIDE THE UTERUS? 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown | | | | Subscribed & sworn to before me this _____ day of _____ 19____ | | | |
| 23. I hereby certify that the required consent was voluntarily obtained as provided in Section 76-7-305, Utah Code Annotated, 1953 as Amended. | | | | Notary Public _____ | | | |
| 24. SIGNATURE OF PHYSICIAN | | | | S E A L | | | |
| 25. NAME OF PHYSICIAN (Print or Type) | | 26. DATE | | | | | |

(COMPLETE REVERSE SIDE ALSO)

CONFIDENTIAL

(Figure 1 continued)

SURGICAL PATHOLOGY REPORT

GROSS and MICROSCOPIC
TO BE COMPLETED ON ALL INDUCED ABORTIONS

- 1) Presence of chorionic villi 1 Yes 2 No 9 Unknown
2) Presence of decidual tissue 1 Yes 2 No 9 Unknown
3) Presence of marked inflammatory reaction. 1 Yes 2 No 9 Unknown
4) Presence of embryo or fetal parts. 1 Yes 2 No 9 Unknown
5) Gross appearance of embryo 1 Normal
2 Macerated
3 Malformed - Type _____

- 6) Measurements of embryo Length _____ cms
Weight _____ gms.

COMPLETE THIS SECTION FOR ABORTIONS BEYOND 90 DAYS GESTATION

1. Measurement of Embryo

- Heel to Toe _____ mm.
Biparietal Diameter _____ cm.
Date BPD Measured _____

2. Complications or Post-Operative Morbidity

- 00 None
01 Cardiac Arrest
02 Disseminated Intravascular Coagulation
03 Ectopic Pregnancy
04 Failed Abortion
05 Hemorrhage (less than 500 ml.)
06 Hemorrhage (500 ml. or more)
07 Incomplete abortion (retained tissue)
08 Injury to cervix
09 Pelvic Infection
10 Perforation
11 Postabortal bleeding or spotting
12 Pulmonary embolism or infarction
13 Reaction to Anesthesia - general
14 Reaction to Anesthesia - local
15 Respiratory arrest
16 Other, Specify _____

3. Time of Complication

- 1 During Procedure
2 During Recovery
3 After Discharge

4. Management of Complication

- 1 Hospitalization (immediate)
2 Hospitalization (later by Facility)
3 Hospitalization (later not by Facility)
4 Repeat Evacuation (immediate)
5 Repeat Evacuation (later at Facility)
6 Repeat Evacuation (later not at Facility)

5. Two Week Follow-up

- 1 In Facility, Normal
2 Other _____
3 Other Facility, Normal
4 Other _____
5 Examination Not Done
6 Unable to Contact

6. Future Contraception Planned

- 1 Oral (Pill)
2 IUD
3 Diaphragm
4 Other Contraception
5 None Wanted

7. Reason for Late Abortion

- 1 Woman continued to have menses
2 Afraid to tell parents, spouse, etc.
3 Denial of Pregnancy
4 Planned pregnancy, change of circumstances
5 Suspected or known fetal malformation
6 Late referral
7 Unable to afford cost earlier in pregnancy
8 Other, Specify _____

OFFICE OF VITAL RECORDS AND STATISTICS
UTAH DEPARTMENT OF HEALTH
PO BOX 141012
SALT LAKE CITY UT 84114-1012