

Utah's Vital Statistics

**Abortions**  
**2013**

Utah Department of Health  
Center for Health Data



Utah's Vital Statistics

# Abortions

2013

October 2014  
Technical Report No. 287

### **Mission Statement**

The Office of Vital Records and Statistics administers the statewide system of Vital Records and Statistics by documenting and certifying the facts of births, deaths, and family formation for the legal purposes of the citizens of Utah, participates in the National Vital Statistics System, and responds to the needs of health programs, health care providers, businesses, researchers, educational institutions and the Utah public for data and statistical information.

This publication was produced by:  
**The Statistical Products Section**  
in the  
**Office of Vital Records and Statistics**

**Janice Houston, M.P.A., Director**

Staff Contributors:

Marie Aschlimann  
Mylitta Barrett  
Cynthia Robison

Utah Department of Health  
Center for Health Data and Informatics

**OFFICE OF VITAL RECORDS AND STATISTICS**  
**PO BOX 141012**  
**SALT LAKE CITY UT 84114-1012**

Located in the Cannon Health Building at 288 N 1460 W

Website: [vitalrecords.health.utah.gov](http://vitalrecords.health.utah.gov)  
Email: [vrequest@utah.gov](mailto:vrequest@utah.gov)  
Phone: (801) 538-6843  
Fax: (801) 323-1570

This information can be made available  
in alternative formats upon request.



## **PREFACE**

This 2013 report is the thirty-sixth in a series on legally induced abortions in Utah. Previous reports were for the combined years 1974-1975, 1975-1977, 1978-1980, each year from 1981-1998, combined years 1999-2000, 2001-2002 and each year from 2003-2012.

These tabulations are published annually to make commonly used vital records data available to health programs, health care providers, businesses, researchers, educational institutions and the Utah public. Data are presented for the state, the local health districts, and the counties.

Utah's Vital Statistics report series no longer includes abortion data for the United States. The most recent abortion data for the United States is published by the Centers for Disease Control and Prevention in the Morbidity and Mortality Weekly Report, "Abortion Surveillance - United States, 2010," Vol. 62, No. 8; Atlanta, Georgia, November 29, 2013. The website for this report at the Centers for Disease Control is <http://www.cdc.gov>. Searchers should use the keyword "abortion surveillance" to find the most current Abortion Surveillance report.



# TABLE OF CONTENTS

Page

ix	List of Summary Tables
xi	List of Reference Tables
xiii	List of Appendices
S-1	Summary Tables
R-1	Reference Tables
T-1	Technical Appendix



## List of Summary Tables

### Page

- S-3 Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980 and 1990-2013
- S-3 Table 2. Abortions occurring in Utah by state of residence: 2013
- S-4 Table 3. Abortions, live births and abortion ratios by health district and county of residence: Utah, 1990, 1995 and 2000-2013
- S-5 Table 4. Abortions, live births and ratios by marital status, residents: Utah, 1980, 1990, 1995-2013
- S-6 Table 5. Population for females 15 to 44 years of age, residents: Utah, 1990, 1995 and 2000-2013
- S-6 Table 6. Age-specific abortion rates, residents: Utah, 1990, 1995 and 2000-2013

### Figure

- S-7 Figure 1. Abortions per 1,000 live births, residents: Utah, 2000-2013

## List of Reference Tables

### Page

- R-3 Table R1. Abortions by health district, county of residence and age of woman: Utah, 2013
- R-4 Table R2. Abortions by health district, county of residence and month of occurrence: Utah, 2013
- R-5 Table R3. Abortions by age and marital status of woman, residents: Utah, 2013
- R-5 Table R4. Abortions by weeks gestation and marital status of woman, residents: Utah, 2013
- R-5 Table R5. Abortions by age and education of woman, residents: Utah, 2013
- R-6 Table R6. Abortions by age and race of woman, residents: Utah, 2013
- R-6 Table R7. Abortions by weeks gestation and race of woman, residents: Utah, 2013
- R-7 Table R8. Abortions by age of woman and number of prior live births, residents: Utah, 2013
- R-7 Table R9. Abortions by age of woman and number of prior abortions, residents: Utah, 2013
- R-7 Table R10. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2013

(List of Reference Tables continued)

- R-8 Table R11. Abortions by age of woman and reason for termination, residents: Utah, 2013
- R-8 Table R12. Abortions by weeks gestation and reason for termination, residents: Utah, 2013
- R-9 Table R13. Abortions by age of woman and weeks gestation, residents: Utah, 2013
- R-10 Table R14. Abortions by age of woman and method of termination, residents: Utah, 2013
- R-10 Table R15. Abortions by weeks gestation and method of termination, residents: Utah, 2013
- R-11 Table R16. Abortions by age of woman and mention of any complications, residents: Utah, 2013
- R-11 Table R17. Abortions by age of woman and history of contraceptive use in past year, residents: Utah, 2013
- R-11 Table R18. Abortions by age of woman, pregnancy due to omission of contraceptive, residents: Utah, 2013
- R-12 Table R19. Abortions by age of woman and method of contraceptive in past year, residents: Utah, 2013
- R-12 Table R20. Abortions by marital status of woman and method of contraceptive in past year, residents: Utah, 2013

(List of Reference Tables continued)

- R-13      Table R21. Abortions by number of prior live births and prior abortions and method of contraceptive in past year, residents: Utah, 2013
- R-13      Table R22. Abortions by education of woman and method of contraceptive in past year, residents: Utah, 2013

Technical Appendix

- T-4      Figure 1. State of Utah -- Department of Health report of induced termination of pregnancy

*2013 Summary Tables:*

**Abortions**



**Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980 and 1990-2013**

Year	Estimated population females ages 15-44 <sup>1</sup>	Resident Live Births	Abortions			
			Occurrence Number	Residents		
				Number	Rate <sup>2</sup>	Ratio <sup>3</sup>
1980	342,817	41,786	4,086	3,821	11.1	91.4
1990	395,807	36,253	4,796	4,159	10.5	114.7
1991	411,839	36,019	4,213	3,759	9.1	104.4
1992	428,353	37,198	3,941	3,525	8.2	94.8
1993	443,618	37,048	3,945	3,615	8.1	97.6
1994	460,914	38,271	3,610	3,304	7.2	86.3
1995	475,165	39,554	3,705	3,292	6.9	83.2
1996	488,404	42,056	3,639	3,293	6.7	78.3
1997	502,401	43,009	3,408	3,140	6.2	73.0
1998	510,715	45,128	3,487	3,237	6.3	71.7
1999	520,259	46,243	3,381	3,160	6.1	68.3
2000	528,769	47,331	3,509	3,279	6.2	69.3
2001	534,884	47,915	3,594	3,372	6.3	70.4
2002	540,124	49,140	3,524	3,300	6.1	67.2
2003	543,155	49,834	3,576	3,338	6.1	67.0
2004	547,780	50,653	3,665	3,379	6.2	66.7
2005	555,517	51,517	3,556	3,279	5.9	63.6
2006	564,615	53,475	3,753	3,444	6.1	64.4
2007	576,269	55,063	3,932	3,516	6.1	63.9
2008	586,879	55,605	3,911	3,510	6.0	63.1
2009	596,032	53,849	3,665	3,270	5.5	60.7
2010	604,185	52,164	3,779	3,446	5.7	66.1
2011	611,461	51,144	3,386	3,081	5.0	60.2
2012	619,413	51,439	3,273	3,018	4.9	58.7
2013	629,778	50,913	3,102	2,893	4.6	56.8

<sup>1</sup>Population projections/estimates are revised as historical data becomes available, and rates may not agree with previous reports.

<sup>2</sup>Rates are per 1,000 females 15 to 44 years of age.

<sup>3</sup>Ratios are per 1,000 live births.

Female population for the State of Utah: The U.S. Census Bureau provides the National Center for Health Statistics (NCHS) with Vintage bridged-race postcensal population estimates by single-year of age and sex by county to meet its specific programmatic needs. These data are different from the standard groupings that are used and released annually as the unbridged population estimates for five-year age groups and race at the county level by the U.S. Census Bureau. These specific data are provided at the Utah Department of Health's IBIS-PH Indicator-Based Information System for Public Health at <http://ibis.health.utah.gov/query/selection/pop/PopSelection.html>.

**Table 2. Abortions occurring in Utah by state of residence: 2013**

State of Residence	Frequency	Percent
Total	3,102	100.0
Alaska	3	0.1
California	9	0.3
Idaho	97	3.1
Nevada	21	0.7
Texas	4	0.1
Utah	2,893	93.3
Wyoming	65	2.1
Other states	10	0.3

Other states include: Arizona, Colorado, Georgia, Minnesota, Montana, New Jersey, North Dakota, and West Virginia.

**Table 3. Abortions, live births and abortion ratios by health district and county of residence: Utah, 1990, 1995 and 2000-2013**

District and county of residence	Abortion			Abortion ratios by year														
	Live births	Abortions	Ratio 2013	1990	1995	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
<b>Total</b>	50,913	2,893	56.8	114.7	83.2	69.3	70.4	67.2	67.0	66.7	63.6	64.4	63.9	63.1	60.7	66.1	60.2	58.7
<b>Bear River</b>	3,207	107	33.4	60.9	37.3	32.6	29.6	32.0	32.3	24.3	27.9	27.2	31.7	29.9	30.7	40.8	31.6	28.7
<b>Box Elder</b>	831	33	39.7	29.4	21.5	27.1	34.0	39.8	29.4	23.2	25.1	22.9	27.4	30.2	30.2	41.4	35.9	30.5
<b>Cache</b>	2,354	73	31.0	74.7	43.3	35.0	28.3	29.6	33.4	25.0	29.3	29.2	33.3	30.2	31.4	40.4	30.6	27.6
<b>Rich</b>	22	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Central Utah</b>	1,073	24	22.4	36.7	29.5	23.2	21.2	26.1	23.1	17.5	27.3	17.3	17.3	24.2	20.4	24.1	29.5	21.8
<b>Juab</b>	175	1	--	--	--	--	--	--	--	--	--	--	--	--	38.1	--	--	--
<b>Millard</b>	184	5	--	30.4	51.0	38.3	40.8	--	--	--	--	--	--	--	--	--	--	--
<b>Piute</b>	16	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Sanpete</b>	372	7	18.8	26.9	21.9	19.1	--	37.9	35.5	--	23.3	16.9	17.2	27.1	17.8	28.4	37.1	18.9
<b>Sevier</b>	293	9	30.7	44.0	33.7	24.0	--	--	--	--	36.2	21.4	22.3	35.7	--	23.0	28.1	38.5
<b>Wayne</b>	33	2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Davis</b>	5,736	205	35.7	85.5	62.9	58.1	52.4	47.5	57.1	51.5	45.5	48.2	46.3	38.7	44.6	47.9	41.9	39.1
<b>Salt Lake</b>	18,033	1,815	100.6	181.0	139.9	117.2	126.4	116.5	117.5	119.1	112.6	113.5	114.2	115.5	109.7	119.0	106.4	107.7
<b>Southeastern</b>	855	19	22.2	87.6	44.4	25.7	14.7	32.3	41.9	35.6	31.6	39.7	35.0	31.2	28.1	43.1	33.4	26.9
<b>Carbon</b>	307	14	45.6	128.0	77.7	46.5	30.5	63.3	82.8	56.1	82.2	81.4	73.4	52.5	49.7	85.4	63.1	56.6
<b>Emery</b>	155	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Grand</b>	137	2	--	183.5	70.7	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>San Juan</b>	256	2	--	57.6	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Southwest</b>	3,212	7	2.2	12.7	5.1	3.9	--	--	--	3.8	3.6	2.0	2.0	2.5	4.1	4.4	3.6	3.9
<b>Beaver</b>	108	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Garfield</b>	57	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Iron</b>	799	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Kane</b>	77	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Washington</b>	2,171	6	--	--	--	--	--	--	--	--	3.3	--	--	--	--	2.8	3.7	4.1
<b>Summit</b>	418	60	143.5	349.4	282.7	190.3	165.4	173.1	150.0	163.0	166.3	181.7	164.7	179.8	160.1	179.4	152.7	175.5
<b>Tooele</b>	969	50	51.6	94.9	94.6	49.2	58.2	73.1	66.4	63.5	85.1	52.8	50.7	53.7	41.9	57.6	66.7	52.5
<b>TriCounty</b>	1,143	34	29.7	72.5	29.1	33.2	22.8	30.0	27.1	34.1	33.8	43.7	35.5	39.0	36.0	44.2	20.7	32.5
<b>Daggett</b>	12	2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Duchesne</b>	421	12	28.5	35.3	--	24.8	29.2	34.5	--	29.2	26.8	32.3	33.8	19.0	--	44.1	28.6	22.7
<b>Uintah</b>	710	20	28.2	92.4	38.8	39.6	19.8	25.7	36.7	35.5	36.1	47.7	37.0	52.7	49.9	45.4	16.2	39.1
<b>Utah County</b>	11,849	271	22.9	32.4	23.6	23.7	20.3	22.7	22.6	22.5	22.5	23.5	24.0	24.7	26.0	24.9	25.0	21.9
<b>Wasatch</b>	413	23	55.7	105.0	41.5	71.0	66.2	68.7	35.9	70.1	52.1	61.1	80.9	76.2	48.8	55.3	92.4	57.9
<b>Weber-Morgan</b>	4,005	278	69.4	129.6	86.2	68.4	72.0	69.8	68.0	72.0	66.9	78.3	71.0	66.1	59.4	65.9	66.2	61.5
<b>Morgan</b>	171	3	--	--	96.8	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Weber</b>	3,834	275	71.7	132.5	85.9	69.3	73.2	70.9	69.1	73.3	68.1	80.8	72.9	67.8	61.6	66.9	67.1	63.4

Ratios are per 1,000 live births and are not computed for fewer than seven events or when the number of births is less than 30. Female population for the State of Utah: The U.S. Census Bureau provides the National Center for Health Statistics (NCHS) with Vintage bridged-race postcensal population estimates by single-year of age and sex by county to meet its specific programmatic needs. These data are different from the standard groupings that are used and released annually as the unbridged population estimates for five-year age groups and race at the county level by the U.S. Census Bureau. These specific data are provided at the Utah Department of Health's IBIS-PH Indicator-Based Information System for Public Health at <http://ibis.health.utah.gov/query/selection/pop/PopSelection.html>.

**Table 4. Abortions, live births and ratios by marital status, residents: Utah, 1980, 1990, 1995-2013**

Marital status	Year									
	1980	1990	1995	1996	1997	1998	1999	2000	2001	2002
<b>Total*</b>										
Induced abortions	3,821	4,159	3,292	3,293	3,140	3,237	3,160	3,279	3,372	3,300
Live births	41,786	36,253	39,554	42,056	43,009	45,128	46,243	47,331	47,915	49,140
Ratio per 1,000 live births	91.4	114.7	83.2	78.3	73.0	71.7	68.3	69.3	70.4	67.2
<b>Married**</b>										
Induced abortions	975	774	786	754	794	860	858	809	844	756
Live births	39,181	31,343	33,338	35,231	35,864	37,388	38,543	39,135	39,593	40,671
Ratio per 1,000 live births	24.9	24.7	23.6	21.4	22.1	23.0	22.3	20.7	21.3	18.6
<b>Unmarried***</b>										
Induced abortions	2,820	3,351	2,494	2,515	2,329	2,357	2,284	2,455	2,348	2,268
Live births	2,605	4,886	6,215	6,798	7,121	7,722	7,699	8,175	8,322	8,469
Ratio per 1,000 live births	1,082.5	685.8	401.3	370.0	327.1	305.2	296.7	300.3	282.1	267.8

**Table 4 continued. Abortions, live births and ratios by marital status, residents: Utah, 1980, 1990, 1995-2013**

Marital status	Year										
	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>Total*</b>											
Induced abortions	3,338	3,379	3,279	3,444	3,516	3,510	3,270	3,446	3,081	3,018	2,893
Live births	49,834	50,653	51,517	53,475	55,063	55,605	53,849	52,164	51,144	51,439	50,913
Ratio per 1,000 live births	67.0	66.7	63.6	64.4	63.9	63.1	60.7	66.1	60.2	58.7	56.8
<b>Married**</b>											
Induced abortions	771	795	760	830	880	762	773	944	987	916	705
Live births	41,254	41,822	42,416	43,412	44,254	44,281	43,358	42,273	41,561	41,822	41,107
Ratio per 1,000 live births	18.7	19.0	17.9	19.1	19.9	17.2	17.8	22.3	23.7	21.9	17.2
<b>Unmarried***</b>											
Induced abortions	2,143	2,270	2,230	2,187	2,371	2,390	2,252	2,251	1,821	1,819	1,838
Live births	8,580	8,831	9,101	10,063	10,809	11,324	10,486	9,891	9,583	9,596	9,784
Ratio per 1,000 live births	249.8	257.0	245.0	217.3	219.4	211.1	214.8	227.6	190.0	189.6	187.9

Abortion ratios for data year 1995 are slightly different from the original published data in this series because birth data for these years are updated.

\*Women with marital status unknown are included in the annual totals but are not distributed.

\*\*The sum of women who are married plus women who are separated.

\*\*\*The sum of women who are widowed, divorced, and those who have never married.

**Table 5. Population for females 15 to 44 years of age, residents: Utah, 1990, 1995 and 2000-2013**

Year	Total	Five-year age groups (15 to 44 years of age)						
		15-44	15-19	20-24	25-29	30-34	35-39	40-44
1990	395,807		76,809	69,527	68,108	69,165	61,719	50,479
1995	475,165		96,751	87,652	73,818	75,510	75,365	66,069
2000	528,769		109,105	113,713	85,514	72,066	74,162	74,209
2001	534,884		107,507	117,893	86,501	75,196	72,433	75,354
2002	540,124		105,723	120,489	89,315	77,867	71,166	75,564
2003	543,155		104,124	120,293	92,863	80,187	69,995	75,693
2004	547,780		103,674	119,184	96,309	82,628	70,378	75,607
2005	555,517		104,382	117,683	99,886	85,921	72,990	74,655
2006	564,615		105,061	115,729	105,473	88,019	76,585	73,748
2007	576,269		106,726	113,820	109,680	92,611	80,095	73,337
2008	586,879		108,218	113,211	111,343	98,229	82,830	73,048
2009	596,032		108,952	113,133	111,907	102,736	85,505	73,799
2010	604,185		109,266	113,687	111,664	106,507	87,314	75,747
2011	611,461		107,408	116,259	109,851	109,536	89,556	78,851
2012	619,413		107,266	119,095	107,108	111,266	93,648	81,030
2013	629,778		109,556	120,676	105,301	111,530	98,656	84,059

Female population for the State of Utah: The U.S. Census Bureau provides the National Center for Health Statistics (NCHS) with Vintage bridged-race postcensal population estimates by single-year of age and sex by county to meet its specific programmatic needs. These data are different from the standard groupings that are used and released annually as the unbridged population estimates for five-year age groups and race at the county level by the U.S. Census Bureau. These specific data are provided at the Utah Department of Health's IBIS-PH Indicator-Based Information System for Public Health at <http://ibis.health.utah.gov/query/selection/pop/PopSelection.html>.


**Table 6. Age-specific abortion rates, residents: Utah, 1990, 1995 and 2000-2013**

Year	Total	Age of woman						
		15-44	15-19	20-24	25-29	30-34	35-39	40-44
1990	10.5		12.7	19.8	13.2	7.8	4.1	1.5
1995	6.9		6.3	12.3	11.0	6.6	3.7	1.2
2000	6.2		5.3	10.3	8.4	6.0	3.4	1.1
2001	6.3		5.1	9.8	8.4	6.5	3.9	1.2
2002	6.1		4.8	9.5	8.6	5.9	3.9	1.2
2003	6.1		5.1	9.3	8.2	6.2	4.1	1.2
2004	6.2		4.9	10.0	7.8	6.0	4.0	1.3
2005	5.9		4.9	8.8	7.9	5.4	4.3	1.2
2006	6.1		5.3	9.7	8.0	5.5	3.8	1.2
2007	6.1		5.4	9.9	7.6	5.4	3.8	1.5
2008	6.0		5.2	9.1	7.9	5.2	3.9	1.7
2009	5.5		4.2	8.9	6.9	5.1	3.9	1.4
2010	5.6		4.2	9.3	7.6	5.2	3.9	1.8
2011	5.0		3.9	8.3	7.0	4.6	3.0	1.5
2012	4.8		3.4	8.0	6.4	4.6	3.6	1.5
2013	4.6		3.2	7.7	6.3	4.8	2.9	1.2

Rates are per 1,000 females 15-44 years of age. The Abortion component of the rate for total all ages include women less than 15 years of age, 45 years and older and age unknown.

Female population for the State of Utah: The U.S. Census Bureau provides the National Center for Health Statistics (NCHS) with Vintage bridged-race postcensal population estimates by single-year of age and sex by county to meet its specific programmatic needs. These data are different from the standard groupings that are used and released annually as the unbridged population estimates for five-year age groups and race at the county level by the U.S. Census Bureau. These specific data are provided at the Utah Department of Health's IBIS-PH Indicator-Based Information System for Public Health at <http://ibis.health.utah.gov/query/selection/pop/PopSelection.html>.

Figure 1





*2013 Reference Tables:*

**Abortions**



Table R1. Abortions by health district, county of residence and age of woman: Utah, 2013

District and County	Total	Under 15	Age of Woman										Un-known
			15 to 19			20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 and over		
			Total	15 to 17	18 to 19								
<b>Total</b>	2,893	7	341	87	254	927	667	531	282	103	13	22	
<b>Bear River</b>	107	1	15	3	12	42	18	19	5	6	1	0	
<b>Box Elder</b>	33	1	4	1	3	11	8	5	2	2	0	0	
<b>Cache</b>	73	0	11	2	9	31	10	14	3	4	0	0	
<b>Rich</b>	1	0	0	0	0	0	0	0	0	0	1	0	
<b>Central Utah</b>	24	0	1	0	1	4	7	9	2	0	0	1	
<b>Juab</b>	1	0	0	0	0	0	0	1	0	0	0	0	
<b>Millard</b>	5	0	0	0	0	0	3	2	0	0	0	0	
<b>Piute</b>	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Sanpete</b>	7	0	0	0	0	1	2	2	2	0	0	0	
<b>Sevier</b>	9	0	1	0	1	3	2	2	0	0	0	1	
<b>Wayne</b>	2	0	0	0	0	0	0	2	0	0	0	0	
<b>Davis</b>	205	0	29	10	19	65	48	41	19	2	0	1	
<b>Salt Lake</b>	1,815	4	191	51	140	560	441	341	182	70	8	18	
<b>Southeastern</b>	19	0	3	1	2	6	6	4	0	0	0	0	
<b>Carbon</b>	14	0	1	0	1	6	3	4	0	0	0	0	
<b>Emery</b>	1	0	1	1	0	0	0	0	0	0	0	0	
<b>Grand</b>	2	0	1	0	1	0	1	0	0	0	0	0	
<b>San Juan</b>	2	0	0	0	0	0	2	0	0	0	0	0	
<b>Southwest</b>	7	0	1	0	1	5	0	0	1	0	0	0	
<b>Beaver</b>	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Garfield</b>	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Iron</b>	1	0	1	0	1	0	0	0	0	0	0	0	
<b>Kane</b>	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Washington</b>	6	0	0	0	0	5	0	0	1	0	0	0	
<b>Summit</b>	60	0	4	1	3	15	18	9	8	4	1	1	
<b>Tooele</b>	50	0	7	2	5	12	13	13	4	1	0	0	
<b>TriCounty</b>	34	0	2	1	1	11	6	8	4	3	0	0	
<b>Daggett</b>	2	0	0	0	0	1	0	1	0	0	0	0	
<b>Duchesne</b>	12	0	0	0	0	3	4	2	1	2	0	0	
<b>Uintah</b>	20	0	2	1	1	7	2	5	3	1	0	0	
<b>Utah County</b>	271	0	47	9	38	93	46	45	29	10	1	0	
<b>Wasatch</b>	23	0	10	3	7	3	5	4	0	0	0	1	
<b>Weber-Morgan</b>	278	2	31	6	25	111	59	38	28	7	2	0	
<b>Morgan</b>	3	0	0	0	0	1	0	2	0	0	0	0	
<b>Weber</b>	275	2	31	6	25	110	59	36	28	7	2	0	

Table R2. Abortions by health district, county of residence and month of occurrence: Utah, 2013

District and County	Total	Month of Occurrence											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<b>Total</b>	2,893	278	254	280	237	240	245	214	226	213	244	225	237
<b>Bear River</b>	107	7	9	7	9	9	6	9	6	14	13	8	10
Box Elder	33	2	3	4	3	2	2	2	0	5	4	2	4
Cache	73	5	6	3	6	7	3	7	6	9	9	6	6
Rich	1	0	0	0	0	0	1	0	0	0	0	0	0
<b>Central Utah</b>	24	3	4	2	3	1	3	2	3	1	1	0	1
Juab	1	0	0	1	0	0	0	0	0	0	0	0	0
Millard	5	1	2	1	0	0	0	0	1	0	0	0	0
Piute	0	0	0	0	0	0	0	0	0	0	0	0	0
Sanpete	7	1	1	0	3	0	1	1	0	0	0	0	0
Sevier	9	1	1	0	0	1	2	0	2	0	1	0	1
Wayne	2	0	0	0	0	0	0	1	0	1	0	0	0
<b>Davis</b>	205	23	14	30	22	14	15	12	11	11	24	13	16
<b>Salt Lake</b>	1,815	173	155	169	149	153	162	131	149	146	137	139	152
<b>Southeastern</b>	19	2	3	1	2	3	2	3	0	1	0	1	1
Carbon	14	2	1	1	2	1	1	3	0	1	0	1	1
Emery	1	0	1	0	0	0	0	0	0	0	0	0	0
Grand	2	0	1	0	0	0	1	0	0	0	0	0	0
San Juan	2	0	0	0	0	2	0	0	0	0	0	0	0
<b>Southwest</b>	7	0	0	0	0	1	1	1	3	0	1	0	0
Beaver	0	0	0	0	0	0	0	0	0	0	0	0	0
Garfield	0	0	0	0	0	0	0	0	0	0	0	0	0
Iron	1	0	0	0	0	0	0	0	1	0	0	0	0
Kane	0	0	0	0	0	0	0	0	0	0	0	0	0
Washington	6	0	0	0	0	1	1	1	2	0	1	0	0
<b>Summit</b>	60	4	3	6	4	10	2	5	8	2	3	9	4
<b>Tooele</b>	50	7	3	6	5	5	3	2	3	4	3	2	7
<b>TriCounty</b>	34	1	4	3	5	2	3	2	3	1	5	4	1
Daggett	2	0	0	0	0	0	0	1	0	0	1	0	0
Duchesne	12	0	4	0	1	1	2	1	0	1	0	1	1
Uintah	20	1	0	3	4	1	1	0	3	0	4	3	0
<b>Utah County</b>	271	29	26	21	20	19	21	22	21	14	25	25	28
<b>Wasatch</b>	23	2	2	3	1	1	6	2	1	2	2	0	1
<b>Weber-Morgan</b>	278	27	31	32	17	22	21	23	18	17	30	24	16
Morgan	3	0	0	0	1	0	0	0	0	0	2	0	0
Weber	275	27	31	32	16	22	21	23	18	17	28	24	16

Table R3. Abortions by age and marital status of woman, residents: Utah, 2013

Age	Marital Status of Woman						Un- known
	Total	Never Married	Married	Widowed	Divorced	Separated	
Total	2,893	1,548	593	8	282	112	350
Under 15	7	6	0	0	0	0	1
Total 15 to 19	341	289	8	0	1	1	42
15-17	87	76	1	0	0	1	9
18-19	254	213	7	0	1	0	33
20-24	927	665	100	2	23	19	118
25-29	667	341	133	1	76	31	85
30-34	531	164	189	4	81	35	58
35-39	282	50	113	0	71	19	29
40-44	103	22	38	1	25	7	10
45 and over	13	4	6	0	2	0	1
Unknown	22	7	6	0	3	0	6

Table R4. Abortions by weeks gestation and marital status of woman, residents: Utah, 2013

Weeks gestation	Marital Status of Woman						Un- known
	Total	Never Married	Married	Widowed	Divorced	Separated	
Total	2,893	1,548	593	8	282	112	350
Under 5	88	45	28	0	5	2	8
5-6	986	529	195	2	105	47	108
7-8	1,020	549	202	3	104	36	126
9-10	346	203	58	3	27	14	41
11-12	176	87	33	0	19	9	28
13-14	134	68	30	0	12	2	22
15-20	110	54	32	0	8	2	14
21 and over	14	2	10	0	1	0	1
Unknown	19	11	5	0	1	0	2

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R5. Abortions by age and education of woman, residents: Utah, 2013

Age	Education of Woman				
	Total	Under 12 Years	High School	Over 12 Years	Unknown
Total	2,893	167	1,155	1,141	430
Under 15	7	6	0	1	0
Total 15 to 19	341	62	163	64	52
15-17	87	48	25	2	12
18-19	254	14	138	62	40
20-24	927	27	391	361	148
25-29	667	25	252	291	99
30-34	531	25	199	237	70
35-39	282	15	104	124	39
40-44	103	7	31	50	15
45 and over	13	0	5	6	2
Unknown	22	0	10	7	5

Table R6. Abortions by age and race of woman, residents: Utah, 2012

Age	Race of Woman							
	Total	White	Black	Hispanic	Asian and Pacific Islander	Native American	Other	Un-known
Total	2,893	1,872	94	513	164	24	106	120
Under 15	7	3	0	3	0	0	0	1
Total 15 to 19	341	251	6	51	7	2	10	14
15-17	87	63	3	12	2	2	1	4
18-19	254	188	3	39	5	0	9	10
20-24	927	610	41	152	52	7	29	36
25-29	667	429	25	108	42	5	31	27
30-34	531	336	13	100	30	5	23	24
35-39	282	161	5	71	19	5	12	9
40-44	103	66	4	19	8	0	1	5
45 and over	13	6	0	3	3	0	0	1
Unknown	22	10	0	6	3	0	0	3

Table R7. Abortions by weeks gestation and race of woman, residents: Utah, 2012

Weeks gestation	Race of Woman							
	Total	White	Black	Hispanic	Asian and Pacific Islander	Native American	Other	Un-known
Total	2,893	1,872	94	513	164	24	106	120
Under 5	88	49	2	22	7	0	3	5
5-6	986	641	27	166	50	3	53	46
7-8	1,020	677	30	182	58	7	29	37
9-10	346	228	16	63	18	6	4	11
11-12	176	103	6	31	14	2	11	9
13-14	134	81	8	24	9	2	4	6
15-20	110	69	4	21	5	4	2	5
21 and over	14	9	0	3	2	0	0	0
Unknown	19	15	1	1	1	0	0	1

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

**Table R8. Abortions by age of woman and number of prior live births, residents: Utah, 2013**

Age	Prior Live Births							
	Total	None	One	Two	Three	Four	Five or More	Un-known
<b>Total</b>	2,893	1,291	608	528	238	112	76	40
Under 15	7	7	0	0	0	0	0	0
<b>Total 15 to 19</b>	341	282	50	6	1	0	0	2
15-17	87	76	8	2	0	0	0	1
18-19	254	206	42	4	1	0	0	1
20-24	927	565	224	106	19	4	0	9
25-29	667	264	151	159	55	21	6	11
30-34	531	107	105	142	96	43	27	11
35-39	282	42	58	78	44	27	29	4
40-44	103	13	12	31	20	13	12	2
45 and over	13	1	2	4	2	3	1	0
Unknown	22	10	6	2	1	1	1	1

**Table R9. Abortions by age of woman and number of prior abortions, residents: Utah, 2013**

Age	Prior Abortions							
	Total	None	One	Two	Three	Four	Five or More	Un-known
<b>Total</b>	2,893	2,101	555	153	44	9	8	23
Under 15	7	7	0	0	0	0	0	0
<b>Total 15 to 19</b>	341	307	28	4	0	0	0	2
15-17	87	84	2	0	0	0	0	1
18-19	254	223	26	4	0	0	0	1
20-24	927	719	171	20	9	0	1	7
25-29	667	465	135	45	14	1	1	6
30-34	531	345	121	47	9	3	1	5
35-39	282	176	67	26	7	3	2	1
40-44	103	64	22	8	5	1	2	1
45 and over	13	5	5	2	0	1	0	0
Unknown	22	13	6	1	0	0	1	1

**Table R10. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2013**

Weeks gestation	Prior Abortions							
	Total	None	One	Two	Three	Four	Five or More	Un-known
<b>Total</b>	2,893	2,101	555	153	44	9	8	23
Under 5	88	58	21	7	2	0	0	0
5-6	986	743	170	46	18	2	2	5
7-8	1,020	720	200	67	13	7	3	10
9-10	346	255	68	15	3	0	2	3
11-12	176	127	40	7	1	0	0	1
13-14	134	93	31	6	2	0	1	1
15-20	110	80	18	4	5	0	0	3
21 and over	14	13	1	0	0	0	0	0
Unknown	19	12	6	1	0	0	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

**Table R11. Abortions by age of woman and reason for termination, residents: Utah, 2013**

Age	Total	Reason for Termination					
		Maternal Life Endangered	Therapeutic	Fetal Malformation	HIV Positive	Incest	Elective
<b>Total</b>	2,893	8	2,831	27	0	0	14
Under 15	7	0	6	0	0	0	0
<b>Total 15 to 19</b>	341	1	338	1	0	0	0
15-17	87	0	85	1	0	0	0
18-19	254	1	253	0	0	0	0
20-24	927	1	908	9	0	0	7
25-29	667	3	652	5	0	0	5
30-34	531	1	518	9	0	0	0
35-39	282	1	276	2	0	0	2
40-44	103	0	100	1	0	0	0
45 and over	13	0	13	0	0	0	0
Unknown	22	1	20	0	0	0	0

There are 13 occurrences in the category of rape, other or unknown that are in the totals but are not distributed.

**Table R12. Abortions by weeks gestation and reason for termination, residents: Utah, 2013**

Weeks gestation	Total	Reason for Termination					
		Maternal Life Endangered	Therapeutic	Fetal Malformation	HIV Positive	Incest	Elective
<b>Total</b>	2,893	8	2,831	27	0	0	14
Under 5	88	1	85	2	0	0	0
5-6	986	4	973	2	0	0	6
7-8	1,020	1	1,010	3	0	0	6
9-10	346	0	342	1	0	0	2
11-12	176	0	175	0	0	0	0
13-14	134	1	126	3	0	0	0
15-20	110	0	96	8	0	0	0
21 and over	14	1	5	8	0	0	0
Unknown	19	0	19	0	0	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available. There are 13 occurrences in the category of rape, other or unknown that are in the totals but are not distributed.

**Table R13. Abortions by age of woman and weeks gestation, residents: Utah, 2013**

Age	Total	Calc	Weeks Gestation							21 and over
			Under 5	5-6	7-8	9-10	11-12	13-14	15-20	
<b>Total</b>	2,893	88	986	1,020	346	176	134	110	14	19
<b>Under 15</b>	7	0	2	2	1	0	0	2	0	0
<b>Total 15 to 19</b>	341	8	104	124	44	18	25	14	1	3
<b>15-17</b>	87	6	20	25	16	7	7	4	1	1
<b>18-19</b>	254	2	84	99	28	11	18	10		2
<b>20-24</b>	927	27	314	315	117	67	40	37	3	7
<b>25-29</b>	667	18	227	248	84	36	27	19	3	5
<b>30-34</b>	531	16	190	183	59	29	21	26	5	2
<b>35-39</b>	282	12	102	103	24	16	13	8	2	2
<b>40-44</b>	103	4	37	30	14	8	7	3	0	0
<b>45 and over</b>	13	1	4	4	3	1	0	0	0	0
<b>Unknown</b>	22	2	6	11	0	1	1	1	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R14. Abortions by age of woman and method of termination, residents: Utah, 2013

Age	Total	Method of Termination							
		Dilation and Evacuation	Suction Curettage	Sharp Curettage	Medication	Intra-Uterine Instillation	Hysterectomy	Other	Unknown
Total	2,893	100	1,970	46	770	0	0	0	8
Under 15	7	1	4	0	2	0	0	0	0
Total 15 to 19	341	14	228	4	92	0	0	0	3
15-17	87	5	56	0	25	0	0	0	1
18-19	254	9	172	4	67	0	0	0	2
20-24	927	34	631	12	248	0	0	0	2
25-29	667	12	476	14	165	0	0	0	1
30-34	531	22	354	10	144	0	0	0	1
35-39	282	10	186	4	81	0	0	0	1
40-44	103	5	73	2	23	0	0	0	0
45 and over	13	0	8	0	5	0	0	0	0
Unknown	22	2	10	0	10	0	0	0	0

The totals do not add because more than one choice is possible for each number in the total.

Table R15. Abortions by weeks gestation and method of termination, residents: Utah, 2013

Weeks gestation	Total	Method of Termination							
		Dilation and Evacuation	Suction Curettage	Sharp Curettage	Medication	Intra-Uterine Instillation	Hysterectomy	Other	Unknown
Total	2,893	100	1,970	46	770	0	0	0	8
Under 5	88	0	19	0	69	0	0	0	0
5-6	986	2	621	8	353	0	0	0	2
7-8	1,020	0	705	7	308	0	0	0	0
9-10	346	0	324	6	16	0	0	0	0
11-12	176	1	162	12	1	0	0	0	0
13-14	134	29	96	5	2	0	0	0	2
15-20	110	58	38	8	4	0	0	0	3
21 and over	14	10	1	0	2	0	0	0	1
Unknown	19	0	4	0	15	0	0	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.  
The totals do not add because more than one choice is possible for each number in the total.

**Table R16. Abortions by age of woman and mention of any complications, residents: Utah, 2013**

Age of Woman	Total	Mention of any Complication		
		Yes	No	Unknown
Total	2,893	3	2,889	1
Under 15	7	0	7	0
Total 15 to 19	341	0	341	0
15-17	87	0	87	0
18-19	254	0	254	0
20-24	927	2	924	1
25-29	667	0	667	0
30-34	531	1	530	0
35-39	282	0	282	0
40-44	103	0	103	0
45 and over	13	0	13	0
Unknown	22	0	22	0

**Table R17. Abortions by age of woman and history of contraceptive use in past year, residents: Utah, 2013**

Age of Woman	Total	History of Contraceptive Use in Past Year		
		Yes	No	Unknown
Total	2,893	1,015	1,396	482
Under 15	7	0	5	2
Total 15 to 19	341	105	171	65
15-17	87	19	55	13
18-19	254	86	116	52
20-24	927	339	425	163
25-29	667	244	318	105
30-34	531	189	252	90
35-39	282	93	153	36
40-44	103	34	52	17
45 and over	13	7	6	0
Unknown	22	4	14	4

**Table R18. Abortions by age of woman and pregnancy due to omission of contraceptive, residents: Utah, 2013**

Age of Woman	Total	Omission of Contraceptive		
		Yes	No	Unknown
Total	2,893	138	625	2,130
Under 15	7	0	0	7
Total 15 to 19	341	16	55	270
15-17	87	2	10	75
18-19	254	14	45	195
20-24	927	55	191	681
25-29	667	23	163	481
30-34	531	23	123	385
35-39	282	14	64	204
40-44	103	5	24	74
45 and over	13	1	4	8
Unknown	22	1	1	20

Table R19. Abortions by age of woman and method of contraceptive in past year, residents: Utah, 2013

Age of Woman	Total	Methods of contraceptive used in past year											Not Applicable
		Oral (pill)	Diaphragm	Foam Jelly	Condom	I U D	Surgical Sterilization	Rhythm	Coitus	Depo-provera	Other	Un-known	
<b>Total</b>	2,893	468	3	91	339	122	2	1	10	47	87	509	1,871
<b>Under 15</b>	7	0	0	0	0	0	0	0	0	0	0	2	7
<b>Total 15 to 19</b>	341	52	0	10	39	3	0	0	0	5	11	68	235
15-17	87	9	0	3	6	1	0	0	0	2	1	13	68
18-19	254	43	0	7	33	2	0	0	0	3	10	55	167
<b>20-24</b>	927	158	1	33	119	25	0	0	3	20	30	173	587
<b>25-29</b>	667	105	0	16	77	41	1	0	5	12	23	107	421
<b>30-34</b>	531	90	1	18	60	31	0	0	1	7	13	95	342
<b>35-39</b>	282	41	0	8	29	19	0	0	1	2	6	40	186
<b>40-44</b>	103	16	1	6	11	2	1	1	0	1	3	19	69
<b>45 and over</b>	13	5	0	0	3	0	0	0	0	0	0	1	6
<b>Unknown</b>	22	1	0	0	1	1	0	0	0	0	1	4	18

The totals do not add because more than one choice is possible for each number in the total.

Table R20. Abortions by marital status of woman and method of contraceptive in past year, residents: Utah, 2013

Marital Status	Total	Methods of contraceptive used in past year											Not Applicable
		Oral (pill)	Diaphragm	Foam Jelly	Condom	I U D	Surgical Sterilization	Rhythm	Coitus	Depo-provera	Other	Un-known	
<b>Total</b>	2,893	468	3	91	339	122	2	1	10	47	87	509	1,871
<b>Never Married</b>	1,548	266	1	58	199	40	0	0	6	29	45	236	986
<b>Married</b>	593	88	1	18	55	38	1	1	1	11	23	72	388
<b>Widowed</b>	8	0	0	0	0	1	0	0	0	0	1	0	7
<b>Divorced</b>	282	72	1	9	38	28	0	0	0	3	8	26	147
<b>Separated</b>	112	23	0	5	17	8	1	0	1	0	2	10	64
<b>Unknown</b>	350	19	0	1	30	7	0	0	2	4	8	165	279

The totals do not add because more than one choice is possible for each number in the total.

Table R21. Abortions by number of prior live births, prior abortions and method of contraceptive in past year, residents: Utah, 2013

Prior Live Births and Prior Abortions	Total	Method of Contraceptive											Not Applicable
		Oral (pill)	Diaphragm	Foam Jelly	Condom	I U D	Surgical Sterilization	Rhythm	Coitus	Depo-provera	Other	Un-known	
<b>Total</b>	2,893	468	3	91	339	122	2	1	10	47	87	509	1,871
<b>No Live Births</b>	1,291	246	1	48	166	18	0	0	5	21	46	230	816
One Live Birth	608	83	0	10	63	36	0	0	1	12	15	112	406
More than One Birth	974	135	2	31	107	67	2	1	4	14	25	161	637
Births Unknown	20	4	0	2	3	1	0	0	0	0	1	6	12
<b>No Abortions</b>	2,101	341	3	71	265	87	2	1	5	31	62	385	1,351
No Live Births	1,033	198	1	39	139	12	0	0	2	15	36	189	650
One Live Birth	437	53	0	6	51	24	0	0	1	8	10	86	295
More than One Birth	628	88	2	26	75	51	2	1	2	8	16	110	405
Births Unknown	3	2	0	0	0	0	0	0	0	0	0	0	1
<b>One Abortion</b>	555	91	0	12	53	23	0	0	4	12	15	93	361
No Live Births	196	37	0	5	21	4	0	0	3	6	9	33	122
One Live Birth	124	21	0	4	11	9	0	0	0	2	3	22	79
More than One Birth	229	32	0	2	20	9	0	0	1	4	3	37	156
Births Unknown	6	1	0	1	1	1	0	0	0	0	0	1	4
<b>More Than One Abortion</b>	214	33	0	7	19	11	0	0	1	3	9	24	144
No Live Births	60	11	0	4	6	2	0	0	0	0	1	7	42
One Live Birth	46	9	0	0	1	3	0	0	0	2	2	4	31
More than One Birth	107	13	0	3	12	6	0	0	1	1	5	13	71
Births Unknown	1	0	0	0	0	0	0	0	0	0	1	0	0
<b>Abortions Unknown</b>	23	3	0	1	2	1	0	0	0	1	1	7	15
No Live Births	2	0	0	0	0	0	0	0	0	0	0	1	2
One Live Birth	1	0	0	0	0	0	0	0	0	0	0	0	1
More than One Birth	10	2	0	0	0	1	0	0	0	1	1	1	5
Births Unknown	10	1	0	1	2	0	0	0	0	0	0	5	7

The totals do not add because more than one choice is possible for each number in the total.

Table R22. Abortions by education of woman and method of contraceptive in past year, residents: Utah, 2013

Education	Total	Method of Contraceptive											Not Applicable
		Oral (pill)	Diaphragm	Foam Jelly	Condom	I U D	Surgical Sterilization	Rhythm	Coitus	Depo-provera	Other	Un-known	
<b>Total</b>	2,893	468	3	91	339	122	2	1	10	47	87	509	1,871
<b>Under 12 Years</b>	167	19	0	6	17	3	0	1	2	2	5	16	115
<b>High School</b>	1,155	188	2	41	126	53	1	0	2	21	31	152	759
<b>Over 12 Years</b>	1,141	234	1	44	165	58	1	0	4	17	42	147	652
<b>Unknown</b>	430	27	0	0	31	8	0	0	2	7	9	194	345

The totals do not add because more than one choice is possible for each number in the total.



*2013 Appendix:*

**Abortions**



## Technical Appendix

Section 76-7-313, Utah Code Annotated 1953 as amended requires that the report of induced termination of pregnancy (Figure A) be filed with the State of Utah's Department of Health within ten days after the abortion.

The reported number of abortions to Utah residents that are performed out of state is small and suggests an undercount. This small number of reported abortions that occur in other states are not shown by county of residence in this report.

For both the summary and reference tables in this report, data are tabulated by health district as well as county of residence to meet the needs of local health departments.

Population data are from the Demographic and Economic Analysis section of the Governor's Office of Planning and Budget.

Formulas used to compute rates and ratios used in this report are defined as follows:

Abortion Rate =  $\frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Resident Females 15-44 Years of Age}}$

Abortion Ratio =  $\frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Live Births to Resident Females}}$

Figure 1

STATE OF UTAH DEPARTMENT OF HEALTH REPORT OF INDUCED TERMINATION OF PREGNANCY				CONFIDENTIAL <small>This report will be used for statistical purposes by the Utah Department of Health. It may be used to insure compliance with the provisions of the Utah State Abortion Law. It will be kept Confidential pursuant to Chapter 25, Title 26.</small>	
1. PLACE where termination occurred-hospital or other facility. <small>If not in hospital or clinic, enter street address.</small>		1b. CITY		1c. COUNTY	
2. RESIDENCE State _____ County _____ City, Village _____ Zip Code _____		3. PATIENT'S BIRTHDATE Month _____ Year _____		4. MARITAL STATUS 1 <input type="checkbox"/> Never Married 2 <input type="checkbox"/> Married 3 <input type="checkbox"/> Widowed 4 <input type="checkbox"/> Divorced 5 <input type="checkbox"/> Separated	
5. WAS PATIENT OF HISPANIC ORIGIN? 1 <input type="checkbox"/> Yes (If yes, Specify) 2 <input type="checkbox"/> No 1 <input type="checkbox"/> Mexican 2 <input type="checkbox"/> Cuban 3 <input type="checkbox"/> Puerto Rican <input type="checkbox"/> Other (Specify) _____		6. RACE 1 <input type="checkbox"/> White 2 <input type="checkbox"/> Black 3 <input type="checkbox"/> American Indian 9 <input type="checkbox"/> Asian/Pacific Islander <input type="checkbox"/> Other (Specify) _____		7. EDUCATION (Specify highest grade completed) Elementary/Secondary (0-12) College (13-16 or 17+)	
8. PREVIOUS PREGNANCIES (Complete each section)				9. CONTRACEPTIVE HISTORY	
LIVE BIRTHS		OTHER PREGNANCIES		Has the patient practiced contraception in the past year?	
8a. Now Living	8b. Now Dead	8c. Spontaneous Terminations	8d. Induced Terminations	1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown	
Number _____ None <input type="checkbox"/>	Number _____ None <input type="checkbox"/>	Number _____ None <input type="checkbox"/>	Number _____ None <input type="checkbox"/>	10. METHODS (if "yes" to no. 9, what method(s) used?) 0 <input type="checkbox"/> Oral (pill) 5 <input type="checkbox"/> Surgical Sterilization 1 <input type="checkbox"/> Diaphragm 6 <input type="checkbox"/> Rhythm 2 <input type="checkbox"/> Foam Jelly 7 <input type="checkbox"/> Coitus Interruptus (Withdrawal) 3 <input type="checkbox"/> Condom 8 <input type="checkbox"/> Depo Provera 4 <input type="checkbox"/> IUD 9 <input type="checkbox"/> Other (Specify) _____	
11. If "Yes" to no. 9, did the pregnancy follow from temporarily omitting the method of contraception? 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown If "Yes", which method? _____			12. ANTI-RH IMMUNE globulin indicated 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown		13. ANTI-RH IMMUNE globulin given 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 3 <input type="checkbox"/> Patient Refused
14. DATE OF TERMINATION Month _____ Day _____ Year _____		15. FIRST DAY OF LAST MENSTRUAL PERIOD Month _____ Day _____ Year _____		16. CLINICAL ESTIMATE OF GESTATION (Weeks) _____	
17. EVIDENCE OF PREVIOUS ATTEMPT TO TERMINATE THIS PREGNANCY 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown		18a. PROCEDURE THAT TERMINATED PREGNANCY (Check only one)		18b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY (Check all that apply)	
1 <input type="checkbox"/> Suction Curettage		2 <input type="checkbox"/> Sharp Curettage (D & C)		3 <input type="checkbox"/> Dilation and Evacuation (D & E)	
4 <input type="checkbox"/> Medical (Nonsurgical), Specify Medication(s) _____		5 <input type="checkbox"/> Intra-Uterine Instillation (Saline or Prostaglandin)		6 <input type="checkbox"/> Hysterotomy/Hysterectomy	
7 <input type="checkbox"/> Other (Specify) _____		1 <input type="checkbox"/> Maternal Life Endangered		2 <input type="checkbox"/> Therapeutic	
3 <input type="checkbox"/> Fetal Malformation		4 <input type="checkbox"/> HIV Positive		5 <input type="checkbox"/> Flap	
6 <input type="checkbox"/> Incest		7 <input type="checkbox"/> Elective		8 <input type="checkbox"/> Other	
20. COMPLICATIONS (Check all that apply)		6 <input type="checkbox"/> Retained Products		8 <input type="checkbox"/> Other, Specify: _____	
0 <input type="checkbox"/> None		2 <input type="checkbox"/> Perforation of Uterus		7 <input type="checkbox"/> Death	
1 <input type="checkbox"/> Hemorrhage		3 <input type="checkbox"/> Cervical Laceration			
4 <input type="checkbox"/> Infection		5 <input type="checkbox"/> Anesthetic			
21. HOSPITALIZATION REQUIRED AS A RESULT OF COMPLICATIONS 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No If "yes", Name of Hospital: _____ ADMISSION DATE: _____/_____/_____					
22. WAS THE FETUS CAPABLE OF SURVIVAL OUTSIDE THE UTERUS? 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown				Subscribed & sworn to before me this _____ day of _____ 19____	
23. I hereby certify that the required consent was voluntarily obtained as provided in Section 76-7-305, Utah Code Annotated, 1953 as Amended.				Notary Public _____	
24. SIGNATURE OF PHYSICIAN _____				S E A L	
25. NAME OF PHYSICIAN (Print or Type)			26. DATE _____		

(COMPLETE REVERSE SIDE ALSO)

CONFIDENTIAL

(Figure 1 continued)

## SURGICAL PATHOLOGY REPORT

GROSS and MICROSCOPIC  
TO BE COMPLETED ON ALL INDUCED ABORTIONS

- 1) Presence of chorionic villi . . . . . 1  Yes 2  No 9  Unknown
- 2) Presence of decidual tissue . . . . . 1  Yes 2  No 9  Unknown
- 3) Presence of marked inflammatory reaction. . . . . 1  Yes 2  No 9  Unknown
- 4) Presence of embryo or fetal parts. . . . . 1  Yes 2  No 9  Unknown
- 5) Gross appearance of embryo . . . . . 1  Normal  
2  Macerated  
3  Malformed - Type \_\_\_\_\_

- 6) Measurements of embryo . . . . . Length \_\_\_\_\_ cms  
Weight \_\_\_\_\_ gms.

### COMPLETE THIS SECTION FOR ABORTIONS BEYOND 90 DAYS GESTATION

#### 1. Measurement of Embryo

- Heel to Toe \_\_\_\_\_ mm.
- Biparietal Diameter \_\_\_\_\_ cm.
- Date BPD Measured \_\_\_\_\_

#### 2. Complications or Post-Operative Morbidity

- 00  None
- 01  Cardiac Arrest
- 02  Disseminated Intravascular Coagulation
- 03  Ectopic Pregnancy
- 04  Failed Abortion
- 05  Hemorrhage (less than 500 ml.)
- 06  Hemorrhage (500 ml. or more)
- 07  Incomplete abortion (retained tissue)
- 08  Injury to cervix
- 09  Pelvic Infection
- 10  Perforation
- 11  Postabortal bleeding or spotting
- 12  Pulmonary embolism or infarction
- 13  Reaction to Anesthesia - general
- 14  Reaction to Anesthesia - local
- 15  Respiratory arrest
- 16  Other, Specify \_\_\_\_\_

#### 3. Time of Complication

- 1  During Procedure
- 2  During Recovery
- 3  After Discharge

#### 4. Management of Complication

- 1  Hospitalization (immediate)
- 2  Hospitalization (later by Facility)
- 3  Hospitalization (later not by Facility)
- 4  Repeat Evacuation (immediate)
- 5  Repeat Evacuation (later at Facility)
- 6  Repeat Evacuation (later not at Facility)

#### 5. Two Week Follow-up

- 1  In Facility, Normal
- 2  Other \_\_\_\_\_
- 3  Other Facility, Normal
- 4  Other \_\_\_\_\_
- 5  Examination Not Done
- 6  Unable to Contact

#### 6. Future Contraception Planned

- 1  Oral (Pill)
- 2  IUD
- 3  Diaphragm
- 4  Other Contraception
- 5  None Wanted

#### 7. Reason for Late Abortion

- 1  Woman continued to have menses
- 2  Afraid to tell parents, spouse, etc.
- 3  Denial of Pregnancy
- 4  Planned pregnancy, change of circumstances
- 5  Suspected or known fetal malformation
- 6  Late referral
- 7  Unable to afford cost earlier in pregnancy
- 8  Other, Specify \_\_\_\_\_



