Utah Vital Statistics

Abortions

2014

Utah Department of Health
Center for Health Data

Utah Vital Statistics

Abortions

2014

August 2015
Technical Report No. 290

Mission Statement

The Office of Vital Records and Statistics administers the statewide system of Vital Records and Statistics by documenting and certifying the facts of births, deaths, and family formation for the legal purposes of the citizens of Utah, participates in the National Vital Statistics System, and responds to the needs of health programs, health care providers, businesses, researchers, educational institutions and the Utah public for data and statistical information.

This publication was produced by the

Statistical Products Section

in the

Office of Vital Records and Statistics

Richard J. Oborn, MPA, Director

Staff Contributors

Marie Aschlimann
Mylitta Barrett
Cynthia Robison

Utah Department of Health

Center for Health Data and Informatics

OFFICE OF VITAL RECORDS AND STATISTICS
PO BOX 141012
SALT LAKE CITY UT 84114-1012

Located in the Cannon Health Building
288 North 1460 West
Salt Lake City UT

vitalrecords.health.utah.gov
vrequest@utah.gov
Phone: (801) 538-6843
Fax: (801) 323-1570

This information can be made available
in alternative formats upon request.

PREFACE

This 2014 report is the 37th in a series on legally induced abortions in Utah. Previous reports were for the combined years 1974-1975, 1975-1977, 1978-1980, each year from 1981-1998, combined years 1999-2000, 2001-2002 and each year from 2003-2013.

These tabulations are published annually to make commonly used vital records data available to health programs, health care providers, businesses, researchers, educational institutions, and the Utah public. Data are presented for the state overall, local health districts, and Utah counties.

The Utah Vital Statistics report series no longer includes abortion data for the United States. The most recent abortion data for the United States is published by the U.S. Centers for Disease Control and Prevention in the Morbidity and Mortality Weekly Report, "Abortion Surveillance - United States, 2011," Vol. 63(SS11);1-41; Atlanta, Georgia, November 28, 2014. The website for this report is http://www.cdc.gov. Searchers should use the keyword “abortion surveillance” to find the most current report.

TABLE OF CONTENTS

Page	
ix	List of Summary Tables
xi	List of Reference Tables
xiii	List of Appendices
S-1	Summary Tables
R-1	Reference Tables
T-1	Technical Appendix

List of Summary Tables

Page

S-3 Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980 and 1990-2014

S-3 Table 2. Abortions occurring in Utah by state of residence: 2014

S-4 Table 3. Abortions, live births, and abortion ratios by health district and county of residence: Utah, 1990, 1995 and 2000-2014

S-5 Table 4. Abortions, live births, and ratios by marital status, residents: Utah, 1980, 1990, 1995-2014

S-6 Table 5. Population for females ages 15 to 44, residents: Utah, 1990, 1995 and 2000-2014

S-6 Table 6. Age-specific abortion rates, residents: Utah, 1990, 1995 and 2000-2014

Figure

S-7 Figure 1. Abortions per 1,000 live births, residents: Utah, 2000-2014

List of Reference Tables

Page

R-3 Table R1. Abortions by health district, county of residence, and age of woman: Utah, 2014

R-4 Table R2. Abortions by health district, county of residence, and month of occurrence: Utah, 2014

R-5 Table R3. Abortions by age and marital status of woman, residents: Utah, 2014

R-5 Table R4. Abortions by weeks gestation and marital status of woman, residents: Utah, 2014

R-5 Table R5. Abortions by age and education of woman, residents: Utah, 2014

R-6 Table R6. Abortions by age and race of woman, residents: Utah, 2014

R-6 Table R7. Abortions by weeks gestation and race of woman, residents: Utah, 2014

R-7 Table R8. Abortions by age of woman and number of prior live births, residents: Utah, 2014

R-7 Table R9. Abortions by age of woman and number of prior abortions, residents: Utah, 2014

R-7 Table R10. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2014

(List of Reference Tables continued)

R-8 Table R11. Abortions by age of woman and reason for termination, residents: Utah, 2014

R-8 Table R12. Abortions by weeks gestation and reason for termination, residents: Utah, 2014

R-9 Table R13. Abortions by age of woman and weeks gestation, residents: Utah, 2014

R-10 Table R14. Abortions by age of woman and method of termination, residents: Utah, 2014

R-10 Table R15. Abortions by weeks gestation and method of termination, residents: Utah, 2014

R-11 Table R16. Abortions by age of woman and mention of any complications, residents: Utah, 2014

R-11 Table R17. Abortions by age of woman and history of contraceptive use in past year, residents: Utah, 2014

R-11 Table R18. Abortions by age of woman, pregnancy due to omission of contraceptive, residents: Utah, 2014

R-12 Table R19. Abortions by age of woman and method of contraceptive in past year, residents: Utah, 2014

R-12 Table R20. Abortions by marital status of woman and method of contraceptive in past year, residents: Utah, 2014

(List of Reference Tables continued)

R-13 Table R21. Abortions by number of prior live births, prior abortions, and method of contraceptive in past year, residents: Utah, 2014

R-13 Table R22. Abortions by education of woman and method of contraceptive in past year, residents: Utah, 2014

Technical Appendix

T-4 Figure 1. State of Utah -- Department of Health report of induced termination of pregnancy

2014 Summary Tables:

Abortions

Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980 and 1990-2014

Year	Estimated population females ages 15-44 [1]	Resident Live Births	Abortions: Occurrence Number	Abortions: Residents Number	Abortions: Residents Rate[2]	Abortions: Residents Ratio[3]
1980	342,817	41,786	4,086	3,821	11.1	91.4
1990	395,807	36,253	4,796	4,159	10.5	114.7
1991	411,839	36,019	4,213	3,759	9.1	104.4
1992	428,353	37,198	3,941	3,525	8.2	94.8
1993	443,618	37,048	3,945	3,615	8.1	97.6
1994	460,914	38,271	3,610	3,304	7.2	86.3
1995	475,165	39,554	3,705	3,292	6.9	83.2
1996	488,404	42,056	3,639	3,293	6.7	78.3
1997	502,401	43,009	3,408	3,140	6.2	73.0
1998	510,715	45,128	3,487	3,237	6.3	71.7
1999	520,259	46,243	3,381	3,160	6.1	68.3
2000	528,769	47,331	3,509	3,279	6.2	69.3
2001	534,884	47,915	3,594	3,372	6.3	70.4
2002	540,124	49,140	3,524	3,300	6.1	67.2
2003	543,155	49,834	3,576	3,338	6.1	67.0
2004	547,780	50,653	3,665	3,379	6.2	66.7
2005	555,517	51,517	3,556	3,279	5.9	63.6
2006	564,615	53,475	3,753	3,444	6.1	64.4
2007	576,269	55,063	3,932	3,516	6.1	63.9
2008	586,879	55,605	3,911	3,510	6.0	63.1
2009	596,032	53,849	3,665	3,270	5.5	60.7
2010	604,078	52,164	3,779	3,446	5.7	66.1
2011	612,145	51,144	3,386	3,081	5.0	60.2
2012	620,369	51,439	3,273	3,018	4.9	58.7
2013	631,084	50,913	3,102	2,893	4.6	56.8
2014	639,388	51,165	2,948	2,767	4.3	54.1

[1]Population projections/estimates are revised as historical data becomes available, and rates may not agree with previous reports.

[2]Rates are per 1,000 females 15 to 44 years of age.

[3]Ratios are per 1,000 live births.

Female population for the State of Utah: U.S. Census Bureau, Population Division; PEPSYASEX-Geography-Utah: Annual Estimates of the Resident Population by Single Year of Age and Sex for the United States, States, and Puerto Rico Commonwealth: April 1, 2010 to July 1, 2014; Release date: June 2015.

Table 2. Abortions occurring in Utah by state of residence: 2014

State of Residence	Frequency	Percent
Total	2,948	100.0
Idaho	85	2.9
Nevada	19	0.6
Utah	2,767	93.9
Wyoming	56	1.9
Other states	18	0.6
Other countries	3	0.1

Other states include: Arizona, California, Colorado, Florida, Hawaii, Illinois, Indiana, Montana, Nebraska, New York, North Carolina, Tennessee, Texas, Washington, and Wisconsin.

Table 3. Abortions, live births, and abortion ratios by health district and county of residence: Utah, 1990, 1995 and 2000-2014

District and county of residence	Live births	Abortions	Abortion Ratio 2014	Abortion ratios by year 1990	1995	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Total	51,165	2,767	54.1	114.7	83.2	69.3	70.4	67.2	67.0	66.7	63.6	64.4	63.9	63.1	60.7	66.1	60.2	58.7	56.8
Bear River	3,261	127	38.9	60.9	37.3	32.6	29.6	32.0	32.3	24.3	27.9	27.2	31.7	29.9	30.7	40.8	31.6	28.7	33.4
Box Elder	885	32	36.2	29.4	21.5	27.1	34.0	39.8	29.4	23.2	25.1	22.9	27.4	30.2	30.2	41.4	35.9	30.5	39.7
Cache	2,337	92	39.4	74.7	43.3	35.0	28.3	29.6	33.4	25.0	29.3	29.2	33.3	30.2	31.4	40.4	30.6	27.6	31.0
Rich	39	3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Central Utah	1,136	21	18.5	36.7	29.5	23.2	21.2	26.1	23.1	17.5	27.3	17.3	17.3	24.2	20.4	24.1	29.5	21.8	22.4
Juab	171	2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	38.1	- -	- -	- -	- -
Millard	191	5	- -	30.4	51.0	38.3	40.8	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Piute	16	0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Sanpete	386	3	- -	26.9	21.9	19.1	- -	37.9	35.5	- -	23.3	16.9	17.2	27.1	17.8	28.4	37.1	18.9	18.8
Sevier	341	11	32.3	44.0	33.7	24.0	- -	- -	- -	- -	36.2	21.4	22.3	35.7	- -	23.0	28.1	38.5	30.7
Wayne	31	0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Davis	5,783	213	36.8	85.5	62.9	58.1	52.4	47.5	57.1	51.5	45.5	48.2	46.3	38.7	44.6	47.9	41.9	39.1	35.7
Salt Lake	17,886	1,689	94.4	181.0	139.9	117.2	126.4	116.5	117.5	119.1	112.6	113.5	114.2	115.5	109.7	119.0	106.4	107.7	100.6
San Juan	236	0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Southeastern	504	21	41.7	87.6	44.4	25.7	14.7	32.3	41.9	35.6	31.6	39.7	35.0	31.2	28.1	43.1	33.4	26.9	22.2
Carbon	265	17	64.2	128.0	77.7	46.5	30.5	63.3	82.8	56.1	82.2	81.4	73.4	52.5	49.7	85.4	63.1	56.6	45.6
Emery	129	2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Grand	110	2	- -	183.5	70.7	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Southwest	3,314	10	3.0	12.7	5.1	3.9	- -	- -	- -	3.8	3.6	2.0	2.0	2.5	4.1	4.4	3.6	3.9	2.2
Beaver	96	0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Garfield	61	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Iron	828	3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Kane	75	0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Washington	2,254	6	- -	- -	- -	- -	- -	- -	- -	- -	3.3	- -	- -	- -	- -	2.8	3.7	4.1	- -
Summit	420	72	171.4	349.4	282.7	190.3	165.4	173.1	150.0	163.0	166.3	181.7	164.7	179.8	160.1	179.4	152.7	175.5	143.5
Tooele	993	49	49.3	94.9	94.6	49.2	58.2	73.1	66.4	63.5	85.1	52.8	50.7	53.7	41.9	57.6	66.7	52.5	51.6
TriCounty	1,220	23	18.9	72.5	29.1	33.2	22.8	30.0	27.1	34.1	33.8	43.7	35.5	39.0	36.0	44.2	20.7	32.5	29.7
Daggett	12	0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Duchesne	451	10	22.2	35.3	- -	24.8	29.2	34.5	- -	29.2	26.8	32.3	33.8	19.0	- -	44.1	28.6	22.7	28.5
Uintah	757	13	17.2	92.4	38.8	39.6	19.8	25.7	36.7	35.5	36.1	47.7	37.0	52.7	49.9	45.4	16.2	39.1	28.2
Utah County	11,952	271	22.7	32.4	23.6	23.7	20.3	22.7	22.6	22.5	22.5	23.5	24.0	24.7	26.0	24.9	25.0	21.9	22.9
Wasatch	474	25	52.7	105.0	41.5	71.0	66.2	68.7	35.9	70.1	52.1	61.1	80.9	76.2	48.8	55.3	92.4	57.9	55.7
Weber-Morgan	3,986	246	61.7	129.6	86.2	68.4	72.0	69.8	68.0	72.0	66.9	78.3	71.0	66.1	59.4	65.9	66.2	61.5	69.4
Morgan	159	1	- -	- -	96.8	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Weber	3,827	245	64.0	132.5	85.9	69.3	73.2	70.9	69.1	73.3	68.1	80.8	72.9	67.8	61.6	66.9	67.1	63.4	71.7

Ratios are per 1,000 live births and are not computed for fewer than seven events or when the number of births is less than 30.

Table 4. Abortions, live births, and ratios by marital status, residents: Utah, 1980, 1990, 1995-2014

Marital status	Year										
	1980	1990	1995	1996	1997	1998	1999	2000	2001	2002	2003
Total*											
Induced abortions	3,821	4,159	3,292	3,293	3,140	3,237	3,160	3,279	3,372	3,300	3,338
Live births	41,786	36,253	39,554	42,056	43,009	45,128	46,243	47,331	47,915	49,140	49,834
Ratio per 1,000 live births	91.4	114.7	83.2	78.3	73.0	71.7	68.3	69.3	70.4	67.2	67.0
Married**											
Induced abortions	975	774	786	754	794	860	858	809	844	756	771
Live births	39,181	31,343	33,338	35,231	35,864	37,388	38,543	39,135	39,593	40,671	41,254
Ratio per 1,000 live births	24.9	24.7	23.6	21.4	22.1	23.0	22.3	20.7	21.3	18.6	18.7
Unmarried***											
Induced abortions	2,820	3,351	2,494	2,515	2,329	2,357	2,284	2,455	2,348	2,268	2,143
Live births	2,605	4,886	6,215	6,798	7,121	7,722	7,699	8,175	8,322	8,469	8,580
Ratio per 1,000 live births	1,082.5	685.8	401.3	370.0	327.1	305.2	296.7	300.3	282.1	267.8	249.8

Table 4 continued. Abortions, live births, and ratios by marital status, residents: Utah, 1980, 1990, 1995-2014

Marital status	Year										
	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
Total*											
Induced abortions	3,379	3,279	3,444	3,516	3,510	3,270	3,446	3,081	3,018	2,893	2,767
Live births	50,653	51,517	53,475	55,063	55,605	53,849	52,164	51,144	51,439	50,913	51,165
Ratio per 1,000 live births	66.7	63.6	64.4	63.9	63.1	60.7	66.1	60.2	58.7	56.8	54.1
Married**											
Induced abortions	795	760	830	880	762	773	944	987	916	705	697
Live births	41,822	42,416	43,412	44,254	44,281	43,358	42,273	41,561	41,822	41,107	41,441
Ratio per 1,000 live births	19.0	17.9	19.1	19.9	17.2	17.8	22.3	23.7	21.9	17.2	16.8
Unmarried***											
Induced abortions	2,270	2,230	2,187	2,371	2,390	2,252	2,251	1,821	1,819	1,838	1,951
Live births	8,831	9,101	10,063	10,809	11,324	10,486	9,891	9,583	9,596	9,784	9,690
Ratio per 1,000 live births	257.0	245.0	217.3	219.4	211.1	214.8	227.6	190.0	189.6	187.9	201.3

Abortion ratios for data year 1995 are slightly different from the original published data in this series because birth data for these years are updated.

*Women with marital status unknown are included in the annual totals but are not distributed.

**The sum of women who are married plus women who are separated.

***The sum of women who are widowed, divorced, and those who have never married.

Table 5. Population for females ages 15 to 44, residents: Utah, 1990, 1995 and 2000-2014

Year	Total 15-44	Five-year age groups (15 to 44 years of age) 15-19	20-24	25-29	30-34	35-39	40-44
1990	395,807	76,809	69,527	68,108	69,165	61,719	50,479
1995	475,165	96,751	87,652	73,818	75,510	75,365	66,069
2000	528,769	109,105	113,713	85,514	72,066	74,162	74,209
2001	534,884	107,507	117,893	86,501	75,196	72,433	75,354
2002	540,124	105,723	120,489	89,315	77,867	71,166	75,564
2003	543,155	104,124	120,293	92,863	80,187	69,995	75,693
2004	547,780	103,674	119,184	96,309	82,628	70,378	75,607
2005	555,517	104,382	117,683	99,886	85,921	72,990	74,655
2006	564,615	105,061	115,729	105,473	88,019	76,585	73,748
2007	576,269	106,726	113,820	109,680	92,611	80,095	73,337
2008	586,879	108,218	113,211	111,343	98,229	82,830	73,048
2009	596,032	108,952	113,133	111,907	102,736	85,505	73,799
2010	604,078	108,834	113,584	110,908	106,384	88,189	76,179
2011	612,145	107,418	116,448	109,117	109,269	90,514	79,379
2012	620,369	107,481	118,958	106,751	110,884	94,543	81,752
2013	631,084	109,575	120,980	105,594	111,777	98,944	84,214
2014	639,388	111,233	121,791	105,769	111,345	102,990	86,260

Female population for the State of Utah: U.S. Census Bureau, Population Division; PEPSYASEX-Geography-Utah: Annual Estimates of the Resident Population by Single Year of Age and Sex for the United States, States, and Puerto Rico Commonwealth: April 1, 2010 to July 1, 2014; Release date: June 2015.

Table 6. Age-specific abortion rates, residents: Utah, 1990, 1995 and 2000-2014

Year	Total 15-44	Age of woman 15-19	20-24	25-29	30-34	35-39	40-44
1990	10.5	12.7	19.8	13.2	7.8	4.1	1.5
1995	6.9	6.3	12.3	11.0	6.6	3.7	1.2
2000	6.2	5.3	10.3	8.4	6.0	3.4	1.1
2001	6.3	5.1	9.8	8.4	6.5	3.9	1.2
2002	6.1	4.8	9.5	8.6	5.9	3.9	1.2
2003	6.1	5.1	9.3	8.2	6.2	4.1	1.2
2004	6.2	4.9	10.0	7.8	6.0	4.0	1.3
2005	5.9	4.9	8.8	7.9	5.4	4.3	1.2
2006	6.1	5.3	9.7	8.0	5.5	3.8	1.2
2007	6.1	5.4	9.9	7.6	5.4	3.8	1.5
2008	6.0	5.2	9.1	7.9	5.2	3.9	1.7
2009	5.5	4.2	8.9	6.9	5.1	3.9	1.4
2010	5.7	4.0	9.3	7.7	5.2	3.8	1.8
2011	5.0	3.8	8.3	7.0	4.6	3.0	1.5
2012	4.9	3.3	8.0	6.5	4.6	3.5	1.5
2013	4.6	3.1	7.7	6.3	4.8	2.9	1.2
2014	4.3	2.9	7.2	6.1	4.3	3.1	1.1

Rates are per 1,000 females 15-44 years of age. The Abortion component of the rate for total all ages include women less than 15 years of age, 45 years and older and age unknown.
Female population for the State of Utah: U.S. Census Bureau, Population Division; PEPSYASEX-Geography-Utah: Annual Estimates of the Resident Population by Single Year of Age and Sex for the United States, States, and Puerto Rico Commonwealth: April 1, 2010 to July 1, 2014; Release date: June 2015.

Figure 1


Abortions per 1,000 live births, residents: Utah, 2000-2014
Abortions per 1000 births
8.0
7.0
6.0
5.0
4.0
3.0
2.0
1.0
0.0
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
Year

2014 Reference Tables:

Abortions

Table R1. Abortions by health district, county of residence, and age of woman: Utah, 2014

District and County	Total	Under 15	Age of Woman: 15 to 19 Total	15 to 17	18 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 and over	Un-known
Total	2,767	9	325	86	239	874	641	475	324	94	8	17
Bear River	127	0	28	9	19	45	23	13	16	2	0	0
Box Elder	32	0	6	2	4	13	4	4	5	0	0	0
Cache	92	0	20	6	14	32	19	9	10	2	0	0
Rich	3	0	2	1	1	0	0	0	1	0	0	0
Central Utah	21	0	3	1	2	6	5	3	3	1	0	0
Juab	2	0	0	0	0	2	0	0	0	0	0	0
Millard	5	0	0	0	0	1	1	2	1	0	0	0
Piute	0	0	0	0	0	0	0	0	0	0	0	0
Sanpete	3	0	0	0	0	0	2	0	1	0	0	0
Sevier	11	0	3	1	2	3	2	1	1	1	0	0
Wayne	0	0	0	0	0	0	0	0	0	0	0	0
Davis	213	0	25	8	17	67	44	45	25	6	0	1
Salt Lake	1,689	5	172	45	127	536	408	298	192	61	6	11
San Juan	0	0	0	0	0	0	0	0	0	0	0	0
Southeastern	21	0	2	2	0	8	6	3	1	1	0	0
Carbon	17	0	2	2	0	7	4	2	1	1	0	0
Emery	2	0	0	0	0	0	1	1	0	0	0	0
Grand	2	0	0	0	0	1	1	0	0	0	0	0
Southwest	10	0	4	0	4	2	3	1	0	0	0	0
Beaver	0	0	0	0	0	0	0	0	0	0	0	0
Garfield	1	0	0	0	0	0	0	1	0	0	0	0
Iron	3	0	1	0	1	1	1	0	0	0	0	0
Kane	0	0	0	0	0	0	0	0	0	0	0	0
Washington	6	0	3	0	3	1	2	0	0	0	0	0
Summit	72	0	4	2	2	21	20	15	6	6	0	0
Tooele	49	1	5	0	5	12	13	11	6	0	1	0
TriCounty	23	1	3	0	3	7	4	4	3	0	0	1
Daggett	0	0	0	0	0	0	0	0	0	0	0	0
Duchesne	10	1	2	0	2	4	1	2	0	0	0	0
Uintah	13	0	1	0	1	3	3	2	3	0	0	1
Utah County	271	2	39	6	33	89	56	30	39	11	1	4
Wasatch	25	0	1	0	1	6	5	5	7	1	0	0
Weber-Morgan	246	0	39	13	26	75	54	47	26	5	0	0
Morgan	1	0	1	1	0	0	0	0	0	0	0	0
Weber	245	0	38	12	26	75	54	47	26	5	0	0

Table R2. Abortions by health district, county of residence, and month of occurrence: Utah, 2014

District and County	Total	Month of Occurrence											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total	2,767	274	221	247	223	237	210	244	222	218	211	214	246
Bear River	127	8	9	10	18	17	8	7	10	9	9	11	11
Box Elder	32	2	1	3	4	3	3	2	3	3	2	2	4
Cache	92	6	8	7	13	13	5	5	6	6	7	9	7
Rich	3	0	0	0	1	1	0	0	1	0	0	0	0
Central Utah	21	3	4	4	1	2	1	2	2	1	1	0	0
Juab	2	1	0	0	0	1	0	0	0	0	0	0	0
Millard	5	2	1	1	1	0	0	0	0	0	0	0	0
Piute	0	0	0	0	0	0	0	0	0	0	0	0	0
Sanpete	3	0	0	1	0	0	0	2	0	0	0	0	0
Sevier	11	0	3	2	0	1	1	0	2	1	1	0	0
Wayne	0	0	0	0	0	0	0	0	0	0	0	0	0
Davis	213	22	16	15	11	20	17	22	24	19	16	16	15
Salt Lake	1,689	179	131	161	132	149	124	151	130	128	120	130	154
San Juan	0	0	0	0	0	0	0	0	0	0	0	0	0
Southeastern	21	0	2	0	2	2	0	2	2	3	2	2	4
Carbon	17	0	2	0	2	2	0	2	2	3	1	1	2
Emery	2	0	0	0	0	0	0	0	0	0	0	1	1
Grand	2	0	0	0	0	0	0	0	0	0	1	0	1
Southwest	10	2	1	0	0	0	0	2	0	2	1	1	1
Beaver	0	0	0	0	0	0	0	0	0	0	0	0	0
Garfield	1	1	0	0	0	0	0	0	0	0	0	0	0
Iron	3	0	1	0	0	0	0	1	0	0	1	0	0
Kane	0	0	0	0	0	0	0	0	0	0	0	0	0
Washington	6	1	0	0	0	0	0	1	0	2	0	1	1
Summit	72	8	5	7	4	1	5	8	8	5	8	4	9
Tooele	49	8	6	3	7	4	4	4	3	3	1	3	3
TriCounty	23	0	1	3	2	0	3	3	1	0	3	5	2
Daggett	0	0	0	0	0	0	0	0	0	0	0	0	0
Duchesne	10	0	0	2	1	0	1	2	0	0	1	3	0
Uintah	13	0	1	1	1	0	2	1	1	0	2	2	2
Utah County	271	19	23	20	27	23	23	19	26	19	22	27	23
Wasatch	25	3	4	1	4	1	2	1	2	3	2	0	2
Weber-Morgan	246	22	19	23	15	18	23	23	14	26	26	15	22
Morgan	1	0	0	0	0	0	0	0	0	0	0	0	1
Weber	245	22	19	23	15	18	23	23	14	26	26	15	21

Table R3. Abortions by age and marital status of woman, residents: Utah, 2014

Age	Total	Marital Status of Woman: Never Married	Married	Widowed	Divorced	Separated	Un-known
Total	2,767	1,680	587	11	260	110	119
Under 15	9	9	0	0	0	0	0
Total 15 to 19	325	296	9	0	2	3	15
15-17	86	83	1	0	0	0	2
18-19	239	213	8	0	2	3	13
20-24	874	709	72	3	13	23	54
25-29	641	376	154	3	59	32	17
30-34	475	188	168	1	78	26	14
35-39	324	69	135	3	83	20	14
40-44	94	19	42	1	23	5	4
45 and over	8	1	5	0	1	1	0
Unknown	17	13	2	0	1	0	1

Table R4. Abortions by weeks gestation and marital status of woman, residents: Utah, 2014

Weeks gestation	Total	Marital Status of Woman: Never Married	Married	Widowed	Divorced	Separated	Un-known
Total	2,767	1,680	587	11	260	110	119
Under 5	23	16	4	0	1	2	0
5-6	942	543	217	3	104	49	26
7-8	947	585	187	4	99	35	37
9-10	354	239	58	1	22	16	18
11-12	160	105	29	1	17	3	5
13-14	171	110	38	1	11	2	9
15-20	133	72	37	1	2	2	19
21 and over	17	2	11	0	1	0	3
Unknown	20	8	6	0	3	1	2

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R5. Abortions by age and education of woman, residents: Utah, 2014

Age	Total	Education of Woman: Under 12 Years	High School	Over 12 Years	Unknown
Total	2,767	191	1,263	1,180	133
Under 15	9	7	2	0	0
Total 15 to 19	325	86	171	53	15
15-17	86	67	12	5	2
18-19	239	19	159	48	13
20-24	874	31	454	334	55
25-29	641	30	284	304	23
30-34	475	13	184	265	13
35-39	324	15	128	162	19
40-44	94	3	33	51	7
45 and over	8	0	3	5	0
Unknown	17	6	4	6	1

Table R6. Abortions by age and race of woman, residents: Utah, 2014

Age	Total	White	Black	Hispanic	Asian and Pacific Islander	Native American	Other	Un-known
	Race of Woman							
Total	2,767	1,813	100	528	111	17	122	76
Under 15	9	5	0	3	0	0	1	0
Total 15 to 19	325	210	10	64	16	3	16	6
15-17	86	56	3	19	2	0	4	2
18-19	239	154	7	45	14	3	12	4
20-24	874	566	38	171	35	4	38	22
25-29	641	449	24	110	19	4	20	15
30-34	475	306	12	85	25	3	30	14
35-39	324	210	10	67	11	2	10	14
40-44	94	56	2	23	4	1	3	5
45 and over	8	4	0	1	1	0	2	0
Unknown	17	7	4	4	0	0	2	0

Table R7. Abortions by weeks gestation and race of woman, residents: Utah, 2014

Weeks gestation	Total	White	Black		Asian and Pacific Islander	Native American	Other	Un-known
	Race of Woman							
Total	2,767	1,813	100	528	111	17	122	76
Under 5	23	11	0	7	3	0	1	1
5-6	942	598	37	175	38	6	57	31
7-8	947	621	34	187	39	3	38	25
9-10	354	243	14	65	11	2	12	7
11-12	160	109	4	32	5	3	4	3
13-14	171	119	6	28	7	2	5	4
15-20	133	90	5	24	7	1	4	2
21 and over	17	10	0	4	1	0	1	1
Unknown	20	12	0	6	0	0	0	2

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R8. Abortions by age of woman and number of prior live births, residents: Utah, 2014

Age	Total	Prior Live Births						
		None	One	Two	Three	Four	Five or More	Un-known
Total	2,767	1,323	578	461	215	100	60	30
Under 15	9	8	1	0	0	0	0	0
Total 15 to 19	325	275	41	5	0	0	0	4
15-17	86	82	2	2	0	0	0	0
18-19	239	193	39	3	0	0	0	4
20-24	874	550	204	85	21	8	0	6
25-29	641	292	159	118	42	16	6	8
30-34	475	121	96	135	65	34	18	6
35-39	324	54	55	91	66	28	24	6
40-44	94	13	18	24	17	13	9	0
45 and over	8	0	2	1	2	1	2	0
Unknown	17	10	2	2	2	0	1	0

Table R9. Abortions by age of woman and number of prior abortions, residents: Utah, 2014

Age	Total	Prior Abortions						
		None	One	Two	Three	Four	Five or More	Un-known
Total	2,767	2,048	515	128	37	8	7	24
Under 15	9	8	1	0	0	0	0	0
Total 15 to 19	325	302	19	0	1	0	0	3
15-17	86	82	4	0	0	0	0	0
18-19	239	220	15	0	1	0	0	3
20-24	874	704	129	31	2	2	0	6
25-29	641	434	155	35	9	2	1	5
30-34	475	301	112	37	16	1	3	5
35-39	324	218	74	16	6	2	3	5
40-44	94	59	24	8	2	1	0	0
45 and over	8	6	1	1	0	0	0	0
Unknown	17	16	0	0	1	0	0	0

Table R10. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2014

Weeks gestation	Total	Prior Abortions						
		None	One	Two	Three	Four	Five or More	Un-known
Total	2,767	2,048	515	128	37	8	7	24
Under 5	23	20	2	1	0	0	0	0
5-6	942	684	179	53	15	4	1	6
7-8	947	706	173	39	16	1	4	8
9-10	354	252	74	19	0	2	2	5
11-12	160	122	27	8	2	0	0	1
13-14	171	126	31	7	4	1	0	2
15-20	133	107	23	1	0	0	0	2
21 and over	17	16	1	0	0	0	0	0
Unknown	20	15	5	0	0	0	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R11. Abortions by age of woman and reason for termination, residents: Utah, 2014

Age	Total	Reason for Termination: Maternal Life Endagered	Thera-peutic	Fetal Malform-ation	HIV Positive	Elective
Total	2,767	13	2,372	35	0	333
Under 15	9	0	9	0	0	0
Total 15 to 19	325	1	274	3	0	47
15-17	86	0	72	1	0	13
18-19	239	1	202	2	0	34
20-24	874	7	738	6	0	122
25-29	641	4	547	8	0	79
30-34	475	0	418	8	0	45
35-39	324	1	284	6	0	29
40-44	94	0	82	4	0	8
45 and over	8	0	8	0	0	0
Unknown	17	0	12	0	0	3

There are 14 occurrences in the categories of rape, incest, other or unknown that are in the totals but are not distributed.

Table R12. Abortions by weeks gestation and reason for termination, residents: Utah, 2014

Weeks gestation	Total	Reason for Termination: Maternal Life Endagered	Thera-peutic	Fetal Malform-ation	HIV Positive	Elective
Total	2,767	13	2,372	35	0	333
Under 5	23	0	17	0	0	6
5-6	942	1	832	0	0	107
7-8	947	5	818	2	0	118
9-10	354	3	299	0	0	48
11-12	160	1	138	0	0	20
13-14	171	0	143	7	0	20
15-20	133	3	106	11	0	11
21 and over	17	0	3	14	0	0
Unknown	20	0	16	1	0	3

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.
There are 14 occurrences in the categories of rape, incest, other or unknown that are in the totals but are not distributed.

Table R13. Abortions by age of woman and weeks gestation, residents: Utah, 2014

		Weeks Gestation								
Age	Total	Under 5	5-6	7-8	9-10	11-12	13-14	15-20	21 and over	Unknown
Total	2,767	23	942	947	354	160	171	133	17	20
Under 15	9	0	1	3	3	0	2	0	0	0
Total 15 to 19	325	4	81	109	52	22	25	29	1	2
15-17	86	1	13	29	17	8	8	9	1	0
18-19	239	3	68	80	35	14	17	20	0	2
20-24	874	3	275	309	131	53	52	44	1	6
25-29	641	6	246	211	75	37	31	23	7	5
30-34	475	6	183	152	57	26	25	18	3	5
35-39	324	3	106	125	28	17	26	16	2	1
40-44	94	1	40	28	6	5	9	2	2	1
45 and over	8	0	5	3	0	0	0	0	0	0
Unknown	17	0	5	7	2	0	1	1	1	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R14. Abortions by age of woman and method of termination, residents: Utah, 2014

Age	Total	Method of Termination							
		Dilation and Evacuation	Suction Curettage	Sharp Curettage	Medica-tion	Intra-Uterine Instillation	Hyster-ectomy	Other	Un-known
Total	2,767	218	1,631	31	870	0	1	0	18
Under 15	9	0	7	0	2	0	0	0	0
Total 15 to 19	325	38	194	3	89	0	0	0	2
15-17	86	12	50	3	21	0	0	0	1
18-19	239	26	144	0	68	0	0	0	1
20-24	874	70	524	14	263	0	1	0	3
25-29	641	38	354	7	237	0	0	0	5
30-34	475	32	286	4	149	0	0	0	4
35-39	324	27	194	2	97	0	0	0	4
40-44	94	11	60	1	22	0	0	0	0
45 and over	8	0	3	0	5	0	0	0	0
Unknown	17	2	9	0	6	0	0	0	0

The totals do not add because more than one choice is possible for each number in the total.

Table R15. Abortions by weeks gestation and method of termination, residents: Utah, 2014

Weeks gestation	Total	Method of Termination							
		Dilation and Evacuation	Suction Curettage	Sharp Curettage	Medica-tion	Intra-Uterine Instillation	Hyster-ectomy	Other	Un-known
Total	2,767	218	1,631	31	870	0	1	0	18
Under 5	23	0	9	0	14	0	0	0	0
5-6	942	6	450	7	476	0	0	0	3
7-8	947	13	590	8	334	0	0	0	2
9-10	354	5	321	4	21	0	0	0	3
11-12	160	6	147	5	1	0	0	0	1
13-14	171	69	92	6	4	0	0	0	0
15-20	133	108	15	1	3	0	1	0	6
21 and over	17	10	1	0	5	0	0	0	2
Unknown	20	1	6	0	12	0	0	0	1

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.
The totals do not add because more than one choice is possible for each number in the total.

Table R16. Abortions by age of woman and mention of any complications, residents: Utah, 2014

Age of Woman	Total	Mention of any Complication		
		Yes	No	Unknown
Total	2,767	6	2,760	1
Under 15	9	0	9	0
Total 15 to 19	325	0	325	0
15-17	86	0	86	0
18-19	239	0	239	0
20-24	874	2	871	1
25-29	641	1	640	0
30-34	475	2	473	0
35-39	324	0	324	0
40-44	94	0	94	0
45 and over	8	0	8	0
Unknown	17	1	16	0

Table R17. Abortions by age of woman and history of contraceptive use in past year, residents: Utah, 2014

Age of Woman	Total	History of Contraceptive Use in Past Year		
		Yes	No	Unknown
Total	2,767	452	937	1,378
Under 15	9	1	5	3
Total 15 to 19	325	25	98	202
15-17	86	7	29	50
18-19	239	18	69	152
20-24	874	122	269	483
25-29	641	108	217	316
30-34	475	106	183	186
35-39	324	70	115	139
40-44	94	14	39	41
45 and over	8	3	4	1
Unknown	17	3	7	7

Table R18. Abortions by age of woman and pregnancy due to omission of contraceptive, residents: Utah, 2014

Age of Woman	Total	Omission of Contraceptive		
		Yes	No	Unknown
Total	2,767	29	470	2,268
Under 15	9	0	2	7
Total 15 to 19	325	3	26	296
15-17	86	2	4	80
18-19	239	1	22	216
20-24	874	11	132	731
25-29	641	7	110	524
30-34	475	4	109	362
35-39	324	4	68	252
40-44	94	0	16	78
45 and over	8	0	3	5
Unknown	17	0	4	13

Table R19. Abortions by age of woman and method of contraceptive in past year, residents: Utah, 2014

		Methods of contraceptive used in past year											
Age of Woman	Total	Oral (pill)	Diaphram	Foam Jelly	Condom	I U D	Surgical Sterilization	Rhythm	Coitus	Depo-provera	Other	Un-known	Not Applicable
Total	2,767	225	7	42	109	61	1	1	1	27	55	1,396	2,295
Under 15	9	0	0	1	1	0	0	0	0	0	0	3	8
Total 15 to 19	325	16	0	1	3	0	0	0	0	2	2	205	300
15-17	86	3	0	0	0	0	0	0	0	2	0	52	79
18-19	239	13	0	1	3	0	0	0	0	0	2	153	221
20-24	874	70	1	10	23	16	0	0	0	8	15	485	746
25-29	641	45	1	5	26	12	0	0	1	5	20	322	529
30-34	475	54	1	14	32	20	0	0	0	7	10	189	362
35-39	324	30	3	6	17	11	1	0	0	4	7	142	252
40-44	94	8	0	4	6	1	0	1	0	1	0	41	79
45 and over	8	1	1	0	0	1	0	0	0	0	0	2	5
Unknown	17	1	0	1	1	0	0	0	0	0	1	7	14

The totals do not add because more than one choice is possible for each number in the total.

Table R20. Abortions by marital status of woman and method of contraceptive in past year, residents: Utah, 2014

		Methods of contraceptive used in past year											
Marital Status	Total	Oral (pill)	Diaphram	Foam Jelly	Condom	I U D	Surgical Sterilization	Rhythm	Coitus	Depo-provera	Other	Un-known	Not Applicable
Total	2,767	225	7	42	109	61	1	1	1	27	55	1,396	2,295
Never Married	1,680	129	2	22	54	24	0	0	0	18	34	890	1,427
Married	587	42	3	13	30	15	1	1	1	3	8	323	488
Widowed	11	0	0	1	2	0	0	0	0	1	1	5	8
Divorced	260	47	2	4	15	19	0	0	0	4	8	42	168
Separated	110	7	0	2	6	1	0	0	0	1	2	35	92
Unknown	119	0	0	0	2	2	0	0	0	0	2	101	112

The totals do not add because more than one choice is possible for each number in the total.

Table R21. Abortions by number of prior live births, prior abortions, and method of contraceptive in past year, residents: Utah, 2014

Prior Live Births and Prior Abortions	Total	Method of Contraceptive: Oral (pill)	Diaphram	Foam Jelly	Condom	I U D	Surgical Steril-ization	Rhythm	Coitus	Depo-provera	Other	Un-known	Not Applicable
Total	2,767	225	7	42	109	61	1	1	1	27	55	1,396	2,295
No Live Births	1,323	107	2	15	33	9	0	0	0	7	26	711	1,139
One Live Birth	578	49	0	10	27	19	1	1	0	8	12	280	464
More than One Birth	848	68	5	16	48	32	0	0	1	11	17	393	678
Births Unknown	18	1	0	1	1	1	0	0	0	1	0	12	14
No Abortions	2,048	175	5	29	69	40	0	1	0	21	40	1,094	1,713
No Live Births	1,066	90	2	11	26	7	0	0	0	6	19	598	915
One Live Birth	415	36	0	7	17	11	0	1	0	6	9	217	339
More than One Birth	566	49	3	11	26	22	0	0	0	9	12	278	458
Births Unknown	1	0	0	0	0	0	0	0	0	0	0	1	1
One Abortion	515	29	2	9	25	12	1	0	1	3	10	230	429
No Live Births	203	12	0	3	3	1	0	0	0	0	4	98	183
One Live Birth	109	6	0	1	5	5	1	0	0	1	3	46	87
More than One Birth	200	11	2	4	16	6	0	0	1	1	3	85	158
Births Unknown	3	0	0	1	1	0	0	0	0	1	0	1	1
More Than One Abortion	180	20	0	4	15	6	0	0	0	3	5	58	133
No Live Births	52	5	0	1	4	1	0	0	0	1	3	14	39
One Live Birth	54	7	0	2	5	3	0	0	0	1	0	17	38
More than One Birth	74	8	0	1	6	2	0	0	0	1	2	27	56
Births Unknown	0	0	0	0	0	0	0	0	0	0	0	0	0
Abortions Unknown	24	1	0	0	0	3	0	0	0	0	0	14	20
No Live Births	2	0	0	0	0	0	0	0	0	0	0	1	2
One Live Birth	0	0	0	0	0	0	0	0	0	0	0	0	0
More than One Birth	8	0	0	0	0	2	0	0	0	0	0	3	6
Births Unknown	14	1	0	0	0	1	0	0	0	0	0	10	12

The totals do not add because more than one choice is possible for each number in the total.

Table R22. Abortions by education of woman and method of contraceptive in past year, residents: Utah, 2014

Education	Total	Method of Contraceptive: Oral (pill)	Diaphram	Foam Jelly	Condom	I U D	Surgical Steril-ization	Rhythm	Coitus	Depo-provera	Other	Un-known	Not Applicable
Total	2,767	225	7	42	109	61	1	1	1	27	55	1,396	2,295
Under 12 Years	191	7	0	1	4	3	0	0	1	4	3	99	168
High School	1,263	88	3	13	43	24	1	0	0	10	19	636	1,076
Over 12 Years	1,180	125	4	27	60	32	0	1	0	12	33	555	930
Unknown	133	5	0	1	2	2	0	0	0	1	0	106	121

The totals do not add because more than one choice is possible for each number in the total.

2014 Appendix:

Abortions

Technical Appendix

Section 76-7-313, Utah Code Annotated 1953 as amended requires that the report of induced termination of pregnancy (Figure A) be filed with the State of Utah's Department of Health within ten days after the abortion.

The reported number of abortions to Utah residents that are performed out of state is small and suggests an undercount. This small number of reported abortions that occur in other states are not shown by county of residence in this report.

For both the summary and reference tables in this report, data are tabulated by health district as well as county of residence to meet the needs of local health departments.

The population data are from Utah's Public Health Data Resource (IBIS-PH). The estimates for 2010 and later have been updated to the new IBIS Version 2013 population estimates on September 14, 2014. For more information, go to http://ibis.health.utah.gov/query/PopEst.html.

Formulas used to compute rates and ratios used in this report are defined as follows:

$$\text{Abortion Rate} = \frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Resident Females 15-44 Years of Age}}$$

$$\text{Abortion Ratio} = \frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Live Births to Resident Females}}$$

Figure 1

STATE OF UTAH DEPARTMENT OF HEALTH
REPORT OF INDUCED TERMINATION OF PREGNANCY

CONFIDENTIAL
This report will be used for statistical purposes by the Utah Department of Health. It may be used to insure compliance with the provisions of the Utah State Abortion Law. It will be kept Confidential pursuant to Chapter 25, Title 26.

1. PLACE where termination occurred-hospital or other facility. If not in hospital or clinic, enter street address.

1b. CITY

1c. COUNTY

2. RESIDENCE
State | County | City, Village | Zip Code

3. PATIENT'S BIRTHDATE
Month | Year

4. MARITAL STATUS
1 ☐ Never Married 2 ☐ Married
3 ☐ Widowed 4 ☐ Divorced
5 ☐ Separated

5. WAS PATIENT OF HISPANIC ORIGIN?
1 ☐ Yes *(If yes, Specify)* 2 ☐ No
1 ☐ Mexican 2 ☐ Cuban 3 ☐ Puerto Rican
☐ Other (Specify)_____

6. RACE
1 ☐ White 2 ☐ Black
3 ☐ American Indian 9 ☐ Asian/Pacific Islander
☐ Other (Specify)_____

7. EDUCATION *(Specify highest grade completed)*
Elementary/Secondary (0-12)
College (13-16 or 17+)

8. PREVIOUS PREGNANCIES (Complete each section)

LIVE BIRTHS		OTHER PREGNANCIES	
8a. Now Living	8b. Now Dead	8c. Spontaneous Terminations	8d. Induced Terminations
Number____	Number____	Number____	Number____
None ☐	None ☐	None ☐	None ☐

9. CONTRACEPTIVE HISTORY
Has the patient practiced contraception in the past year?
1 ☐ Yes
2 ☐ No
9 ☐ Unknown

10. METHODS (if "yes" to no. 9, what method(s) used?)
0 ☐ Oral (pill) 5 ☐ Surgical Sterilization
1 ☐ Diaphragm 6 ☐ Rhythm
2 ☐ Foam Jelly 7 ☐ Coitus Interruptus (Withdrawal)
3 ☐ Condom
4 ☐ IUD 8 ☐ Depo Provera
9 ☐ Other (Specify)_____

11. If "Yes" to no. 9, did the pregnancy follow from temporarily omitting the method of contraception?
1 ☐ Yes 2 ☐ No 9 ☐ Unknown
If "Yes", which method?_____

12. ANTI-RH IMMUNE globulin indicated
1 ☐ Yes 2 ☐ No
9 ☐ Unknown

13. ANTI-RH IMMUNE globulin given
1 ☐ Yes 2 ☐ No
3 ☐ Patient Refused

14. DATE OF TERMINATION
Month | Day | Year

15. FIRST DAY OF LAST MENSTRUAL PERIOD
Month | Day | Year

16. CLINICAL ESTIMATE OF GESTATION *(Weeks)*

17. EVIDENCE OF PREVIOUS ATTEMPT TO TERMINATE THIS PREGNANCY
1 ☐ Yes 2 ☐ No 9 ☐ Unknown

18a. PROCEDURE THAT TERMINATED PREGNANCY
(Check only one)
1 ☐ ..... Suction Curettage
2 ☐ ..... Sharp Curettage (D & C)
3 ☐ ..... Dilation and Evacuation (D & E)
4 ☐ ..... Medical (Nonsurgical), Specify Medication(s)_____
5 ☐ ..... Intra-Uterine Instillation (Saline or Prostaglandin)
6 ☐ ..... Hysterotomy/Hysterectomy
7 ☐ ..... Other (Specify)_____

18b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY
(Check all that apply)
1 ☐
2 ☐
3 ☐
4 ☐
5 ☐
6 ☐
7 ☐

19. REASON FOR TERMINATION
1 ☐ Maternal Life Endangered
2 ☐ Therapeutic
3 ☐ Fetal Malformation
4 ☐ HIV Positive
5 ☐ Rape
6 ☐ Incest
7 ☐ Elective
8 ☐ Other

20. COMPLICATIONS *(Check all that apply)*
0 ☐ None 2 ☐ Perforation of Uterus 4 ☐ Infection 6 ☐ Retained Products 8 ☐ Other, Specify:
1 ☐ Hemorrhage 3 ☐ Cervical Laceration 5 ☐ Anesthetic 7 ☐ Death

21. HOSPITALIZATION REQUIRED AS A RESULT OF COMPLICATIONS 1 ☐ Yes 2 ☐ No
If "yes", Name of Hospital:_____ ADMISSION DATE: ____/____/____ (Month Day Year)

22. WAS THE FETUS CAPABLE OF SURVIVAL OUTSIDE THE UTERUS?
1 ☐ Yes 2 ☐ No 9 ☐ Unknown

23. *I hereby certify that the required consent was voluntarily obtained as provided in Section 76-7-305, Utah Code Annotated, 1953 as Amended.*

24. SIGNATURE OF PHYSICIAN

25. NAME OF PHYSICIAN (Print or Type)

26. DATE

Subscribed & sworn to before me this ___ day of _____ 19__
Notary Public _____
S E A L

(COMPLETE REVERSE SIDE ALSO) CONFIDENTIAL

UDH-BVR-Form 60, Rev. 6/97

SAMPLE

(Figure 1 continued)

SURGICAL PATHOLOGY REPORT

GROSS and MICROSCOPIC
TO BE COMPLETED ON ALL INDUCED ABORTIONS

1) Presence of chorionic villi . . . . . 1 ☐ Yes 2 ☐ No 9 ☐ Unknown
2) Presence of decidual tissue . . . . . 1 ☐ Yes 2 ☐ No 9 ☐ Unknown
3) Presence of marked inflammatory reaction. . . . . 1 ☐ Yes 2 ☐ No 9 ☐ Unknown
4) Presence of embryo or fetal parts. . . . . 1 ☐ Yes 2 ☐ No 9 ☐ Unknown
5) Gross appearance of embryo . . . . . 1 ☐ Normal
   2 ☐ Macerated
   3 ☐ Malformed - Type_____
   _____

6) Measurements of embryo . . . . . Length_____cms
   Weight_____gms.

COMPLETE THIS SECTION FOR ABORTIONS BEYOND 90 DAYS GESTATION

1. Measurement of Embryo
Heel to Toe_____mm.
Biparietal Diameter_____cm.
Date BPD Measured_____

2. Complications or Post-Operative Morbidity
00 ☐ None
01 ☐ Cardiac Arrest
02 ☐ Disseminated Intravascular Coagulation
03 ☐ Ectopic Pregnancy
04 ☐ Failed Abortion
05 ☐ Hemorrhage (less than 500 ml.)
06 ☐ Hemorrhage (500 ml. or more)
07 ☐ Incomplete abortion (retained tissue)
08 ☐ Injury to cervix
09 ☐ Pelvic Infection
10 ☐ Perforation
11 ☐ Postabortal bleeding or spotting
12 ☐ Pulmonary embolism or infarction
13 ☐ Reaction to Anesthesia - general
14 ☐ Reaction to Anesthesia - local
15 ☐ Respiratory arrest
16 ☐ Other, Specify_____

3. Time of Complication
1 ☐ During Procedure
2 ☐ During Recovery
3 ☐ After Discharge

4. Management of Complication
1 ☐ Hospitalization (immediate)
2 ☐ Hospitalization (later by Facility)
3 ☐ Hospitalization (later not by Facility)
4 ☐ Repeat Evacuation (immediate)
5 ☐ Repeat Evacuation (later at Facility)
6 ☐ Repeat Evacuation (later not at Facility)

5. Two Week Follow-up
1 ☐ In Facility, Normal
2 ☐ Other_____
3 ☐ Other Facility, Normal
4 ☐ Other_____
5 ☐ Examination Not Done
6 ☐ Unable to Contact

6. Future Contraception Planned
1 ☐ Oral (Pill)
2 ☐ IUD
3 ☐ Diaphragm
4 ☐ Other Contraception
5 ☐ None Wanted

7. Reason for Late Abortion
1 ☐ Woman continued to have menses
2 ☐ Afraid to tell parents, spouse, etc.
3 ☐ Denial of Pregnancy
4 ☐ Planned pregnancy, change of circumstances
5 ☐ Suspected or known fetal malformation
6 ☐ Late referral
7 ☐ Unable to afford cost earlier in pregnancy
8 ☐ Other, Specify_____

SAMPLE