Utah Vital Statistics

Abortions

2015

Utah Department of Health
Center for Health Data

Utah Vital Statistics

Abortions

2015

October 2016
Technical Report No. 291

Mission Statement

The Office of Vital Records and Statistics administers the statewide system of Vital Records and Statistics by documenting and certifying the facts of births, deaths, and family formation for the legal purposes of the citizens of Utah, participates in the National Vital Statistics System, and responds to the needs of health programs, health care providers, businesses, researchers, educational institutions and the Utah public for data and statistical information.

This publication was produced by the

Statistical Products Section

in the

Office of Vital Records and Statistics

Richard J. Oborn, MPA, Director

Staff Contributors

Mylitta Barrett
Cynthia Robison

Utah Department of Health

Center for Health Data and Informatics

OFFICE OF VITAL RECORDS AND STATISTICS
PO BOX 141012
SALT LAKE CITY UT 84114-1012

Located in the Cannon Health Building
288 North 1460 West
Salt Lake City UT

vitalrecords.health.utah.gov
vrequest@utah.gov
Phone: (801) 538-6843
Fax: (801) 323-1570

This information can be made available
in alternative formats upon request.

PREFACE

This 2015 report is the 38th in a series on legally induced abortions in Utah. Previous reports were for the combined years 1974-1975, 1975-1977, 1978-1980, each year from 1981-1998, combined years 1999-2000, 2001-2002 and each year from 2003-2014.

These tabulations are published annually to make commonly used vital records data available to health programs, health care providers, businesses, researchers, educational institutions, and the Utah public. Data are presented for the state overall, local health districts, and Utah counties.

The Utah Vital Statistics report series no longer includes abortion data for the United States. The most recent abortion data for the United States is published by the U.S. Centers for Disease Control and Prevention in the Morbidity and Mortality Weekly Report, "Abortion Surveillance - United States, 2012," Vol. 64(SS10);1-40; Atlanta, Georgia, November 27, 2015. The website for this report is http://www.cdc.gov. Searchers should use the keyword “abortion surveillance” to find the most current report.

TABLE OF CONTENTS

Page	
ix	List of Summary Tables
xi	List of Reference Tables
xiii	List of Appendices
S-1	Summary Tables
R-1	Reference Tables
T-1	Technical Appendix

List of Summary Tables

Page

S-3 Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980 and 1990-2015

S-3 Table 2. Abortions occurring in Utah by state of residence: 2015

S-4 Table 3. Abortions, live births, and abortion ratios by health district and county of residence: Utah, 1990, 1995, 2000, and 2005-2015

S-5 Table 4. Abortions, live births, and ratios by marital status, residents: Utah, 1980, 1990, 1995, and 2000-2015

S-6 Table 5. Population for females ages 15 to 44, residents: Utah, 1990, 1995, and 2000-2015

S-6 Table 6. Age-specific abortion rates, residents: Utah, 1990, 1995, and 2000-2015

Figure

S-7 Figure 1. Abortions per 1,000 live births, residents: Utah, 2000-2015

List of Reference Tables

Page

R-3 Table R1. Abortions by health district, county of residence, and age of woman: Utah, 2015

R-4 Table R2. Abortions by health district, county of residence, and month of occurrence: Utah, 2015

R-5 Table R3. Abortions by age and marital status of woman, residents: Utah, 2015

R-5 Table R4. Abortions by weeks gestation and marital status of woman, residents: Utah, 2015

R-5 Table R5. Abortions by age and education of woman, residents: Utah, 2015

R-6 Table R6. Abortions by age and race of woman, residents: Utah, 2015

R-6 Table R7. Abortions by weeks gestation and race of woman, residents: Utah, 2015

R-7 Table R8. Abortions by age of woman and number of prior live births, residents: Utah, 2015

R-7 Table R9. Abortions by age of woman and number of prior abortions, residents: Utah, 2015

R-7 Table R10. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2015

(List of Reference Tables continued)

R-8 Table R11. Abortions by age of woman and reason for termination, residents: Utah, 2015

R-8 Table R12. Abortions by weeks gestation and reason for termination, residents: Utah, 2015

R-9 Table R13. Abortions by age of woman and weeks gestation, residents: Utah, 2015

R-10 Table R14. Abortions by age of woman and methods of termination, residents: Utah, 2015

R-10 Table R15. Abortions by weeks gestation and methods of termination, residents: Utah, 2015

R-11 Table R16. Abortions by age of woman and mention of any complications, residents: Utah, 2015

R-11 Table R17. Abortions by age of woman and history of contraceptive use in past year, residents: Utah, 2015

R-11 Table R18. Abortions by age of woman and pregnancy due to omission of contraceptive, residents: Utah, 2015

R-12 Table R19. Abortions by age of woman and methods of contraception in past year, residents: Utah, 2015

R-12 Table R20. Abortions by marital status of woman and methods of contraception in past year, residents: Utah, 2015

(List of Reference Tables continued)

R-13 Table R21. Abortions by number of prior live births, prior abortions, and methods of contraception in past year, residents: Utah, 2015

R-13 Table R22. Abortions by education of woman and methods of contraception in past year, residents: Utah, 2015

Technical Appendix

T-4 Figure 1. State of Utah -- Department of Health report of induced termination of pregnancy

2015 Summary Tables:

Abortions

Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980 and 1990-2015

Year	Estimated population for females 15-44 [1] years of age	Resident live births	Abortions			
			Occurrence	Residents		
			Number	Number	Rate[2]	Ratio[3]
1980	342,817	41,786	4,086	3,821	11.1	91.4
1990	395,807	36,253	4,796	4,159	10.5	114.7
1991	411,839	36,019	4,213	3,759	9.1	104.4
1992	428,353	37,198	3,941	3,525	8.2	94.8
1993	443,618	37,048	3,945	3,615	8.1	97.6
1994	460,914	38,271	3,610	3,304	7.2	86.3
1995	475,165	39,554	3,705	3,292	6.9	83.2
1996	488,404	42,056	3,639	3,293	6.7	78.3
1997	502,401	43,009	3,408	3,140	6.2	73.0
1998	510,715	45,128	3,487	3,237	6.3	71.7
1999	520,259	46,243	3,381	3,160	6.1	68.3
2000	528,769	47,331	3,509	3,279	6.2	69.3
2001	534,884	47,915	3,594	3,372	6.3	70.4
2002	540,124	49,140	3,524	3,300	6.1	67.2
2003	543,155	49,834	3,576	3,338	6.1	67.0
2004	547,780	50,653	3,665	3,379	6.2	66.7
2005	555,517	51,517	3,556	3,279	5.9	63.6
2006	564,615	53,475	3,753	3,444	6.1	64.4
2007	576,269	55,063	3,932	3,516	6.1	63.9
2008	586,879	55,605	3,911	3,510	6.0	63.1
2009	596,032	53,849	3,665	3,270	5.5	60.7
2010	604,101	52,164	3,779	3,446	5.7	66.1
2011	612,200	51,144	3,386	3,081	5.0	60.2
2012	620,389	51,439	3,273	3,018	4.9	58.7
2013	631,060	50,913	3,102	2,893	4.6	56.8
2014	639,777	51,164	2,948	2,767	4.3	54.1
2015	651,344	50,776	3,176	2,986	4.6	58.8

[1]Population projections/estimates are revised as historical data become available, and rates may not agree with previous reports.

[2]Rates are per 1,000 females 15 to 44 years of age.

[3]Ratios are per 1,000 live births.

Indicator-Based Information System for Public Health (IBIS-PH); Census April 1 vintage populations; updated September 2016 for data years 2010-2015, updated November 2012 for data years 2009 and earlier; queried October 2016; http://ibis.health.utah.gov/query/selection/pop/PopSelection.html.

Table 2. Abortions occurring in Utah by state of residence: 2015

State of residence	Frequency	Percent
Total	3,176	100.0
Arizona	3	0.1
California	5	0.2
Idaho	88	2.8
Nevada	23	0.7
Texas	3	0.1
Utah	2,986	94.0
Washington	3	0.1
Wyoming	55	1.7
Other states	10	0.3
Other countries	0	- -

Other states include: Florida, Georgia, Maryland, Michigan, Mississippi, Montana, New Mexico, Ohio, and South Carolina.

Table 3. Abortions, live births, and abortion ratios by health district and county of residence: Utah, 1990, 1995, 2000, and 2005-2015

District and county of residence	Live births	Abortions	Abortion ratio 2015	Abortion ratios by year 1990	1995	2000	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
Total	50,776	2,986	58.8	114.7	83.2	69.3	63.6	64.4	63.9	63.1	60.7	66.1	60.2	58.7	56.8	54.1
Bear River	3,291	91	27.7	60.9	37.3	32.6	27.9	27.2	31.7	29.9	30.7	40.8	31.6	28.7	33.4	38.9
Box Elder	894	14	15.7	29.4	21.5	27.1	25.1	22.9	27.4	30.2	30.2	41.4	35.9	30.5	39.7	36.2
Cache	2,365	74	31.3	74.7	43.3	35.0	29.3	29.2	33.3	30.2	31.4	40.4	30.6	27.6	31.0	39.4
Rich	32	3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Central Utah	1,146	25	21.8	36.7	29.5	23.2	27.3	17.3	17.3	24.2	20.4	24.1	29.5	21.8	22.4	18.5
Juab	200	3	- -	- -	- -	- -	- -	- -	- -	- -	38.1	- -	- -	- -	- -	- -
Millard	211	4	- -	30.4	51.0	38.3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Piute	11	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Sanpete	378	10	26.5	26.9	21.9	19.1	23.3	16.9	17.2	27.1	17.8	28.4	37.1	18.9	18.8	- -
Sevier	307	6	19.5	44.0	33.7	24.0	36.2	21.4	22.3	35.7	- -	23.0	28.1	38.5	30.7	32.3
Wayne	39	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Davis	5,881	217	36.9	85.5	62.9	58.1	45.5	48.2	46.3	38.7	44.6	47.9	41.9	39.1	35.7	36.8
Salt Lake	17,393	1,834	105.4	181.0	139.9	117.2	112.6	113.5	114.2	115.5	109.7	119.0	106.4	107.7	100.6	94.4
Southeastern	821	22	26.8	87.6	44.4	25.7	31.6	39.7	35.0	31.2	28.1	43.1	33.4	26.9	22.2	41.7
Carbon	288	16	55.6	128.0	77.7	46.5	82.2	81.4	73.4	52.5	49.7	85.4	63.1	56.6	45.6	64.2
Emery	143	3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Grand	142	1	- -	183.5	70.7	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
San Juan	248	2	- -													
Southwest	3,307	17	5.1	12.7	5.1	3.9	3.6	2.0	2.0	2.5	4.1	4.4	3.6	3.9	2.2	3.0
Beaver	110	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Garfield	48	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Iron	888	4	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Kane	88	0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Washington	2,173	11	5.1	- -	- -	- -	3.3	- -	- -	- -	- -	2.8	3.7	4.1	- -	- -
Summit	431	73	169.4	349.4	282.7	190.3	166.3	181.7	164.7	179.8	160.1	179.4	152.7	175.5	143.5	171.4
Tooele	940	48	51.1	94.9	94.6	49.2	85.1	52.8	50.7	53.7	41.9	57.6	66.7	52.5	51.6	49.3
TriCounty	1,106	30	27.1	72.5	29.1	33.2	33.8	43.7	35.5	39.0	36.0	44.2	20.7	32.5	29.7	18.9
Daggett	10	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Duchesne	430	12	27.9	35.3	- -	24.8	26.8	32.3	33.8	19.0	- -	44.1	28.6	22.7	28.5	22.2
Uintah	666	17	25.5	92.4	38.8	39.6	36.1	47.7	37.0	52.7	49.9	45.4	16.2	39.1	28.2	17.2
Utah County	11,941	330	27.6	32.4	23.6	23.7	22.5	23.5	24.0	24.7	26.0	24.9	25.0	21.9	22.9	22.7
Wasatch	431	19	44.1	105.0	41.5	71.0	52.1	61.1	80.9	76.2	48.8	55.3	92.4	57.9	55.7	52.7
Weber-Morgan	4,088	280	68.5	129.6	86.2	68.4	66.9	78.3	71.0	66.1	59.4	65.9	66.2	61.5	69.4	61.7
Morgan	168	1	- -	- -	96.8	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Weber	3,920	279	71.2	132.5	85.9	69.3	68.1	80.8	72.9	67.8	61.6	66.9	67.1	63.4	71.7	64.0

Ratios are per 1,000 live births and are not computed for fewer than seven events or when the number of births is less than 30.

Table 4. Abortions, live births, and ratios by marital status, residents: Utah, 1980, 1990, 1995, and 2000-2015

Marital status	Year								
	1980	1990	1995	2000	2001	2002	2003	2004	2005
Total*									
Induced abortions	3,821	4,159	3,292	3,279	3,372	3,300	3,338	3,379	3,279
Live births	41,786	36,253	39,554	47,331	47,915	49,140	49,834	50,653	51,517
Ratio per 1,000 live births	91.4	114.7	83.2	69.3	70.4	67.2	67.0	66.7	63.6
Married**									
Induced abortions	975	774	786	809	844	756	771	795	760
Live births	39,181	31,343	33,338	39,135	39,593	40,671	41,254	41,822	42,416
Ratio per 1,000 live births	24.9	24.7	23.6	20.7	21.3	18.6	18.7	19.0	17.9
Unmarried***									
Induced abortions	2,820	3,351	2,494	2,455	2,348	2,268	2,143	2,270	2,230
Live births	2,605	4,886	6,215	8,175	8,322	8,469	8,580	8,831	9,101
Ratio per 1,000 live births	1,082.5	685.8	401.3	300.3	282.1	267.8	249.8	257.0	245.0

Table 4 continued. Abortions, live births, and ratios by marital status, residents: Utah, 1980, 1990, 1995, and 2000-2015

Marital status	Year									
	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
Total*										
Induced abortions	3,444	3,516	3,510	3,270	3,446	3,081	3,018	2,893	2,767	2,986
Live births	53,475	55,063	55,605	53,849	52,164	51,144	51,439	50,913	51,164	50,776
Ratio per 1,000 live births	64.4	63.9	63.1	60.7	66.1	60.2	58.7	56.8	54.1	58.8
Married**										
Induced abortions	830	880	762	773	944	987	916	705	697	750
Live births	43,412	44,254	44,281	43,358	42,273	41,561	41,822	41,107	41,441	41,096
Ratio per 1,000 live births	19.1	19.9	17.2	17.8	22.3	23.7	21.9	17.2	16.8	18.2
Unmarried***										
Induced abortions	2,187	2,371	2,390	2,252	2,251	1,821	1,819	1,838	1,951	2,195
Live births	10,063	10,809	11,324	10,486	9,891	9,583	9,596	9,784	9,690	9,664
Ratio per 1,000 live births	217.3	219.4	211.1	214.8	227.6	190.0	189.6	187.9	201.3	227.1

Abortion ratios for data year 1995 are slightly different from the original published data in this series because birth data for these years are updated.

*Women with marital status unknown are included in the annual totals but are not distributed.

**The sum of women who are married plus women who are separated.

***The sum of women who are widowed, divorced, and those who have never married.

Table 5. Population for females ages 15 to 44, residents: Utah, 1990, 1995, and 2000-2015

Year	Total 15-44	Five-year age groups (15 to 44 years of age) 15-19	20-24	25-29	30-34	35-39	40-44
1990	395,807	76,809	69,527	68,108	69,165	61,719	50,479
1995	475,165	96,751	87,652	73,818	75,510	75,365	66,069
2000	528,769	109,105	113,713	85,514	72,066	74,162	74,209
2001	534,884	107,507	117,893	86,501	75,196	72,433	75,354
2002	540,124	105,723	120,489	89,315	77,867	71,166	75,564
2003	543,155	104,124	120,293	92,863	80,187	69,995	75,693
2004	547,780	103,674	119,184	96,309	82,628	70,378	75,607
2005	555,517	104,382	117,683	99,886	85,921	72,990	74,655
2006	564,615	105,061	115,729	105,473	88,019	76,585	73,748
2007	576,269	106,726	113,820	109,680	92,611	80,095	73,337
2008	586,879	108,218	113,211	111,343	98,229	82,830	73,048
2009	596,032	108,952	113,133	111,907	102,736	85,505	73,799
2010	604,101	108,864	113,581	110,902	106,385	88,188	76,181
2011	612,200	107,511	116,455	109,063	109,283	90,511	79,377
2012	620,389	107,550	119,055	106,600	110,914	94,504	81,766
2013	631,060	109,637	121,135	105,343	111,824	98,871	84,250
2014	639,777	111,432	122,197	105,459	111,455	102,908	86,326
2015	651,344	114,923	122,960	107,281	110,501	107,138	88,541

Indicator-Based Information System for Public Health (IBIS-PH); Census April 1 vintage populations; updated September 2016 for data years 2010-2015, updated November 2012 for data years 2009 and earlier; queried October 2016; http://ibis.health.utah.gov/query/selection/pop/PopSelection.html.

Table 6. Age-specific abortion rates, residents: Utah, 1990, 1995, and 2000-2015

Year	Total 15-44	Age of woman 15-19	20-24	25-29	30-34	35-39	40-44
1990	10.5	12.7	19.8	13.2	7.8	4.1	1.5
1995	6.9	6.3	12.3	11.0	6.6	3.7	1.2
2000	6.2	5.3	10.3	8.4	6.0	3.4	1.1
2001	6.3	5.1	9.8	8.4	6.5	3.9	1.2
2002	6.1	4.8	9.5	8.6	5.9	3.9	1.2
2003	6.1	5.1	9.3	8.2	6.2	4.1	1.2
2004	6.2	4.9	10.0	7.8	6.0	4.0	1.3
2005	5.9	4.9	8.8	7.9	5.4	4.3	1.2
2006	6.1	5.3	9.7	8.0	5.5	3.8	1.2
2007	6.1	5.4	9.9	7.6	5.4	3.8	1.5
2008	6.0	5.2	9.1	7.9	5.2	3.9	1.7
2009	5.5	4.2	8.9	6.9	5.1	3.9	1.4
2010	5.7	4.0	9.3	7.7	5.2	3.8	1.8
2011	5.0	3.8	8.3	7.0	4.6	3.0	1.5
2012	4.9	3.3	8.0	6.5	4.6	3.5	1.5
2013	4.6	3.1	7.7	6.3	4.8	2.9	1.2
2014	4.3	2.9	7.2	6.1	4.3	3.1	1.1
2015	4.6	3.0	7.7	7.0	4.5	2.8	1.4

Rates are per 1,000 females 15-44 years of age. The abortion component of the rate for total all ages includes women less than 15 years of age, 45 years and older and age unknown.
Indicator-Based Information System for Public Health (IBIS-PH); Census April 1 vintage populations; updated September 2016 for data years 2010-2015, updated November 2012 for data years 2009 and earlier; queried October 2016; http://ibis.health.utah.gov/query/selection/pop/PopSelection.html.

Figure 1


Abortions per 1,000 live births, residents: Utah, 2000-2015
Abortions per 1000 births
8.0
7.0
6.0
5.0
4.0
3.0
2.0
1.0
0.0
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
Year

2015 Reference Tables:

Abortions

Table R1. Abortions by health district, county of residence, and age of woman: Utah, 2015

District and County	Total	Age of woman: Under 15	15 to 19: Total	15 to 17	18 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 and over	Un-known
Total	2,986	0	345	77	268	949	748	492	305	121	6	20
Bear River	91	0	14	2	12	38	20	8	7	3	0	1
Box Elder	14	0	2	1	1	7	4	1	0	0	0	0
Cache	74	0	12	1	11	29	15	7	7	3	0	1
Rich	3	0	0	0	0	2	1	0	0	0	0	0
Central Utah	25	0	2	1	1	6	8	5	3	1	0	0
Juab	3	0	0	0	0	0	1	1	1	0	0	0
Millard	4	0	0	0	0	1	1	1	0	1	0	0
Piute	1	0	0	0	0	0	0	1	0	0	0	0
Sanpete	10	0	1	0	1	3	3	2	1	0	0	0
Sevier	6	0	1	1	0	2	2	0	1	0	0	0
Wayne	1	0	0	0	0	0	1	0	0	0	0	0
Davis	217	0	28	7	21	64	50	41	27	6	0	1
Salt Lake	1,834	0	201	52	149	564	468	309	195	80	2	15
Southeastern	22	0	4	1	3	9	3	2	4	0	0	0
Carbon	16	0	4	1	3	6	2	2	2	0	0	0
Emery	3	0	0	0	0	1	0	0	2	0	0	0
Grand	1	0	0	0	0	0	1	0	0	0	0	0
San Juan	2	0	0	0	0	2	0	0	0	0	0	0
Southwest	17	0	1	0	1	3	6	2	3	1	0	1
Beaver	1	0	0	0	0	0	1	0	0	0	0	0
Garfield	1	0	0	0	0	0	0	0	1	0	0	0
Iron	4	0	0	0	0	1	2	1	0	0	0	0
Kane	0	0	0	0	0	0	0	0	0	0	0	0
Washington	11	0	1	0	1	2	3	1	2	1	0	1
Summit	73	0	3	0	3	19	21	16	11	2	0	1
Tooele	48	0	9	4	5	16	5	13	4	1	0	0
TriCounty	30	0	1	1	0	8	11	6	4	0	0	0
Daggett	1	0	0	0	0	0	1	0	0	0	0	0
Duchesne	12	0	0	0	0	4	4	3	1	0	0	0
Uintah	17	0	1	1	0	4	6	3	3	0	0	0
Utah County	330	0	41	3	38	127	71	48	29	12	1	1
Wasatch	19	0	1	0	1	7	2	4	2	3	0	0
Weber-Morgan	280	0	40	6	34	88	83	38	16	12	3	0
Morgan	1	0	1	0	1	0	0	0	0	0	0	0
Weber	279	0	39	6	33	88	83	38	16	12	3	0

Table R2. Abortions by health district, county of residence, and month of occurrence: Utah, 2015

District and County	Total	Month of occurrence											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total	2,986	254	247	306	222	235	241	251	218	268	250	245	249
Bear River	91	4	5	8	6	13	4	7	6	7	6	11	14
Box Elder	14	0	0	1	0	5	1	0	1	1	2	1	2
Cache	74	4	5	7	6	8	3	6	5	6	3	10	11
Rich	3	0	0	0	0	0	0	1	0	0	1	0	1
Central Utah	25	4	2	5	1	1	1	4	1	3	1	1	1
Juab	3	1	0	0	0	0	0	0	0	1	0	0	1
Millard	4	0	0	1	1	1	0	0	0	1	0	0	0
Piute	1	0	0	1	0	0	0	0	0	0	0	0	0
Sanpete	10	3	2	1	0	0	0	2	0	0	1	1	0
Sevier	6	0	0	2	0	0	1	1	1	1	0	0	0
Wayne	1	0	0	0	0	0	0	1	0	0	0	0	0
Davis	217	16	20	25	19	16	14	18	21	20	17	14	17
Salt Lake	1,834	168	149	193	126	139	154	150	130	165	152	154	154
Southeastern	22	1	1	5	1	4	0	0	4	1	1	1	3
Carbon	16	1	0	4	1	2	0	0	4	1	0	1	2
Emery	3	0	1	1	0	1	0	0	0	0	0	0	0
Grand	1	0	0	0	0	1	0	0	0	0	0	0	0
San Juan	2	0	0	0	0	0	0	0	0	0	1	0	1
Southwest	17	1	3	0	1	0	4	2	1	0	3	0	2
Beaver	1	0	0	0	0	0	0	0	0	0	1	0	0
Garfield	1	0	0	0	0	0	1	0	0	0	0	0	0
Iron	4	0	1	0	0	0	0	1	0	0	1	0	1
Kane	0	0	0	0	0	0	0	0	0	0	0	0	0
Washington	11	1	2	0	1	0	3	1	1	0	1	0	1
Summit	73	6	4	6	5	8	10	7	3	3	6	6	9
Tooele	48	6	7	4	5	5	2	3	5	2	4	1	4
TriCounty	30	2	2	2	4	5	2	2	1	0	5	1	4
Daggett	1	0	0	0	1	0	0	0	0	0	0	0	0
Duchesne	12	1	1	2	2	0	0	1	1	0	1	1	2
Uintah	17	1	1	0	1	5	2	1	0	0	4	0	2
Utah County	330	27	27	39	26	20	26	29	19	37	35	22	23
Wasatch	19	1	1	1	1	4	1	0	2	1	3	2	2
Weber-Morgan	280	18	26	18	27	20	23	29	25	29	17	32	16
Morgan	1	0	0	0	0	0	1	0	0	0	0	0	0
Weber	279	18	26	18	27	20	22	29	25	29	17	32	16

Table R3. Abortions by age and marital status of woman, residents: Utah, 2015

Age	Total	Marital status of woman: Never married	Married	Widowed	Divorced	Separated	Un-known
Total	2,986	2,006	661	8	181	89	41
Under 15	0	0	0	0	0	0	0
Total 15 to 19	345	329	12	1	0	1	2
15-17	77	71	4	0	0	1	1
18-19	268	258	8	1	0	0	1
20-24	949	820	98	2	9	11	9
25-29	748	488	172	0	47	29	12
30-34	492	232	168	2	53	24	13
35-39	305	97	139	3	46	17	3
40-44	121	23	66	0	25	6	1
45 and over	6	1	4	0	1	0	0
Unknown	20	16	2	0	0	1	1

Table R4. Abortions by weeks gestation and marital status of woman, residents: Utah, 2015

Weeks gestation	Total	Marital status of woman: Never married	Married	Widowed	Divorced	Separated	Un-known
Total	2,986	2,006	661	8	181	89	41
Under 5	50	34	14	0	1	1	0
5-6	1,153	761	256	2	88	26	20
7-8	932	631	202	3	57	30	9
9-10	361	256	70	2	16	16	1
11-12	210	152	37	1	10	8	2
13-14	102	65	31	0	3	3	0
15-20	121	78	36	0	2	0	5
21 and over	25	14	8	0	1	1	1
Unknown	32	15	7	0	3	4	3

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R5. Abortions by age and education of woman, residents: Utah, 2015

Age	Total	Education of woman: Under 12 years	High school	Over 12 years	Unknown
Total	2,986	183	1,428	1,342	33
Under 15	0	0	0	0	0
Total 15 to 19	345	65	218	61	1
15-17	77	56	17	4	0
18-19	268	9	201	57	1
20-24	949	27	545	366	11
25-29	748	30	307	401	10
30-34	492	26	193	267	6
35-39	305	16	113	172	4
40-44	121	8	43	69	1
45 and over	6	0	3	3	0
Unknown	20	11	6	3	0

Table R6. Abortions by age and race of woman, residents: Utah, 2015

Age	Total	White	Black	Hispanic	Asian and Pacific Islander	Native American	Other	Un-known
	Race of woman							
Total	2,986	1,897	111	670	141	23	95	49
Under 15	0	0	0	0	0	0	0	0
Total 15 to 19	345	231	12	82	11	1	6	2
15-17	77	50	3	21	1	0	1	1
18-19	268	181	9	61	10	1	5	1
20-24	949	592	34	222	42	9	37	13
25-29	748	487	39	147	35	8	19	13
30-34	492	316	18	106	24	2	14	12
35-39	305	178	7	68	25	3	16	8
40-44	121	80	0	35	3	0	2	1
45 and over	6	2	1	2	1	0	0	0
Unknown	20	11	0	8	0	0	1	0

Table R7. Abortions by weeks gestation and race of woman, residents: Utah, 2015

Weeks gestation	Total	White	Black	Hispanic	Asian and Pacific Islander	Native American	Other	Un-known
	Race of woman							
Total	2,986	1,897	111	670	141	23	95	49
Under 5	50	29	1	15	3	0	2	0
5-6	1,153	742	36	238	67	8	41	21
7-8	932	573	29	233	43	6	37	11
9-10	361	231	26	69	13	3	11	8
11-12	210	135	12	52	5	0	2	4
13-14	102	60	2	32	3	3	0	2
15-20	121	83	4	21	7	3	2	1
21 and over	25	19	1	5	0	0	0	0
Unknown	32	25	0	5	0	0	0	2

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R8. Abortions by age of woman and number of prior live births, residents: Utah, 2015

Age	Total	Prior live births						
		None	One	Two	Three	Four	Five or more	Un-known
Total	2,986	1,523	534	486	241	108	49	45
Under 15	0	0	0	0	0	0	0	0
Total 15 to 19	345	293	39	7	1	1	0	4
15-17	77	69	4	2	0	1	0	1
18-19	268	224	35	5	1	0	0	3
20-24	949	639	184	80	31	3	0	12
25-29	748	370	148	149	48	17	6	10
30-34	492	129	88	132	77	40	19	7
35-39	305	55	59	81	58	30	12	10
40-44	121	20	15	32	23	17	12	2
45 and over	6	1	0	3	2	0	0	0
Unknown	20	16	1	2	1	0	0	0

Table R9. Abortions by age of woman and number of prior abortions, residents: Utah, 2015

Age	Total	Prior abortions						
		None	One	Two	Three	Four	Five or more	Un-known
Total	2,986	2,311	482	108	30	16	9	30
Under 15	0	0	0	0	0	0	0	0
Total 15 to 19	345	324	15	3	0	0	0	3
15-17	77	74	1	1	0	0	0	1
18-19	268	250	14	2	0	0	0	2
20-24	949	768	144	19	6	2	0	10
25-29	748	558	135	33	5	6	4	7
30-34	492	352	86	32	11	3	2	6
35-39	305	195	79	16	5	3	3	4
40-44	121	92	21	4	2	2	0	0
45 and over	6	2	2	1	1	0	0	0
Unknown	20	20	0	0	0	0	0	0

Table R10. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2015

Weeks gestation	Total	Prior abortions						
		None	One	Two	Three	Four	Five or more	Un-known
Total	2,986	2,311	482	108	30	16	9	30
Under 5	50	43	7	0	0	0	0	0
5-6	1,153	885	191	38	13	7	6	13
7-8	932	720	159	31	8	5	1	8
9-10	361	273	60	14	7	3	1	3
11-12	210	165	29	13	2	0	0	1
13-14	102	74	17	8	0	0	0	3
15-20	121	102	14	1	0	1	1	2
21 and over	25	25	0	0	0	0	0	0
Unknown	32	24	5	3	0	0	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R11. Abortions by age of woman and reason for termination, residents: Utah, 2015

Age	Total	Reason for termination: Maternal life endangered	Thera-peutic	Fetal malform-ation	HIV positive	Elective
Total	2,986	6	2,052	40	0	882
Under 15	0	0	0	0	0	0
Total 15 to 19	345	1	231	1	0	111
15-17	77	0	48	1	0	27
18-19	268	1	183	0	0	84
20-24	949	2	600	6	0	338
25-29	748	1	523	9	0	214
30-34	492	0	366	12	0	114
35-39	305	2	217	9	0	77
40-44	121	0	94	2	0	24
45 and over	6	0	5	0	0	1
Unknown	20	0	16	1	0	3

There are 6 occurrences in the categories of rape, incest, other or unknown that are in the totals but are not distributed.

Table R12. Abortions by weeks gestation and reason for termination, residents: Utah, 2015

Weeks gestation	Total	Reason for termination: Maternal life endangered	Thera-peutic	Fetal malform-ation	HIV positive	Elective
Total	2,986	6	2,052	40	0	882
Under 5	50	0	21	0	0	29
5-6	1,153	1	817	0	0	333
7-8	932	0	631	1	0	299
9-10	361	0	262	0	0	98
11-12	210	1	155	1	0	53
13-14	102	0	67	7	0	28
15-20	121	2	61	19	0	37
21 and over	25	2	9	11	0	3
Unknown	32	0	29	1	0	2

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available. There are 6 occurrences in the categories of rape, incest, other or unknown that are in the totals but are not distributed.

Table R13. Abortions by age of woman and weeks gestation, residents: Utah, 2015

Age	Total	Weeks gestation								
		Under 5	5-6	7-8	9-10	11-12	13-14	15-20	21 and over	Unknown
Total	2,986	50	1,153	932	361	210	102	121	25	32
Under 15	0	0	0	0	0	0	0	0	0	0
Total 15 to 19	345	4	102	110	52	38	14	16	5	4
15-17	77	1	18	37	7	6	5	1	1	1
18-19	268	3	84	73	45	32	9	15	4	3
20-24	949	15	345	310	130	68	20	42	7	12
25-29	748	17	316	219	80	45	32	27	4	8
30-34	492	8	214	153	47	25	18	19	4	4
35-39	305	5	116	97	35	25	11	11	3	2
40-44	121	1	54	31	14	8	6	4	1	2
45 and over	6	0	3	3	0	0	0	0	0	0
Unknown	20	0	3	9	3	1	1	2	1	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R14. Abortions by age of woman and methods of termination, residents: Utah, 2015

Age	Total	Methods of termination							
		Dilation and evacuation	Suction curettage	Sharp curettage	Medica-tion	Intra-uterine instillation	Hyster-ectomy	Other	Un-known
Total	2,986	183	1,698	17	1,075	1	1	0	13
Under 15	0	0	0	0	0	0	0	0	0
Total 15 to 19	345	28	207	3	106	0	1	0	1
15-17	77	5	53	1	18	0	0	0	0
18-19	268	23	154	2	88	0	1	0	1
20-24	949	54	520	2	369	1	0	0	4
25-29	748	42	417	4	281	0	0	0	4
30-34	492	30	276	4	178	0	0	0	4
35-39	305	18	185	4	98	0	0	0	0
40-44	121	8	79	0	34	0	0	0	0
45 and over	6	0	3	0	3	0	0	0	0
Unknown	20	3	11	0	6	0	0	0	0

The totals do not add because more than one choice is possible for each number in the total.

Table R15. Abortions by weeks gestation and methods of termination, residents: Utah, 2015

Weeks gestation	Total	Methods of termination							
		Dilation and evacuation	Suction curettage	Sharp curettage	Medica-tion	Intra-uterine instillation	Hyster-ectomy	Other	Un-known
Total	2,986	183	1,698	17	1,075	1	1	0	13
Under 5	50	0	17	0	33	0	0	0	0
5-6	1,153	1	579	4	565	0	0	0	4
7-8	932	2	548	4	375	0	0	0	3
9-10	361	2	289	1	68	0	0	0	1
11-12	210	1	200	7	1	0	0	0	1
13-14	102	47	53	1	0	0	0	0	1
15-20	121	110	5	0	6	0	0	0	0
21 and over	25	18	0	0	4	1	1	0	3
Unknown	32	2	7	0	23	0	0	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.
The totals do not add because more than one choice is possible for each number in the total.

Table R16. Abortions by age of woman and mention of any complications, residents: Utah, 2015

Age of woman	Total	Mention of any complication		
		Yes	No	Unknown
Total	2,986	4	2,982	0
Under 15	0	0	0	0
Total 15 to 19	345	0	345	0
15-17	77	0	77	0
18-19	268	0	268	0
20-24	949	2	947	0
25-29	748	0	748	0
30-34	492	1	491	0
35-39	305	0	305	0
40-44	121	1	120	0
45 and over	6	0	6	0
Unknown	20	0	20	0

Table R17. Abortions by age of woman and history of contraception in past year, residents: Utah, 2015

Age of woman	Total	History of contraception in past year		
		Yes	No	Unknown
Total	2,986	229	784	1,973
Under 15	0	0	0	0
Total 15 to 19	345	20	71	254
15-17	77	5	19	53
18-19	268	15	52	201
20-24	949	51	198	700
25-29	748	70	203	475
30-34	492	40	166	286
35-39	305	30	91	184
40-44	121	16	42	63
45 and over	6	1	2	3
Unknown	20	1	11	8

Table R18. Abortions by age of woman and pregnancy due to omission of contraception, residents: Utah, 2015

Age of woman	Total	Omission of contraception		
		Yes	No	Unknown
Total	2,986	24	391	2,571
Under 15	0	0	0	0
Total 15 to 19	345	5	24	316
15-17	77	0	7	70
18-19	268	5	17	246
20-24	949	6	85	858
25-29	748	7	120	621
30-34	492	3	79	410
35-39	305	2	53	250
40-44	121	1	24	96
45 and over	6	0	1	5
Unknown	20	0	5	15

Table R19. Abortions by age of woman and methods of contraception in past year, residents: Utah, 2015

		Methods of contraception in past year											
Age of woman	Total	Oral (pill)	Diaphragm	Foam jelly	Condom	I U D	Surgical steril-ization	Rhythm	Coitus inter-ruptus	Depo-provera	Other	Un-known	Not applicable
Total	2,986	118	1	18	54	21	3	0	0	11	18	1,993	2,750
Under 15	0	0	0	0	0	0	0	0	0	0	0	0	0
Total 15 to 19	345	12	0	3	6	0	0	0	0	1	1	255	325
15-17	77	1	0	1	3	0	0	0	0	0	1	53	72
18-19	268	11	0	2	3	0	0	0	0	1	0	202	253
20-24	949	33	1	5	11	3	0	0	0	4	2	703	897
25-29	748	37	0	3	12	8	0	0	0	2	9	482	675
30-34	492	15	0	3	10	6	0	0	0	0	3	293	452
35-39	305	14	0	3	10	1	2	0	0	2	2	185	273
40-44	121	5	0	1	5	2	1	0	0	2	1	64	104
45 and over	6	1	0	0	0	1	0	0	0	0	0	3	5
Unknown	20	1	0	0	0	0	0	0	0	0	0	8	19

The totals do not add because more than one choice is possible for each number in the total.

Table R20. Abortions by marital status of woman and methods of contraception in past year, residents: Utah, 2015

		Methods of contraception in past year											
Marital status	Total	Oral (pill)	Diaphragm	Foam jelly	Condom	I U D	Surgical steril-ization	Rhythm	Coitus inter-ruptus	Depo-provera	Other	Un-known	Not applicable
Total	2,986	118	1	18	54	21	3	0	0	11	18	1,993	2,750
Never married	2,006	68	1	8	26	9	0	0	0	6	9	1,471	1,887
Married	661	25	0	5	14	6	1	0	0	2	4	439	600
Widowed	8	1	0	0	0	0	0	0	0	0	0	4	7
Divorced	181	18	0	4	10	2	2	0	0	1	5	33	142
Separated	89	3	0	1	4	4	0	0	0	2	0	28	76
Unknown	41	3	0	0	0	0	0	0	0	0	0	18	38

The totals do not add because more than one choice is possible for each number in the total.

Table R21. Abortions by number of prior live births, prior abortions, and methods of contraception in past year, residents: Utah, 2015

Prior live births and prior abortions	Total	Methods of contraception in past year											
		Oral (pill)	Diaphragm	Foam jelly	Condom	I U D	Surgical steril-ization	Rhythm	Coitus inter-ruptus	Depo-provera	Other	Un-known	Not applicable
Total	2,986	118	1	18	54	21	3	0	0	11	18	1,993	2,750
No live births	1,523	64	1	8	25	5	0	0	0	6	8	1,106	1,414
One live birth	534	19	0	3	10	9	1	0	0	0	2	338	491
More than one birth	900	34	0	7	19	7	2	0	0	5	7	529	818
Births unknown	29	1	0	0	0	0	0	0	0	0	1	20	27
No abortions	2,311	79	1	15	37	14	3	0	0	8	9	1,649	2,153
No live births	1,281	48	1	8	17	3	0	0	0	4	6	962	1,201
One live birth	398	13	0	2	6	6	1	0	0	0	0	271	370
More than one birth	627	18	0	5	14	5	2	0	0	4	3	412	577
Births unknown	5	0	0	0	0	0	0	0	0	0	0	4	5
One abortion	482	24	0	3	12	4	0	0	0	2	6	269	430
No live births	199	10	0	0	7	0	0	0	0	2	2	125	177
One live birth	105	4	0	1	3	2	0	0	0	0	2	60	94
More than one birth	174	9	0	2	2	2	0	0	0	0	2	84	156
Births unknown	4	1	0	0	0	0	0	0	0	0	0	0	3
More than one abortion	163	13	0	0	5	3	0	0	0	1	2	54	140
No live births	43	6	0	0	1	2	0	0	0	0	0	19	36
One live birth	30	2	0	0	1	1	0	0	0	0	0	6	26
More than one birth	86	5	0	0	3	0	0	0	0	1	2	28	74
Births unknown	4	0	0	0	0	0	0	0	0	0	0	1	4
Abortions unknown	30	2	0	0	0	0	0	0	0	0	1	21	27
No live births	0	0	0	0	0	0	0	0	0	0	0	0	0
One live birth	1	0	0	0	0	0	0	0	0	0	0	1	1
More than one birth	13	2	0	0	0	0	0	0	0	0	0	5	11
Births unknown	16	0	0	0	0	0	0	0	0	0	1	15	15

The totals do not add because more than one choice is possible for each number in the total.

Table R22. Abortions by education of woman and methods of contraception in past year, residents: Utah, 2015

Education	Total	Methods of contraception in the past year											
		Oral (pill)	Diaphragm	Foam jelly	Condom	I U D	Surgical steril-ization	Rhythm	Coitus inter-ruptus	Depo-provera	Other	Un-known	Not applicable
Total	2,986	118	1	18	54	21	3	0	0	11	18	1,993	2,750
Under 12 years	183	8	0	0	1	1	0	0	0	0	2	107	172
High school	1,428	46	0	5	21	6	2	0	0	9	5	979	1,328
Over 12 years	1,342	62	1	13	30	13	1	0	0	2	11	891	1,222
Unknown	33	2	0	0	2	1	0	0	0	0	0	16	28

The totals do not add because more than one choice is possible for each number in the total.

2015 Appendix:

Abortions

Technical Appendix

Section 76-7-313, Utah Code Annotated 1953 as amended requires that the report of induced termination of pregnancy (Figure A) be filed with the State of Utah's Department of Health within ten days after the abortion.

The reported number of abortions to Utah residents that are performed out of state is small and suggests an undercount. This small number of reported abortions that occur in other states are not shown by county of residence in this report.

For both the summary and reference tables in this report, data are tabulated by health district as well as county of residence to meet the needs of local health departments.

The population data are from Utah's Public Health Data Resource (IBIS-PH). The estimates for 2010 and later have been updated to the new IBIS Version 2013 population estimates on September 14, 2014. For more information, go to http://ibis.health.utah.gov/query/PopEst.html.

Formulas used to compute rates and ratios used in this report are defined as follows:

$$\text{Abortion Rate} = \frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Resident Females 15-44 Years of Age}}$$

$$\text{Abortion Ratio} = \frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Live Births to Resident Females}}$$

Figure 1

STATE OF UTAH DEPARTMENT OF HEALTH
REPORT OF INDUCED TERMINATION OF PREGNANCY

CONFIDENTIAL
This report will be used for statistical purposes by the Utah Department of Health. It may be used to insure compliance with the provisions of the Utah State Abortion Law. It will be kept Confidential pursuant to Chapter 25, Title 26.

1. PLACE where termination occurred-hospital or other facility. If not in hospital or clinic, enter street address.

1b. CITY

1c. COUNTY

2. RESIDENCE
State | County | City, Village | Zip Code

3. PATIENT'S BIRTHDATE
Month | Year

4. MARITAL STATUS
1 ☐ Never Married 2 ☐ Married
3 ☐ Widowed 4 ☐ Divorced
5 ☐ Separated

5. WAS PATIENT OF HISPANIC ORIGIN?
1 ☐ Yes *(If yes, Specify)* 2 ☐ No
1 ☐ Mexican 2 ☐ Cuban 3 ☐ Puerto Rican
☐ Other (Specify)_____

6. RACE
1 ☐ White 2 ☐ Black
3 ☐ American Indian 9 ☐ Asian/Pacific Islander
☐ Other (Specify)_____

7. EDUCATION *(Specify highest grade completed)*
Elementary/Secondary (0-12)
College (13-16 or 17+)

8. PREVIOUS PREGNANCIES (Complete each section)

LIVE BIRTHS		OTHER PREGNANCIES	
8a. Now Living	8b. Now Dead	8c. Spontaneous Terminations	8d. Induced Terminations
Number_____	Number_____	Number_____	Number_____
None ☐	None ☐	None ☐	None ☐

9. CONTRACEPTIVE HISTORY
Has the patient practiced contraception in the past year?
1 ☐ Yes
2 ☐ No
9 ☐ Unknown

10. METHODS (If "yes" to no. 9, what method(s) used?)
0 ☐ Oral (pill) 5 ☐ Surgical Sterilization
1 ☐ Diaphragm 6 ☐ Rhythm
2 ☐ Foam Jelly 7 ☐ Coitus Interruptus (Withdrawal)
3 ☐ Condom
4 ☐ IUD 8 ☐ Depo Provera
9 ☐ Other (Specify)_____

11. If "Yes" to no. 9, did the pregnancy follow from temporarily omitting the method of contraception?
1 ☐ Yes 2 ☐ No 9 ☐ Unknown
If "Yes", which method?_____

12. ANTI-RH IMMUNE globulin indicated
1 ☐ Yes 2 ☐ No
9 ☐ Unknown

13. ANTI-RH IMMUNE globulin given
1 ☐ Yes 2 ☐ No
3 ☐ Patient Refused

14. DATE OF TERMINATION
Month | Day | Year

15. FIRST DAY OF LAST MENSTRUAL PERIOD
Month | Day | Year

16. CLINICAL ESTIMATE OF GESTATION *(Weeks)*

17. EVIDENCE OF PREVIOUS ATTEMPT TO TERMINATE THIS PREGNANCY
1 ☐ Yes 2 ☐ No 9 ☐ Unknown

18a. PROCEDURE THAT TERMINATED PREGNANCY
(Check only one)
1 ☐ ..... Suction Curettage
2 ☐ ..... Sharp Curettage (D & C)
3 ☐ ..... Dilation and Evacuation (D & E)
4 ☐ ..... Medical (Nonsurgical), Specify Medication(s)_____
5 ☐ ..... Intra-Uterine Instillation (Saline or Prostaglandin)
6 ☐ ..... Hysterotomy/Hysterectomy
7 ☐ ..... Other (Specify)_____

18b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY
(Check all that apply)
1 ☐
2 ☐
3 ☐
4 ☐
5 ☐
6 ☐
7 ☐

19. REASON FOR TERMINATION
1 ☐ Maternal Life Endangered
2 ☐ Therapeutic
3 ☐ Fetal Malformation
4 ☐ HIV Positive
5 ☐ Rape
6 ☐ Incest
7 ☐ Elective
8 ☐ Other

20. COMPLICATIONS *(Check all that apply)*
0 ☐ None 2 ☐ Perforation of Uterus 4 ☐ Infection 6 ☐ Retained Products 8 ☐ Other, Specify:
1 ☐ Hemorrhage 3 ☐ Cervical Laceration 5 ☐ Anesthetic 7 ☐ Death

21. HOSPITALIZATION REQUIRED AS A RESULT OF COMPLICATIONS 1 ☐ Yes 2 ☐ No
If "yes", Name of Hospital:_____ ADMISSION DATE: ____/____/____ (Month Day Year)

22. WAS THE FETUS CAPABLE OF SURVIVAL OUTSIDE THE UTERUS?
1 ☐ Yes 2 ☐ No 9 ☐ Unknown

23. *I hereby certify that the required consent was voluntarily obtained as provided in Section 76-7-305, Utah Code Annotated, 1953 as Amended.*

24. SIGNATURE OF PHYSICIAN

25. NAME OF PHYSICIAN (Print or Type)

26. DATE

Subscribed & sworn to before me this ___ day of _____ 19__
Notary Public _____
S E A L

(COMPLETE REVERSE SIDE ALSO) CONFIDENTIAL

UDH-BVR-Form 60, Rev. 6/97

SAMPLE

(Figure 1 continued)

SURGICAL PATHOLOGY REPORT

GROSS and MICROSCOPIC
TO BE COMPLETED ON ALL INDUCED ABORTIONS

1) Presence of chorionic villi . . . . . 1 ☐ Yes 2 ☐ No 9 ☐ Unknown
2) Presence of decidual tissue . . . . . 1 ☐ Yes 2 ☐ No 9 ☐ Unknown
3) Presence of marked inflammatory reaction. . . . . 1 ☐ Yes 2 ☐ No 9 ☐ Unknown
4) Presence of embryo or fetal parts. . . . . 1 ☐ Yes 2 ☐ No 9 ☐ Unknown
5) Gross appearance of embryo . . . . . 1 ☐ Normal
   2 ☐ Macerated
   3 ☐ Malformed - Type_____
   _____

6) Measurements of embryo . . . . . Length_____cms
   Weight_____gms.

COMPLETE THIS SECTION FOR ABORTIONS BEYOND 90 DAYS GESTATION

1. Measurement of Embryo
Heel to Toe_____mm.
Biparietal Diameter_____cm.
Date BPD Measured_____

2. Complications or Post-Operative Morbidity
00 ☐ None
01 ☐ Cardiac Arrest
02 ☐ Disseminated Intravascular Coagulation
03 ☐ Ectopic Pregnancy
04 ☐ Failed Abortion
05 ☐ Hemorrhage (less than 500 ml.)
06 ☐ Hemorrhage (500 ml. or more)
07 ☐ Incomplete abortion (retained tissue)
08 ☐ Injury to cervix
09 ☐ Pelvic Infection
10 ☐ Perforation
11 ☐ Postabortal bleeding or spotting
12 ☐ Pulmonary embolism or infarction
13 ☐ Reaction to Anesthesia - general
14 ☐ Reaction to Anesthesia - local
15 ☐ Respiratory arrest
16 ☐ Other, Specify_____

3. Time of Complication
1 ☐ During Procedure
2 ☐ During Recovery
3 ☐ After Discharge

4. Management of Complication
1 ☐ Hospitalization (immediate)
2 ☐ Hospitalization (later by Facility)
3 ☐ Hospitalization (later not by Facility)
4 ☐ Repeat Evacuation (immediate)
5 ☐ Repeat Evacuation (later at Facility)
6 ☐ Repeat Evacuation (later not at Facility)

5. Two Week Follow-up
1 ☐ In Facility, Normal
2 ☐ Other_____
3 ☐ Other Facility, Normal
4 ☐ Other_____
5 ☐ Examination Not Done
6 ☐ Unable to Contact

6. Future Contraception Planned
1 ☐ Oral (Pill)
2 ☐ IUD
3 ☐ Diaphragm
4 ☐ Other Contraception
5 ☐ None Wanted

7. Reason for Late Abortion
1 ☐ Woman continued to have menses
2 ☐ Afraid to tell parents, spouse, etc.
3 ☐ Denial of Pregnancy
4 ☐ Planned pregnancy, change of circumstances
5 ☐ Suspected or known fetal malformation
6 ☐ Late referral
7 ☐ Unable to afford cost earlier in pregnancy
8 ☐ Other, Specify_____

SAMPLE