

Utah Vital Statistics
Abortions
2016



UTAH DEPARTMENT OF
HEALTH
Office of Vital Records & Statistics

Utah Vital Statistics

Abortions

2016

March 2018
Technical Report No. 295

Mission Statement

The Office of Vital Records and Statistics administers the statewide system of Vital Records and Statistics by documenting and certifying the facts of births, deaths, and family formation for the legal purposes of the citizens of Utah, participates in the National Vital Statistics System, and responds to the needs of health programs, health care providers, businesses, researchers, educational institutions and the Utah public for data and statistical information.

This publication was produced by the
Statistical Products Section
in the
Office of Vital Records and Statistics

Richard J. Oborn, MPA, Director

Staff Contributors

Yanling Shi

Cynthia Robison

Utah Department of Health
Center for Health Data and Informatics

OFFICE OF VITAL RECORDS AND STATISTICS
PO BOX 141012
SALT LAKE CITY UT 84114-1012

Located in the Cannon Health Building
288 North 1460 West
Salt Lake City UT 84116

vitalrecords.health.utah.gov
vrequest@utah.gov
Phone: (801) 538-6843

This information can be made available
in alternative formats upon request.

PREFACE

This 2016 report is the 39th in a series on legally induced abortions in Utah required by Utah Code 76-7-305.7. Previous reports were for the combined years 1974-1975, 1975-1977, 1978-1980, each year from 1981-1998, combined years 1999-2000, 2001-2002 and each year from 2003-2015.

These tabulations are published annually to make commonly used vital records data available to law makers, health programs, health care providers, businesses, researchers, educational institutions, and the Utah public. Data are presented for the state overall, local health districts, and Utah counties.

The Utah Vital Statistics report series no longer includes abortion data for the United States. The most recent abortion data for the United States is published by the U.S. Centers for Disease Control and Prevention in the Morbidity and Mortality Weekly Report, "Abortion Surveillance - United States, 2013," Vol. 65(SS12);1-44; Atlanta, Georgia, November 25, 2016. The website for this report is <http://www.cdc.gov>. Searchers should use the keyword "abortion surveillance" to find the most current report.

TABLE OF CONTENTS

Page

ix	List of Summary Tables
xi	List of Reference Tables
xiii	List of Appendices
S-1	Summary Tables
R-1	Reference Tables
T-1	Technical Appendix

List of Summary Tables

Page

- S-3 Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980 and 1990-2016
- S-3 Table 2. Abortions occurring in Utah by state of residence: 2016
- S-4 Table 3. Abortions, live births, and abortion ratios by health district and county of residence: Utah, 1990, 1995, 2000, and 2005-2016
- S-5 Table 4. Abortions, live births, and ratios by marital status, residents: Utah, 1980, 1990, 1995, and 2000-2016
- S-6 Table 5. Population for females ages 15 to 44, residents: Utah, 1990, 1995, and 2000-2016
- S-6 Table 6. Age-specific abortion rates, residents: Utah, 1990, 1995, and 2000-2016

Figure

- S-7 Figure 1. Abortions per 1,000 live births, residents: Utah, 2000-2016

List of Reference Tables

Page

- R-3 Table R1. Abortions by health district, county of residence, and age of woman: Utah, 2016
- R-4 Table R2. Abortions by health district, county of residence, and month of occurrence: Utah, 2016
- R-5 Table R3. Abortions by age and marital status of woman, residents: Utah, 2016
- R-5 Table R4. Abortions by weeks gestation and marital status of woman, residents: Utah, 2016
- R-5 Table R5. Abortions by age and education of woman, residents: Utah, 2016
- R-6 Table R6. Abortions by age and race of woman, residents: Utah, 2016
- R-6 Table R7. Abortions by weeks gestation and race of woman, residents: Utah, 2016
- R-7 Table R8. Abortions by age of woman and number of prior live births, residents: Utah, 2016
- R-7 Table R9. Abortions by age of woman and number of prior abortions, residents: Utah, 2016
- R-7 Table R10. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2016

(List of Reference Tables continued)

- R-8 Table R11. Abortions by age of woman and reason for termination, residents: Utah, 2016
- R-8 Table R12. Abortions by weeks gestation and reason for termination, residents: Utah, 2016
- R-9 Table R13. Abortions by age of woman and weeks gestation, residents: Utah, 2016
- R-10 Table R14. Abortions by age of woman and methods of termination, residents: Utah, 2016
- R-10 Table R15. Abortions by weeks gestation and methods of termination, residents: Utah, 2016
- R-11 Table R16. Abortions by age of woman and mention of any complications, residents: Utah, 2016
- R-11 Table R17. Abortions by age of woman and history of contraceptive use in past year, residents: Utah, 2016
- R-11 Table R18. Abortions by age of woman and pregnancy due to omission of contraceptive, residents: Utah, 2016
- R-12 Table R19. Abortions by age of woman and methods of contraception in past year, residents: Utah, 2016
- R-12 Table R20. Abortions by marital status of woman and methods of contraception in past year, residents: Utah, 2016

(List of Reference Tables continued)

- R-13 Table R21. Abortions by number of prior live births, prior abortions, and methods of contraception in past year, residents: Utah, 2016
- R-13 Table R22. Abortions by education of woman and methods of contraception in past year, residents: Utah, 2016

Technical Appendix

- T-4 Figure 1. State of Utah -- Department of Health report of induced termination of pregnancy

2016 Summary Tables:

Abortions

Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980 and 1990-2016

Year	Estimated population for females 15-44 ¹ years of age	Resident live births	Abortions			
			Occurrence	Residents		
			Number	Number	Rate ²	Ratio ³
1980	342,817	41,786	4,086	3,821	11.1	91.4
1990	395,807	36,253	4,796	4,159	10.5	114.7
1991	411,839	36,019	4,213	3,759	9.1	104.4
1992	428,353	37,198	3,941	3,525	8.2	94.8
1993	443,618	37,048	3,945	3,615	8.1	97.6
1994	460,914	38,271	3,610	3,304	7.2	86.3
1995	475,165	39,554	3,705	3,292	6.9	83.2
1996	488,404	42,056	3,639	3,293	6.7	78.3
1997	502,401	43,009	3,408	3,140	6.2	73.0
1998	510,715	45,128	3,487	3,237	6.3	71.7
1999	520,259	46,243	3,381	3,160	6.1	68.3
2000	528,769	47,331	3,509	3,279	6.2	69.3
2001	534,884	47,915	3,594	3,372	6.3	70.4
2002	540,124	49,140	3,524	3,300	6.1	67.2
2003	543,155	49,834	3,576	3,338	6.1	67.0
2004	547,780	50,653	3,665	3,379	6.2	66.7
2005	555,517	51,517	3,556	3,279	5.9	63.6
2006	564,615	53,475	3,753	3,444	6.1	64.4
2007	576,269	55,063	3,932	3,516	6.1	63.9
2008	586,879	55,605	3,911	3,510	6.0	63.1
2009	596,032	53,849	3,665	3,270	5.5	60.7
2010	604,101	52,164	3,779	3,446	5.7	66.1
2011	612,200	51,144	3,386	3,081	5.0	60.2
2012	620,389	51,439	3,273	3,018	4.9	58.7
2013	631,060	50,913	3,102	2,893	4.6	56.8
2014	639,777	51,164	2,948	2,767	4.3	54.1
2015	651,344	50,776	3,176	2,986	4.6	58.8
2016	662,673	50,486	3,008	2,808	4.2	55.6

¹Population projections/estimates are revised as historical data become available, and rates may not agree with previous reports.

²Rates are per 1,000 females 15 to 44 years of age.

³Ratios are per 1,000 live births.

The population estimates for years 1980-1999 were produced by the Utah Governor's Office of Planning and Budget (GOPB). For years 2000 and later the population estimates are provided by the National Center for Health Statistics (NCHS) through a collaborative agreement with the U.S. Census Bureau.

Table 2. Abortions occurring in Utah by state of residence: 2016

State of residence	Frequency	Percent
Total	3,008	100.0
Idaho	97	3.2
Nevada	20	0.7
Utah	2,808	93.4
Wyoming	63	2.1
Other states	20	0.7
Other countries	0	--

Other states include: Arizona, California, Colorado, Florida, Illinois, Michigan, Missouri, Montana, New Jersey, New York, Ohio, Oklahoma, South Dakota, and Tennessee.

Table 3. Abortions, live births, and abortion ratios by health district and county of residence: Utah, 1990, 1995, 2000, and 2005-2016

District and county of residence	Live births	Abortions	Abortion ratio 2016	Abortion ratios by year													
				1990	1995	2000	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
Total	50,486	2,808	55.6	114.7	83.2	69.3	63.6	64.4	63.9	63.1	60.7	66.1	60.2	58.7	56.8	54.1	58.8
Bear River	3,182	99	31.1	60.9	37.3	32.6	27.9	27.2	31.7	29.9	30.7	40.8	31.6	28.7	33.4	38.9	27.7
Box Elder	864	26	30.1	29.4	21.5	27.1	25.1	22.9	27.4	30.2	30.2	41.4	35.9	30.5	39.7	36.2	15.7
Cache	2,286	73	31.9	74.7	43.3	35.0	29.3	29.2	33.3	30.2	31.4	40.4	30.6	27.6	31.0	39.4	31.3
Rich	32	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Central Utah	1,102	24	21.8	36.7	29.5	23.2	27.3	17.3	17.3	24.2	20.4	24.1	29.5	21.8	22.4	18.5	21.8
Juab	184	3	--	--	--	--	--	--	--	--	38.1	--	--	--	--	--	--
Millard	199	3	--	30.4	51.0	38.3	--	--	--	--	--	--	--	--	--	--	--
Piute	12	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Sanpete	387	8	20.7	26.9	21.9	19.1	23.3	16.9	17.2	27.1	17.8	28.4	37.1	18.9	18.8	--	26.5
Sevier	296	7	23.6	44.0	33.7	24.0	36.2	21.4	22.3	35.7	--	23.0	28.1	38.5	30.7	32.3	19.5
Wayne	24	2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Davis	5,702	230	40.3	85.5	62.9	58.1	45.5	48.2	46.3	38.7	44.6	47.9	41.9	39.1	35.7	36.8	36.9
Salt Lake	17,603	1,666	94.6	181.0	139.9	117.2	112.6	113.5	114.2	115.5	109.7	119.0	106.4	107.7	100.6	94.4	105.4
San Juan	239	2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Southeastern	448	22	49.1	87.6	44.4	25.7	31.6	39.7	35.0	31.2	28.1	43.1	33.4	26.9	22.2	41.7	26.8
Carbon	229	13	56.8	128.0	77.7	46.5	82.2	81.4	73.4	52.5	49.7	85.4	63.1	56.6	45.6	64.2	55.6
Emery	122	8	65.6	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Grand	97	1	--	183.5	70.7	--	--	--	--	--	--	--	--	--	--	--	--
Southwest	3,301	19	5.8	12.7	5.1	3.9	3.6	2.0	2.0	2.5	4.1	4.4	3.6	3.9	2.2	3.0	5.1
Beaver	105	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Garfield	63	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Iron	828	3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Kane	87	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Washington	2,218	15	6.8	--	--	--	3.3	--	--	--	--	2.8	3.7	4.1	--	--	5.1
Summit	439	67	152.6	349.4	282.7	190.3	166.3	181.7	164.7	179.8	160.1	179.4	152.7	175.5	143.5	171.4	169.4
Tooele	973	44	45.2	94.9	94.6	49.2	85.1	52.8	50.7	53.7	41.9	57.6	66.7	52.5	51.6	49.3	51.1
TriCounty	1,009	32	31.7	72.5	29.1	33.2	33.8	43.7	35.5	39.0	36.0	44.2	20.7	32.5	29.7	18.9	27.1
Daggett	7	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Duchesne	359	7	19.5	35.3	--	24.8	26.8	32.3	33.8	19.0	--	44.1	28.6	22.7	28.5	22.2	27.9
Uintah	643	24	37.3	92.4	38.8	39.6	36.1	47.7	37.0	52.7	49.9	45.4	16.2	39.1	28.2	17.2	25.5
Utah County	11,974	323	27.0	32.4	23.6	23.7	22.5	23.5	24.0	24.7	26.0	24.9	25.0	21.9	22.9	22.7	27.6
Wasatch	471	22	46.7	105.0	41.5	71.0	52.1	61.1	80.9	76.2	48.8	55.3	92.4	57.9	55.7	52.7	44.1
Weber-Morgan	4,043	258	63.8	129.6	86.2	68.4	66.9	78.3	71.0	66.1	59.4	65.9	66.2	61.5	69.4	61.7	68.5
Morgan	166	1	--	--	96.8	--	--	--	--	--	--	--	--	--	--	--	--
Weber	3,877	257	66.3	132.5	85.9	69.3	68.1	80.8	72.9	67.8	61.6	66.9	67.1	63.4	71.7	64.0	71.2

Ratios are per 1,000 live births and are not computed for fewer than seven events or when the number of births is less than 30. Data for the San Juan health district was included in the Southeastern health district prior to 2015.

Table 4. Abortions, live births, and ratios by marital status, residents: Utah, 1980, 1990, 1995, and 2000-2016

Marital status	Year									
	1980	1990	1995	2000	2001	2002	2003	2004	2005	2006
Total										
Induced abortions	3,821	4,159	3,292	3,279	3,372	3,300	3,338	3,379	3,279	3,444
Live births	41,786	36,253	39,554	47,331	47,915	49,140	49,834	50,653	51,517	53,475
Ratio per 1,000 live births	91.4	114.7	83.2	69.3	70.4	67.2	67.0	66.7	63.6	64.4
Married***										
Induced abortions	975	774	786	809	844	756	771	795	760	830
Live births	39,181	31,343	33,338	39,135	39,593	40,671	41,254	41,822	42,416	43,412
Ratio per 1,000 live births	24.9	24.7	23.6	20.7	21.3	18.6	18.7	19.0	17.9	19.1
Unmarried****										
Induced abortions	2,820	3,351	2,494	2,455	2,348	2,268	2,143	2,270	2,230	2,187
Live births	2,605	4,886	6,215	8,175	8,322	8,469	8,580	8,831	9,101	10,063
Ratio per 1,000 live births	1,082.5	685.8	401.3	300.3	282.1	267.8	249.8	257.0	245.0	217.3

Table 4 continued. Abortions, live births, and ratios by marital status, residents: Utah, 1980, 1990, 1995, and 2000-2016

Marital status	Year									
	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Total										
Induced abortions	3,516	3,510	3,270	3,446	3,081	3,018	2,893	2,767	2,986	2,808
Live births	55,063	55,605	53,849	52,164	51,144	51,439	50,913	51,164	50,776	50,486
Ratio per 1,000 live births	63.9	63.1	60.7	66.1	60.2	58.7	56.8	54.1	58.8	55.6
Married***										
Induced abortions	880	762	773	944	987	916	705	697	750	682
Live births	44,254	44,281	43,358	42,273	41,561	41,822	41,107	41,441	41,096	41,047
Ratio per 1,000 live births	19.9	17.2	17.8	22.3	23.7	21.9	17.2	16.8	18.2	16.6
Unmarried****										
Induced abortions	2,371	2,390	2,252	2,251	1,821	1,819	1,838	1,951	2,195	2,077
Live births	10,809	11,324	10,486	9,891	9,583	9,596	9,784	9,690	9,664	9,412
Ratio per 1,000 live births	219.4	211.1	214.8	227.6	190.0	189.6	187.9	201.3	227.1	220.7

Numbers may not add to total due to missing data.

Abortion ratios for data year 1995 are slightly different from the original published data in this series because birth data for the year was updated.

***The sum of women who are married plus women who are separated.

****The sum of women who are widowed, divorced, and those who have never married.

Table 5. Population for females ages 15 to 44, residents: Utah, 1990, 1995, and 2000-2016

Year	Total 15-44	Five-year age groups (15 to 44 years of age)					
		15-19	20-24	25-29	30-34	35-39	40-44
1990	395,807	76,809	69,527	68,108	69,165	61,719	50,479
1995	475,165	96,751	87,652	73,818	75,510	75,365	66,069
2000	528,769	109,105	113,713	85,514	72,066	74,162	74,209
2001	534,884	107,507	117,893	86,501	75,196	72,433	75,354
2002	540,124	105,723	120,489	89,315	77,867	71,166	75,564
2003	543,155	104,124	120,293	92,863	80,187	69,995	75,693
2004	547,780	103,674	119,184	96,309	82,628	70,378	75,607
2005	555,517	104,382	117,683	99,886	85,921	72,990	74,655
2006	564,615	105,061	115,729	105,473	88,019	76,585	73,748
2007	576,269	106,726	113,820	109,680	92,611	80,095	73,337
2008	586,879	108,218	113,211	111,343	98,229	82,830	73,048
2009	596,032	108,952	113,133	111,907	102,736	85,505	73,799
2010	604,194	108,858	113,605	110,909	106,416	88,209	76,197
2011	612,080	107,499	116,449	109,034	109,266	90,479	79,353
2012	649,966	137,507	119,043	106,497	110,819	94,407	81,693
2013	630,172	109,472	121,000	105,187	111,663	98,719	84,131
2014	638,082	110,859	121,934	105,177	111,247	102,702	86,163
2015	648,500	113,774	122,362	106,885	110,272	106,886	88,321
2016	662,673	117,114	122,227	112,210	109,486	110,681	90,955

Numbers may not add to total due to missing data.

The population estimates for years 1980-1999 were produced by the Utah Governor's Office of Planning and Budget (GOPB).

For years 2000 and later the population estimates are provided by the National Center for Health Statistics (NCHS)

through a collaborative agreement with the U.S. Census Bureau.

Table 6. Age-specific abortion rates, residents: Utah, 1990, 1995, and 2000-2016

Year	Total all ages	Age of woman					
		15-19	20-24	25-29	30-34	35-39	40-44
1990	10.5	12.7	19.8	13.2	7.8	4.1	1.5
1995	6.9	6.3	12.3	11.0	6.6	3.7	1.2
2000	6.2	5.3	10.3	8.4	6.0	3.4	1.1
2001	6.3	5.1	9.8	8.4	6.5	3.9	1.2
2002	6.1	4.8	9.5	8.6	5.9	3.9	1.2
2003	6.1	5.1	9.3	8.2	6.2	4.1	1.2
2004	6.2	4.9	10.0	7.8	6.0	4.0	1.3
2005	5.9	4.9	8.8	7.9	5.4	4.3	1.2
2006	6.1	5.3	9.7	8.0	5.5	3.8	1.2
2007	6.1	5.4	9.9	7.6	5.4	3.8	1.5
2008	6.0	5.2	9.1	7.9	5.2	3.9	1.7
2009	5.5	4.2	8.9	6.9	5.1	3.9	1.4
2010	5.7	4.0	9.3	7.7	5.2	3.8	1.8
2011	5.0	3.8	8.3	7.0	4.6	3.0	1.5
2012	4.9	3.3	8.0	6.5	4.6	3.5	1.5
2013	4.6	3.1	7.7	6.3	4.8	2.9	1.2
2014	4.3	2.9	7.2	6.1	4.3	3.1	1.1
2015	4.6	3.0	7.7	7.0	4.5	2.8	1.4
2016	4.2	2.4	7.2	6.4	4.2	2.9	1.2


Rates are per 1,000 females 15-44 years of age. The abortion component of the rate for total all ages includes women less than 15 years of age, 45 years and older and age unknown.

The population estimates for years 1980-1999 were produced by the Utah Governor's Office of Planning and Budget (GOPB).

For years 2000 and later the population estimates are provided by the National Center for Health Statistics (NCHS)

through a collaborative agreement with the U.S. Census Bureau.

Figure 1



2016 Reference Tables:

Abortions

Table R1. Abortions by health district, county of residence, and age of woman: Utah, 2016

District and County	Age of woman										
	Total	Under	15 to 19			20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 and over
		15	Total	15 to 17	18 to 19						
Total	2,808	0	276	44	232	880	713	459	317	108	12
Bear River	99	0	12	0	12	33	28	10	11	5	0
Box Elder	26	0	1	0	1	8	9	5	2	1	0
Cache	73	0	11	0	11	25	19	5	9	4	0
Rich	0	0	0	0	0	0	0	0	0	0	0
Central Utah	24	0	4	0	4	4	4	4	6	0	0
Juab	3	0	1	0	1	0	0	2	0	0	0
Millard	3	0	1	0	1	0	0	0	2	0	0
Piute	1	0	0	0	0	0	0	0	1	0	0
Sanpete	8	0	1	0	1	1	2	0	2	0	0
Sevier	7	0	1	0	1	3	1	1	1	0	0
Wayne	2	0	0	0	0	0	1	1	0	0	0
Davis	230	0	18	5	13	76	50	40	30	11	0
Salt Lake	1,666	0	161	22	139	514	427	283	190	62	10
San Juan	2	0	0	0	0	2	0	0	0	0	0
Southeastern	22	0	1	1	0	6	2	5	4	2	0
Carbon	13	0	1	1	0	4	1	3	2	1	0
Emery	8	0	0	0	0	2	1	2	1	1	0
Grand	1	0	0	0	0	0	0	0	1	0	0
Southwest	19	0	0	0	0	6	7	5	1	0	0
Beaver	0	0	0	0	0	0	0	0	0	0	0
Garfield	1	0	0	0	0	0	0	1	0	0	0
Iron	3	0	0	0	0	1	0	2	0	0	0
Kane	0	0	0	0	0	0	0	0	0	0	0
Washington	15	0	0	0	0	5	7	2	1	0	0
Summit	67	0	2	1	1	11	24	11	10	9	0
Tooele	44	0	1	0	1	8	16	10	6	2	0
TriCounty	32	0	4	3	1	13	6	3	5	1	0
Daggett	1	0	1	0	1	0	0	0	0	0	0
Duchesne	7	0	1	1	0	4	2	0	0	0	0
Uintah	24	0	2	2	0	9	4	3	5	1	0
Utah County	323	0	38	4	34	116	77	45	29	10	1
Wasatch	22	0	4	0	4	5	7	5	1	0	0
Weber-Morgan	258	0	31	8	23	86	65	38	24	6	1
Morgan	1	0	0	0	0	0	1	0	0	0	0
Weber	257	0	31	8	23	86	64	38	24	6	1

Numbers may not add to total due to missing data.

Table R2. Abortions by health district, county of residence, and month of occurrence: Utah, 2016

District and County	Total	Month of occurrence											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total	2,808	243	235	283	244	197	217	219	231	227	226	239	247
Bear River	99	13	10	9	7	10	8	3	9	4	10	9	7
Box Elder	26	3	1	2	2	4	4	0	2	0	4	1	3
Cache	73	10	9	7	5	6	4	3	7	4	6	8	4
Rich	0	0	0	0	0	0	0	0	0	0	0	0	0
Central Utah	24	1	0	1	6	3	6	1	1	2	1	0	2
Juab	3	0	0	0	3	0	0	0	0	0	0	0	0
Millard	3	1	0	0	1	0	1	0	0	0	0	0	0
Piute	1	0	0	1	0	0	0	0	0	0	0	0	0
Sanpete	8	0	0	0	2	2	2	1	0	0	1	0	0
Sevier	7	0	0	0	0	1	2	0	0	2	0	0	2
Wayne	2	0	0	0	0	0	1	0	1	0	0	0	0
Davis	230	22	15	18	25	14	15	18	19	19	17	22	26
Salt Lake	1,666	135	151	172	143	113	123	135	138	138	133	142	143
San Juan	2	0	0	1	0	0	0	0	1	0	0	0	0
Southeastern	22	3	3	1	0	0	0	2	2	2	1	5	3
Carbon	13	3	2	0	0	0	0	1	1	2	1	2	1
Emery	8	0	1	0	0	0	0	1	1	0	0	3	2
Grand	1	0	0	1	0	0	0	0	0	0	0	0	0
Southwest	19	2	1	1	3	2	3	0	1	2	0	1	3
Beaver	0	0	0	0	0	0	0	0	0	0	0	0	0
Garfield	1	0	0	0	1	0	0	0	0	0	0	0	0
Iron	3	1	0	0	0	1	1	0	0	0	0	0	0
Kane	0	0	0	0	0	0	0	0	0	0	0	0	0
Washington	15	1	1	1	2	1	2	0	1	2	0	1	3
Summit	67	6	1	7	7	7	7	5	5	4	8	3	7
Tooele	44	4	4	5	3	2	3	1	4	5	5	6	2
TriCounty	32	2	4	4	4	3	2	3	0	3	1	1	5
Daggett	1	0	0	0	1	0	0	0	0	0	0	0	0
Duchesne	7	1	1	1	0	2	0	1	0	0	0	0	1
Uintah	24	1	3	3	3	1	2	2	0	3	1	1	4
Utah County	323	23	20	34	23	27	30	35	28	24	26	27	26
Wasatch	22	2	1	3	2	0	1	2	4	1	1	3	2
Weber-Morgan	258	30	25	27	21	16	19	14	19	23	23	20	21
Morgan	1	0	0	1	0	0	0	0	0	0	0	0	0
Weber	257	30	25	26	21	16	19	14	19	23	23	20	21

Table R3. Abortions by age and marital status of woman, residents: Utah, 2016

Age	Total	Marital status of woman				
		Never married	Married	Widowed	Divorced	Separated
Total	2,808	1,904	562	6	167	120
Under 15	0	0	0	0	0	0
Total 15 to 19	276	268	4	0	0	1
15-17	44	44	0	0	0	0
18-19	232	224	4	0	0	1
20-24	880	747	91	2	12	14
25-29	713	479	149	1	35	36
30-34	459	218	136	2	55	35
35-39	317	109	130	0	48	26
40-44	108	43	43	0	13	7
45 and over	12	2	6	0	3	1

Numbers may not add to total due to missing data.

Table R4. Abortions by weeks gestation and marital status of woman, residents: Utah, 2016

Weeks gestation	Total	Marital status of woman				
		Never married	Married	Widowed	Divorced	Separated
Total	2,808	1,904	562	6	167	120
Under 5	6	3	2	0	1	0
5-6	1,040	668	225	2	79	48
7-8	901	626	167	2	52	39
9-10	351	246	59	0	23	17
11-12	234	176	36	2	6	10
13-14	111	81	25	0	1	3
15-20	120	79	33	0	2	3
21 and over	17	6	9	0	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Numbers may not add to total due to missing data.

Table R5. Abortions by age and education of woman, residents: Utah, 2016

Age	Total	Education of woman		
		Under 12 years	High school	Over 12 years
Total	2,808	114	1,310	1,353
Under 15	0	0	0	0
Total 15 to 19	276	31	187	57
15-17	44	29	14	1
18-19	232	2	173	56
20-24	880	16	450	409
25-29	713	9	311	384
30-34	459	14	184	252
35-39	317	7	131	173
40-44	108	4	41	63
45 and over	12	1	3	7

Numbers may not add to total due to missing data.

Table R6. Abortions by age and race of woman, residents: Utah, 2016

Age	Race of woman						
	Total	White	Black	Hispanic	Asian and Pacific Islander	Native American	Other
Total	2,808	1,798	95	583	93	24	14
Under 15	0	0	0	0	0	0	0
Total 15 to 19	276	174	18	64	5	3	0
15-17	44	32	5	6	0	0	0
18-19	232	142	13	58	5	3	0
20-24	880	572	26	180	29	9	3
25-29	713	462	25	141	22	5	5
30-34	459	301	18	80	21	5	3
35-39	317	197	3	74	10	1	3
40-44	108	67	1	25	4	1	0
45 and over	12	5	1	5	0	0	0

Numbers may not add to total due to missing data.

Table R7. Abortions by weeks gestation and race of woman, residents: Utah, 2016

Weeks gestation	Race of woman						
	Total	White	Black	Hispanic	Asian and Pacific Islander	Native American	Other
Total	2,808	1,798	95	583	93	24	14
Under 5	6	3	0	2	0	0	0
5-6	1,040	676	35	186	37	11	7
7-8	901	602	28	172	37	6	4
9-10	351	225	12	84	7	1	1
11-12	234	129	8	68	7	5	1
13-14	111	67	4	26	2	1	1
15-20	120	73	7	30	3	0	0
21 and over	17	10	1	4	0	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.
Numbers may not add to total due to missing data.

Table R8. Abortions by age of woman and number of prior live births, residents: Utah, 2016

Age	Total	Prior live births					Five or more
		None	One	Two	Three	Four	
Total	2,808	1,493	496	430	227	87	55
Under 15	0	0	0	0	0	0	0
Total 15 to 19	276	246	26	2	1	0	0
15-17	44	42	2	0	0	0	0
18-19	232	204	24	2	1	0	0
20-24	880	615	169	70	18	1	1
25-29	713	342	154	130	56	19	8
30-34	459	154	82	116	68	21	14
35-39	317	71	45	80	65	31	22
40-44	108	24	16	29	16	14	8
45 and over	12	4	1	3	2	1	1

Numbers may not add to total due to missing data.

Table R9. Abortions by age of woman and number of prior abortions, residents: Utah, 2016

Age	Total	Prior abortions					Five or more
		None	One	Two	Three	Four	
Total	2,808	2,172	448	113	32	10	4
Under 15	0	0	0	0	0	0	0
Total 15 to 19	276	254	21	0	0	0	0
15-17	44	41	3	0	0	0	0
18-19	232	213	18	0	0	0	0
20-24	880	718	125	23	7	0	0
25-29	713	541	119	39	6	1	1
30-34	459	314	94	25	10	5	1
35-39	317	223	58	21	7	3	2
40-44	108	73	29	3	1	1	0
45 and over	12	10	1	1	0	0	0

Numbers may not add to total due to missing data.

Table R10. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2016

Weeks gestation	Total	Prior abortions					Five or more
		None	One	Two	Three	Four	
Total	2,808	2,808	2,172	448	113	32	10
Under 5	6	6	4	2	0	0	0
5-6	1,040	1,040	819	155	37	11	6
7-8	901	901	693	150	39	10	0
9-10	351	351	262	62	15	7	2
11-12	234	234	173	40	14	3	2
13-14	111	111	82	19	4	1	0
15-20	120	120	104	14	1	0	0
21 and over	17	17	13	2	1	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Numbers may not add to total due to missing data.

Table R11. Abortions by age of woman and reason for termination, residents: Utah, 2016

Age	Total	Reason for termination				
		Maternal life endangered	Therapeutic	Fetal malformation	HIV positive	Elective
Total	2,808	15	2,515	41	0	207
Under 15	0	0	0	0	0	0
Total 15 to 19	276	1	238	0	0	31
15-17	44	0	40	0	0	3
18-19	232	1	198	0	0	28
20-24	880	5	796	4	0	67
25-29	713	3	642	14	0	50
30-34	459	2	421	7	0	25
35-39	317	3	279	11	0	21
40-44	108	0	88	5	0	11
45 and over	12	0	12	0	0	0

Numbers may not add to total due to missing data.

Table R12. Abortions by weeks gestation and reason for termination, residents: Utah, 2016

Weeks gestation	Total	Reason for termination				
		Maternal life endangered	Therapeutic	Fetal malformation	HIV positive	Elective
Total	2,808	15	2,515	41	0	207
Under 5	6	0	6	0	0	0
5-6	1,040	7	954	3	0	62
7-8	901	4	819	2	0	70
9-10	351	2	315	0	0	31
11-12	234	1	201	0	0	30
13-14	111	0	92	5	0	10
15-20	120	0	95	22	0	3
21 and over	17	1	7	9	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.
Numbers may not add to total due to missing data.

Table R13. Abortions by age of woman and weeks gestation, residents: Utah, 2016

Age	Weeks gestation								
	Total	Under 5	5-6	7-8	9-10	11-12	13-14	15-20	21 and over
Total	2,808	6	1,040	901	351	234	111	120	17
Under 15	0	0	0	0	0	0	0	0	0
Total 15 to 19	276	1	83	88	40	35	13	13	1
15-17	44	0	10	18	7	3	3	3	0
18-19	232	1	73	70	33	32	10	10	1
20-24	880	1	336	296	99	75	35	29	3
25-29	713	2	244	239	100	61	26	26	10
30-34	459	1	173	142	59	37	14	23	1
35-39	317	1	124	93	38	19	16	22	2
40-44	108	0	58	27	8	5	3	4	0
45 and over	12	0	9	2	1	0	0	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available. Numbers may not add to total due to missing data.

Table R14. Abortions by age of woman and methods of termination, residents: Utah, 2016

Age	Total	Methods of termination						
		Dilation and evacuation	Suction curettage	Sharp curettage	Medication	Intra-uterine instillation	Hysterectomy	Other
Total	2,808	155	1,534	15	1,072	3	0	0
Under 15	0	0	0	0	0	0	0	0
Total 15 to 19	276	18	159	0	98	0	0	0
15-17	44	5	27	0	12	0	0	0
18-19	232	13	132	0	86	0	0	0
20-24	880	39	472	3	357	0	0	0
25-29	713	38	383	5	280	1	0	0
30-34	459	26	252	3	172	1	0	0
35-39	317	25	196	3	88	1	0	0
40-44	108	4	52	1	50	0	0	0
45 and over	12	0	6	0	5	0	0	0

The totals do not add because more than one choice is possible for each number in the total and numbers may not add to total due to missing data.

Table R15. Abortions by weeks gestation and methods of termination, residents: Utah, 2016

Weeks gestation	Total	Methods of termination						
		Dilation and evacuation	Suction curettage	Sharp curettage	Medication	Intra-uterine instillation	Hysterectomy	Other
Total	2,808	155	1,534	15	1,072	3	0	0
Under 5	6	0	2	0	4	0	0	0
5-6	1,040	2	479	3	547	1	0	0
7-8	901	2	487	1	405	0	0	0
9-10	351	0	253	3	94	0	0	0
11-12	234	2	230	2	0	0	0	0
13-14	111	36	63	5	0	0	0	0
15-20	120	104	7	1	4	1	0	0
21 and over	17	9	0	0	4	1	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available. The totals do not add because more than one choice is possible for each number in the total and numbers may not add to total due to missing data.

Table R16. Abortions by age of woman and mention of any complications, residents: Utah, 2016

Age of woman	Total	Mention of any complication	
		Yes	No
Total	2,808	8	2,763
Under 15	0	0	0
Total 15 to 19	276	0	275
15-17	44	0	44
18-19	232	0	231
20-24	880	1	870
25-29	713	4	697
30-34	459	3	448
35-39	317	0	313
40-44	108	0	106
45 and over	12	0	12

Numbers may not add to total due to missing data.

Table R17. Abortions by age of woman and history of contraception in past year, residents: Utah, 2016

Age of woman	Total	History of contraception in past year	
		Yes	No
Total	2,808	230	733
Under 15	0	0	0
Total 15 to 19	276	10	53
15-17	44	1	14
18-19	232	9	39
20-24	880	59	184
25-29	713	64	201
30-34	459	46	153
35-39	317	35	90
40-44	108	9	33
45 and over	12	3	5

Numbers may not add to total due to missing data.

Table R18. Abortions by age of woman and pregnancy due to omission of contraception, residents: Utah, 2016

Age of woman	Total	Omission of contraception	
		Yes	No
Total	2,808	33	210
Under 15	0	0	0
Total 15 to 19	276	3	8
15-17	44	1	0
18-19	232	2	8
20-24	880	9	54
25-29	713	12	56
30-34	459	7	41
35-39	317	2	32
40-44	108	0	8
45 and over	12	0	4

Numbers may not add to total due to missing data.

Table R19. Abortions by age of woman and methods of contraception in past year, residents: Utah, 2016

Age of woman	Methods of contraception in past year										
	Total	Oral (pill)	Diaphragm	Foam jelly	Condom	I U D	Surgical sterilization	Rhythm	Coitus interruptus	Depo-provera	Other
Total	2,808	106	2	21	63	30	0	0	2	10	15
Under 15	0	0	0	0	0	0	0	0	0	0	0
Total 15 to 19	276	3	0	2	4	0	0	0	0	1	0
15-17	44	0	0	0	0	0	0	0	0	0	0
18-19	232	3	0	2	4	0	0	0	0	1	0
20-24	880	33	0	3	11	3	0	0	0	4	5
25-29	713	32	2	8	18	9	0	0	1	2	3
30-34	459	21	0	3	13	8	0	0	1	3	4
35-39	317	9	0	3	12	7	0	0	0	0	3
40-44	108	3	0	2	5	1	0	0	0	0	0
45 and over	12	1	0	0	0	1	0	0	0	0	0

Numbers may not add to total due to missing data or multiple choices.

Table R20. Abortions by marital status of woman and methods of contraception in past year, residents: Utah, 2016

Marital status	Methods of contraception in past year										
	Total	Oral (pill)	Diaphragm	Foam jelly	Condom	I U D	Surgical sterilization	Rhythm	Coitus interruptus	Depo-provera	Other
Total	2,808	106	2	21	63	30	0	0	2	10	15
Never married	1,904	63	2	7	28	13	0	0	0	7	4
Married	562	16	0	9	17	4	0	0	1	1	9
Widowed	6	0	0	0	0	0	0	0	0	0	0
Divorced	167	14	0	1	11	9	0	0	0	1	0
Separated	120	10	0	2	3	3	0	0	1	1	1
Unknown	49	3	0	2	4	1	0	0	0	0	1

Numbers may not add to total due to missing data or multiple choices.

Table R21. Abortions by number of prior live births, prior abortions, and methods of contraception in past year, residents: Utah, 2016

Prior live births and prior abortions	Methods of contraception in past year										
	Total	Oral (pill)	Diaphragm	Foam jelly	Condom	IUD	Surgical sterilization	Rhythm	Coitus interruptus	Depo-provera	Other
Total	2,808	106	2	21	63	30	0	0	2	10	15
No live births	1,493	61	1	9	28	6	0	0	0	6	3
One live birth	496	20	0	4	9	8	0	0	0	3	4
More than one birth	808	25	1	8	26	16	0	0	2	1	8
No abortions	2,172	79	1	17	46	26	0	0	2	6	12
No live births	1,257	50	0	8	23	6	0	0	0	5	2
One live birth	372	14	0	3	6	7	0	0	0	0	3
More than one birth	542	15	1	6	17	13	0	0	2	1	7
One abortion	448	20	1	3	14	4	0	0	0	3	1
No live births	186	10	1	1	5	0	0	0	0	1	1
One live birth	83	3	0	1	3	1	0	0	0	2	0
More than one birth	176	7	0	1	6	3	0	0	0	0	0
More than one abortion	159	7	0	1	3	0	0	0	0	1	2
No live births	49	1	0	0	0	0	0	0	0	0	0
One live birth	33	3	0	0	0	0	0	0	0	1	1
More than one birth	76	3	0	1	3	0	0	0	0	0	1
Abortions unknown	29	0	0	0	0	0	0	0	0	0	0
No live births	1	0	0	0	0	0	0	0	0	0	0
One live birth	8	0	0	0	0	0	0	0	0	0	0
More than one birth	14	0	0	0	0	0	0	0	0	0	0

Numbers may not add to total due to missing data or multiple choices.

Table R22. Abortions by education of woman and methods of contraception in past year, residents: Utah, 2016

Education	Methods of contraception in the past year										
	Total	Oral (pill)	Diaphragm	Foam jelly	Condom	IUD	Surgical sterilization	Rhythm	Coitus interruptus	Depo-provera	Other
Total	2,808	106	2	21	63	30	0	0	2	10	15
Under 12 years	114	4	0	0	0	0	0	0	0	0	0
High school	1,310	44	1	9	19	13	0	0	2	7	7
Over 12 years	1,353	56	1	10	42	15	0	0	0	3	6

Numbers may not add to total due to missing data or multiple choices.

2016 Appendix:

Abortions

Technical Appendix

Section 76-7-313, Utah Code Annotated 1953 as amended requires that the report of induced termination of pregnancy (Figure A) be filed with the State of Utah's Department of Health within ten days after the abortion.

The reported number of abortions to Utah residents that are performed out of state is small and suggests an undercount. This small number of reported abortions that occur in other states are not shown by county of residence in this report.

For both the summary and reference tables in this report, data are tabulated by health district as well as county of residence to meet the needs of local health departments.

The population data are Vintage 2016 population estimates by age 2010-2016 from the U.S. Census Bureau. Vintage population estimates are used for years 2000-2016. Prior years were produced based on estimates by the Utah Populations Committee.

Formulas used to compute rates and ratios used in this report are defined as follows:

$$\text{Abortion Rate} = \frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Resident Females 15-44 Years of Age}}$$

$$\text{Abortion Ratio} = \frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Live Births to Resident Females}}$$

Figure 1

STATE OF UTAH DEPARTMENT OF HEALTH REPORT OF INDUCED TERMINATION OF PREGNANCY				CONFIDENTIAL This report will be used for statistical purposes by the Utah Department of Health. It may be used to insure compliance with the provisions of the Utah State Abortion Law. It will be kept Confidential pursuant to Chapter 25, Title 26.	
1. PLACE where termination occurred-hospital or other facility. If not in hospital or clinic, enter street address.		1b. CITY		1c. COUNTY	
2. RESIDENCE State _____ County _____ City, Village _____ Zip Code _____		3. PATIENT'S BIRTHDATE Month _____ Year _____		4. MARITAL STATUS 1 <input type="checkbox"/> Never Married 2 <input type="checkbox"/> Married 3 <input type="checkbox"/> Widowed 4 <input type="checkbox"/> Divorced 5 <input type="checkbox"/> Separated	
5. WAS PATIENT OF HISPANIC ORIGIN? 1 <input type="checkbox"/> Yes (If yes, Specify) 2 <input type="checkbox"/> No 1 <input type="checkbox"/> Mexican 2 <input type="checkbox"/> Cuban 3 <input type="checkbox"/> Puerto Rican <input type="checkbox"/> Other (Specify) _____		6. RACE 1 <input type="checkbox"/> White 2 <input type="checkbox"/> Black 3 <input type="checkbox"/> American Indian 9 <input type="checkbox"/> Asian/Pacific Islander <input type="checkbox"/> Other (Specify) _____		7. EDUCATION (Specify highest grade completed) Elementary/Secondary (0-12) College (13-16 or 17+)	
8. PREVIOUS PREGNANCIES (Complete each section)				9. CONTRACEPTIVE HISTORY Has the patient practiced contraception in the past year? 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown	
LIVE BIRTHS		OTHER PREGNANCIES		10. METHODS (if "yes" to no. 9, what method(s) used?)	
8a. Now Living Number _____ None <input type="checkbox"/>	8b. Now Dead Number _____ None <input type="checkbox"/>	8c. Spontaneous Terminations Number _____ None <input type="checkbox"/>	8d. Induced Terminations Number _____ None <input type="checkbox"/>	0 <input type="checkbox"/> Oral (pill) 5 <input type="checkbox"/> Surgical Sterilization 1 <input type="checkbox"/> Diaphragm 6 <input type="checkbox"/> Rhythm 2 <input type="checkbox"/> Foam Jelly 7 <input type="checkbox"/> Coitus Interruptus (Withdrawal) 3 <input type="checkbox"/> Condom 8 <input type="checkbox"/> Depo Provera 4 <input type="checkbox"/> IUD 9 <input type="checkbox"/> Other (Specify) _____	
11. If "Yes" to no. 9, did the pregnancy follow from temporarily omitting the method of contraception? 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown If "Yes", which method? _____			12. ANTI-RH IMMUNE globulin indicated 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown		13. ANTI-RH IMMUNE globulin given 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 3 <input type="checkbox"/> Patient Refused
14. DATE OF TERMINATION Month _____ Day _____ Year _____		15. FIRST DAY OF LAST MENSTRUAL PERIOD Month _____ Day _____ Year _____		16. CLINICAL ESTIMATE OF GESTATION (Weeks) _____	
17. EVIDENCE OF PREVIOUS ATTEMPT TO TERMINATE THIS PREGNANCY 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown		18a. PROCEDURE THAT TERMINATED PREGNANCY (Check only one)		18b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY (Check all that apply)	
1 <input type="checkbox"/> Suction Curettage		2 <input type="checkbox"/> Sharp Curettage (D & C)		3 <input type="checkbox"/> Dilation and Evacuation (D & E)	
4 <input type="checkbox"/> Medical (Nonsurgical), Specify Medication(s) _____		5 <input type="checkbox"/> Intra-Uterine Instillation (Saline or Prostaglandin)		6 <input type="checkbox"/> Hysterotomy/Hysterectomy	
7 <input type="checkbox"/> Other (Specify) _____		1 <input type="checkbox"/> Maternal Life Endangered		2 <input type="checkbox"/> Therapeutic	
3 <input type="checkbox"/> Perforation of Uterus		4 <input type="checkbox"/> Infection		5 <input type="checkbox"/> Fetal Malformation	
6 <input type="checkbox"/> Retained Products		7 <input type="checkbox"/> Death		8 <input type="checkbox"/> HIV Positive	
8 <input type="checkbox"/> Hemorrhage		9 <input type="checkbox"/> Cervical Laceration		9 <input type="checkbox"/> Flap	
10 <input type="checkbox"/> Anesthetic		11 <input type="checkbox"/> Other, Specify: _____		12 <input type="checkbox"/> Incest	
13 <input type="checkbox"/> None		14 <input type="checkbox"/> Other, Specify: _____		13 <input type="checkbox"/> Elective	
15 <input type="checkbox"/> None		16 <input type="checkbox"/> Other, Specify: _____		14 <input type="checkbox"/> Other	
17 <input type="checkbox"/> Hemorrhage		18 <input type="checkbox"/> Other, Specify: _____		15 <input type="checkbox"/> None	
19 <input type="checkbox"/> Perforation of Uterus		20 <input type="checkbox"/> Other, Specify: _____		16 <input type="checkbox"/> None	
21 <input type="checkbox"/> Infection		21. HOSPITALIZATION REQUIRED AS A RESULT OF COMPLICATIONS 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No		Month _____ Day _____ Year _____	
22 <input type="checkbox"/> Retained Products		If "yes", Name of Hospital: _____		ADMISSION DATE: _____ / _____ / _____	
23 <input type="checkbox"/> Death		22. WAS THE FETUS CAPABLE OF SURVIVAL OUTSIDE THE UTERUS? 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown		Subscribed & sworn to before me this _____ day of _____ 19____	
24 <input type="checkbox"/> Other, Specify: _____		23. I hereby certify that the required consent was voluntarily obtained as provided in Section 76-7-305, Utah Code Annotated, 1953 as Amended.		Notary Public _____	
25. NAME OF PHYSYSIAN (Print or Type)		24. SIGNATURE OF PHYSYSIAN		S E A L	
26. DATE		25. NAME OF PHYSYSIAN (Print or Type)		26. DATE	

(COMPLETE REVERSE SIDE ALSO)

CONFIDENTIAL

(Figure 1 continued)

SURGICAL PATHOLOGY REPORT

GROSS and MICROSCOPIC
TO BE COMPLETED ON ALL INDUCED ABORTIONS

- 1) Presence of chorionic villi 1 Yes 2 No 9 Unknown
- 2) Presence of decidual tissue 1 Yes 2 No 9 Unknown
- 3) Presence of marked inflammatory reaction. 1 Yes 2 No 9 Unknown
- 4) Presence of embryo or fetal parts. 1 Yes 2 No 9 Unknown
- 5) Gross appearance of embryo 1 Normal
2 Macerated
3 Malformed - Type _____

- 6) Measurements of embryo Length _____ cms
Weight _____ gms.

COMPLETE THIS SECTION FOR ABORTIONS BEYOND 90 DAYS GESTATION

1. Measurement of Embryo

- Heel to Toe _____ mm.
Biparietal Diameter _____ cm.
Date BPD Measured _____

2. Complications or Post-Operative Morbidity

- 00 None
01 Cardiac Arrest
02 Disseminated Intravascular Coagulation
03 Ectopic Pregnancy
04 Failed Abortion
05 Hemorrhage (less than 500 ml.)
06 Hemorrhage (500 ml. or more)
07 Incomplete abortion (retained tissue)
08 Injury to cervix
09 Pelvic Infection
10 Perforation
11 Postabortal bleeding or spotting
12 Pulmonary embolism or infarction
13 Reaction to Anesthesia - general
14 Reaction to Anesthesia - local
15 Respiratory arrest
16 Other, Specify _____

3. Time of Complication

- 1 During Procedure
2 During Recovery
3 After Discharge

4. Management of Complication

- 1 Hospitalization (immediate)
2 Hospitalization (later by Facility)
3 Hospitalization (later not by Facility)
4 Repeat Evacuation (immediate)
5 Repeat Evacuation (later at Facility)
6 Repeat Evacuation (later not at Facility)

5. Two Week Follow-up

- 1 In Facility, Normal
2 Other _____
3 Other Facility, Normal
4 Other _____
5 Examination Not Done
6 Unable to Contact

6. Future Contraception Planned

- 1 Oral (Pill)
2 IUD
3 Diaphragm
4 Other Contraception
5 None Wanted

7. Reason for Late Abortion

- 1 Woman continued to have menses
2 Afraid to tell parents, spouse, etc.
3 Denial of Pregnancy
4 Planned pregnancy, change of circumstances
5 Suspected or known fetal malformation
6 Late referral
7 Unable to afford cost earlier in pregnancy
8 Other, Specify _____

